Tutorial Two: Edit page containing letters, sketches and photos step by step.


1) Scan a page in 200 – 300dpi analysis by any magazine or book and save this image in Jpeg color file. This original scan page for the lesson is 200dpi analysis by RCModeler magazine.

Attention: A good scan has less work later.

PRIOR TO 1962, four thousand, five hundred and ninety Cessna 182/Skylane aircraft were built by the Cessna Aircraft Company, Wichita, Kansas. Then came a new model of the Skylane (the deluxe version of the 182) with a new fuselage, glass all around giving 360° vision, flight-sweep tail, and a very attractive color scheme. On my way to the bluff where I had been slope soaring gliders, I passed the Orange County airport and saw a, then new 1962 model in blue and white. One look, and I was convinced that there was an aircraft with lots of room in the newly designed fuselage — room for almost any amount of radio gear!

amount of radio gear! Wheel pants (now called wheel speed fairings) added to the well proven single leaf main landing gear and nose wheel made this a very attractive airplane to duplicate. Due to the fact that large scale control models always seem to look nice and impressive I chose the scale of 2''=1'. In February 1962, Torbet Aircraft provided some full color





Above lt: Miss Reggie Pierce, RCM's March-April cover girl, with full-size Cessna 182 and Dale's RC prototype.

BOLD BEAUTY, EXCITING ELEGANCE brochures and a blue-and-white Skylane for photographing. I went away with 24 detailed shots of this ship from all aniles. While in Japan my last time, and in association with Masahiro Kato, the design and construction of two prototypes was completed, then test flown using a new Orbit 10 superhet furnished by Bob Dunham. Since that time I have received a number of requests for the plans to this ship, and decided to have them published by R/C Modeler.

A number of improvements have been made to this model since the original was test flown. Modifications include exact scale flying surfaces plus the addition of flaps, lights, and full sheeted wings to simulate the metal covering. Inasmuch as this scale model is not for the beginner, I will forego a step-by-step construction article but by following the numbered sequence of the parts the average model builder should experience no difficulty in building this beautiful model. Of

(Continued on Page 41)

2) Open the image file with photoshop and make alignment image using ruler and drivers.

Attention: Good alignment fewer problems.

PS File Edit	Image Layer Type Select Filter		– 67 ×
▶ Auto	Mode	▲ Ⅲ ● □ 目古日 写古古 吵 帅 帅 問	Essentials 🗘
>> Original Sca	Adjustments		
▶+ 2 □]	Auto Tone Shift+Ctrl+L Auto Contrast Alt+Shift+Ctrl+L Auto Color Shift+Ctrl+B	0, 2, 4, 6, 8, 10, 12, 14, 15, 19, 20, 22, 24, 25, 28, 30, 32, 34, 36,	1 color 1 color 1 Swatches
<i>.</i>	Image Size Alt+Ctrl+I	Para to the feature of the second sec	Adjustments
2 <u>2</u>	Canvas Size Alt+Ctrl+C	P RIOR 70 1960, for thesamed, for handred and ninny Conna 197/Shylner aistrativ ware built by the Conna Alexark Company, and of the Shylner (built of the	<u> </u>
¥	Image Rotation Crop	180° r, glas all around gring 50° manifer color scheme. On my 90° CW reacting the scheme gring for the scheme f	F x 1 Styles
1 4	Trim	90° CCW that there was alterard with a	📚 Layers
	Reveal All	Arbitrary ed faings) added es de well	Channels
· · ·	Duplicate	Flip Canvas Horizontal the fact the lage rate control inprestive (a low the state of	
8	Apply Image	Flip Canvas Vertical safe provided some full color	7 Paths
- <u>-</u> -	Calculations	ante and a second secon	
Z. 1.	Variables 🕨		
<i>∎.</i>	Apply Data Set		
2	Trap		
A. 1-	Analysis		
.			
1 1			
TT			
- 3 -		brochnese and a blowned-white Skylase for photographing. I went www.ywith 24 denailed stors of this day form all anim. While in papan or yas terin and in association with Mankier Kana, the drings and	
		direw its Max Regar Parew, RCH commencion of rews procepties was complement, them tem flews using a new Orbit: 10 superhers furnished by Bods Dunhams. Since that time 1 have exercised a number of leverent for the plants to this ship, and	
W . ź:		oecidael to laver titem pointaele / ty K/L Motette A namber of improvemente (aver been made no chin model since the	
		faces plass the additions of flaps, lights, and full absence wings to simu- lare the mean deversion. Evaluate that add in not for the	
		BOLD BEAUTY, beginner, I will forego a step-by-zep construction anticle how by hol- EXCITING ELEGANCE towing the numbered acquest of the parts that arrange model builder should expension no afficiency in building the busility and the construction activity of	
6		(Continued on Page 41) 17	
E, É			
25%	Doc: 10,3M/10,3M		
Mini Bridge			
	0 6 0 0	🐨 🧃 EN 🔀 🕱 🕸	🥶 🙄 📭 12:12 μμ


3) Correct the image if needed in brightness, colors and contrast.

Now convert the image from color to grayscale.


PS File Edit	Image Layer Type Se	elect Filter View	Window Help			– 8 ×
National Auto	Mode		map			ientials 😂
*	Adjustments		ayscale			44
** Original Sci 16			lotone dexed Color			
▶⊕ 2			B Color		₽5	Color
E, 7	Auto Color S		/YK Color		9	🔠 Swatches
φ	Image Size	Alt+Ctrl+I	b Color			
	Canvas Size	Alt+Ctrl+C Mt		uand, five handlend and uinny Gessa alle by the Casma Alicente Company, new model of the Solate (the distance)		Adjustments
¥	Image Rotation	► ~ 8 B	lite/Channel	toer mood of the Skytane (the directory of the skytane (the directory of the skytane (the directory of the skytane (the sk		A Styles
	Crop			been slope tearing glides, I paued the aw a, then new 1962 model in bloc and worked that there was an aircraft with		_
<i>8</i> .	Trim Reveal All	32	bits/ channel	signed fusciage - room for almost any		Tayers
Ø. 6.		Co	lor Table	what speed fairings) edited to the well- ng gere and row when make this a very Due to the fast what have state control		Channels
1.	Duplicate Apply Image		models always seem to look	size and impressive I three the scale of other Alicraft provided some full color		7 Paths
1 1 , °-	Calculations		THE OWNER OF THE			
2 1	Variables		AMPEAN IN THE MENT OF THE MENT	182/Skylane		
1	Apply Data Set		THE PERFECT CONTROL OF			
12	Trap		THE ADDRESS IN COMMUNICATION OF ADDRESS IN COMMUNICATION OF ADDRESS IN COMPANY ADDRESS			
		•				
4	Analysis	,	5			
			Serie Lagran La			
Ø. °				E Hannen H		
T l						
k				brochures and a Mus-and-white Skylane for photographing. I went away with 24 detailed shots of this ship from all aniles. While in Japan		
🗖 🗖			Above it: Miss Reggie Pierce, B	my last time, and in association with Masahiro Kato, the design and construction of two procetypies was completed, then test flown using CMP		
* 2			March-April cover girl, with ful Cessins 182 and Dale's RC prote	Laine I have version to superstant included by loss formation and can called symp. devided in have them published by R/C Modeler.		
Q				A number of improvement have been made to this model since the original was nee flows. Medifications include enact scale bying sur- faces use the addition of them listers and full therear winner to sime		
u + 4			BOLD BEAUTY,	faces plus the addition of flaps, lights, and full shored wings to simu- iare the neural covering. Instituted, as this scale model is not for the beginness, it will forego a surphysery constructions matched but by fol-		
			EXCITING ELEGANO	CE Inviting the multimodi sequence of the parts the average model builder about desperieurs no difficulty in building this beautiful model. Of (Contents of n Page 41)		
T is the				17		
2						
₽.						
25%	Doc: 3,44M/3,44M					
Mini Bridge	Timeline			*8		
	0 6 0 0) 📧 🧃	W	EN 🚺 📽 🖪 🔶	a 🖬 🛛	🕨 1:05 µµ

4) Create a new blank white page with the knowledgeable dimensions.

Reminder: Page dimensions 21 x 28cm.



Copy and paste the original scanned page that has turned grayscale in the new blank page and make new alignment image into margins.



5) Now make posterize the new page with image.

Reminder: Choose a suitable level posterize number between 2 – 6 not more.

Attention: Look at the black arrow in the image. There exist points in need of extra cleaning in image. Use hand tools to clean as eraser, pencil etc.

Image before more clean.

Ps	File Edit Image Layer Type Select Filter View	v Window Help	— Ф ×							
🗇 - 🔲 🖶 🗗 🖶 Facher: Opc 🛛 Antralas Style: Normal 😋 Width 🚑 Height Refine.Edge										
**	Original Scan.jpg @ 25% (Gray/8) * × Untitled-1 @ 25% (L		44 44							
▶.	16 14 12 10 8 6 4 2		Color							
0			Swatches							
<i>Q</i>										
1		PRIOR TO 1962, four threased, five handred and nisery Casesa 18/2/Splace aircraft were built by the Cesna Aircraft Company,	Adjustments							
tų.	2	Wichin, Kuman. Then came a new model of the Baylane (the delites version of the 182) with a new funding, glass all around gring 30 ^o vision, fightenew pair, and a version constraints. On any	f_X Styles							
	4	way to the hiaff where I had been slope scaring gilders. I passed the Orange Chanty airport and as w, then new 1952 model is blue and when. One today, and I was considered that chart was an an entered with	-							
ø.		loss of room in the newly designed fuelage - room for almost any	S Layers							
P.	6	Whet pure (new called what qued fairings) added to the will proven single fair main landing gaze and new wheel made this a very marrier in attraction of durings. The other fair to are sufficient of the state of th	Channels							
1.	-	sumaries aiplane to duplican. Due to the fact that large scale control models always are to look size and proprinted 1 dens the absender of 2°mtV. In Yuhrany 1963, Taubet Aiscraft provided scane fail order	77 Paths							
1										
Z.	1	west with the second se								
2		We with a second s								
	2_									
۵	1	- Thursday and the second seco								
	4									
*	1									
T	-	T-I WARNEN								
<u> </u>	8									
3	7	brochures and a blue-and-white Skylare for phonographing. I went www.with.24 detailed stores of this high from all andies. While in Japan my late time, and in annociation with Manakire Kano, the design and								
<u> </u>		Alson ki Mia Reggio Pierro, Richi Rand-April come gió, ani juliaine Coma El ao dia dia come conte a subar la conte de la conte dia conte dia conte I have receiva a analese of legacons for de plans to this shap, and								
₩.	2	Come 122 and Data's RC printype. A first exception of the printype. A control of the printype of the print								
9	2	faces plus the addition of flaps, lights, and full thermed wings to simu- lare the metal covering. Instantian, to this scale metal is not for the								
9 °		BOLD BEAUTY, beginner, I will forego a strp-by-ang construction anticle hus by fol- EXCITING ELEGANCE towing the mathematical expression of the parts the servage model builder should experimente and difficult model. Of								
	ê.	(Contrast or Page 4)								
\Box		and the second sec								
æ,	\$									
	25% Doc: 3,44M/3,44M									
	Mini Bridge Timeline									
) 🔄 🖸 🧉 🕑 💽 👩	EN 🚺 😥 🕅 📢	🞯 🙄 🏴 1:54 µµ							

Attention: You can also clean the picture by using the command filters. Carefully though, because alters the image quality.

Ps		Image	Layer Type		Filter View	Window	Help										– 8 ×
1 5		. 6 -1 Gen	Feather: 0		Dust & Scra	tches	Ctrl+i	2 H									sentials 😂
					Convert for	Smart Filters											11
▶⊕ []]	2	an.jpg @ 2: 14 12	5% (Gray/8) *		Filter Galler Adaptive W Lens Correc	ide Angle	Shift+Ctrl+A Shift+Ctrl+F									85	cr∰ Color Ⅲ Swatches
Q.					Liquify		Shift+Ctrl+)									2	
1000					Oil Paint			and ninety Cesso Aircraft Company	-								Adjustments
4	2				Vanishing P	oint	Alt+Ctrl+\	kylane (the delux round giving 360	and the second s	A mail							fr. Styles
耳.					Blur			 or scheme. On m liders, I passed th 								-	
8	4				Distort			nodel in blue an as an aircraft wit		int							📚 Layers
00	-				Noise			Add Noi	se	-							Channels
	°				Pixelate			 Despeck 		1							
<i>.</i>	8				Render			Dust & S		ale contenent	· •						7 Paths
<u>⊥</u> .					Sharpen Stylize			Median Reduce									
2	1.				Video			+ F	voise								
2					Other			•									
	12				Digimarc				0	Month in the of							
					-			- PHILIPPINE	SOL	LADIE LART							
	4				Browse Filte	trs Online				and the second							
٩,	1					SA-1 - ANDION	a	LAKING LIGHT	-	JA.							
ø.	6]						4	Æ		11							
T	1								-N N - P. P.		<u>.</u>						
5							bu	chures and a blue-and-	white Skylane for pl	otographing. I wer							
	<u>S</u>						107	ay with 24 detailed shots last time, and in amoc instruction of two proces	ation with Masahiro	Kato, the design an	be						
							girl, with full-size	new Orbit 10 superhet 1 ave received a number	urrished by Bob Dur of requests for the p	ham. Since that tim lans to this ship, an	ne od						
*	ź					control and a	de	ided to have them publi A number of improvement ginal was test flown. 30	stel by R/C Modeler. sts have been made o	this model since the	he i						
9	-						fai	es plus the addition of the the metal covering. It	laps, lights, and full s susmuch as this scale	neeted wings to simu model is not for th	no- he						
ы. Ф	4					BOLD BEA	UTY. be	ginner, I will forego a ving the numbered sequ vald experience no diffi	ner-by-step construct	ion article but by fc	ol-						
	3						sh	sate experience no diffi	catty in building this	beautiful model. C (Continued on Page 4)	0f (i)						
ា																	
	8							_		_							
- <u></u> ,																	
	25%		loc: 3,44M/3,44M	Þ													
-	Mini Bridge	Timeline													*=		
1	1	0	🧉 😺	0	Ps 📀	W							ËN	🚺 🧟 🕅	(þ. 4	2 🔁	🕨 2:13 μμ

Image after more clean.

PS File Edit Image Layer Type Select Filter View Window Help	– 67 ×
🖉 - 🖕 😨 Mode: Pennel 🗧 Opachy 100% - 🧭 Rose - Cl. 🛛 Erzeste History 🧭	Essentials 🗘
** Original Scan.jpg @ 85% (Gray/5) * X Untiled-1 @ 25% (Layer 1, Gray/5) * X 15 14 12 14 16 18 20 22 24 26 28 30 32 34 36 ** 2 -	iii iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii
P HOR TO 1955, from thoused, for bandred and ainty Gran 1972/Bit and a start were built by the Grans Astron Graps and the start of the start of the start of the start of the start print of the 1973 was and the start partners when them, for start print of the 1973 was and the start partners when the start of the start of the start start of the start of the start of the start of the start of the start start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start of the start	Adjustments Adjustments Adjustments Adjustments Adjustments Adjustments Adjustments
What pray from a first share a	💽 Channels
Image: Section of the Regar Areas,	
25% € Doc: 1.48M(6,76M - Mini Bridge Timedine - - 7 © ● € ●	🗿 🚏 🕨 1:51 рр

6) Now cut the internal photo because it is damaged by the posterization.

Image marked photo before cut.





Image after cut.


PS File Edit Image Layer Type Select Filter View Window Help	– 8 ×
🗋 + 🔲 🔁 🚰 🗗 Feather: Opc 💦 Anti-allas Style: Normal 💠 Width: 🐉 Height: Refine Edge	Essentials 🗘
P Original Scan. µpp @ 25% (Gray/0) * X Untitled 1 @ 25% (Gray/0) * X 15 14 15 15 16	i i i
Image: Second	
Image: State	
	📲 🜗 🎯 🕎 🏴 2:23 др

7) In the same way to make a copy of the older clear images of genuine page and after paste of this new page in which there must be.

Copy image by original scan page.




Paste image in new page.




8) Create the new page numbering in the footer as you like.

Attention: Use standard option and fonts in all new pages for consistent results.



Finale: Now our new page is fully ready to save to a new file image with Jpeg, Bmp, Tiff, Png.

I Use Bmp file because the conversion of a file Pdf has small capacity.



May 1964

Presentation tutorial 2 by Hlsat.

