

UNIVERSAL  
MODEL  
**AIRPLANE**  
NEWS

NOV.  
1932

15¢

A COURSE IN AVIATION FOR FIFTEEN CENTS A MONTH!



A FRIEDRICHSHAFEN G.2. BOMBER OVER LONDON. See Page No. 9

STEWART  
No. 9



# Low Prices and High Quality are . . . . . RESPONSIBLE for the Great Demand for WOBURN KITS and SUPPLIES

## COVERING MATERIALS

Japanese Silk Tissue Paper  
Grade A: Size 20 1/2" x 2 1/2"  
Colors: Red, white, blue,  
green, orange, olive, brown.  
2 sheets, 5c; 25c doz.  
Grade B: Size 20" x 30"  
Colors: White, red and green  
only.  
3 sheets, 5c; 18c doz.  
Black English Parachute, Size  
20" x 30". Color: Black only.  
5c sheet; 6 sheets 28c

## MICROFILM

Several times stronger than  
Superline tissue, and alumi-  
num leaf; also lighter and  
easier to handle. Per sheet 5c.  
Approximate size 8" x 12"

## ALUMINUM MATERIALS

### TUBING

1/16 O. D. . . . . 2 ft. 11c  
1/8 O. D. . . . . 1 ft. 7c  
3/16 O. D. . . . . 1 ft. 9c

### COWLINGS

Open Face or N.A.C.A. Type  
1 1/2" diam. . . . . 20c  
1 3/4" diam. . . . . 22c  
2" diam. . . . . 25c  
2 1/2" diam. . . . . 30c  
3" diam. . . . . 35c  
3 1/2" diam. . . . . 45c  
4" diam. . . . . 60c

### DRAW RINGS

1 1/2" diam. . . . . 20c  
1 3/4" diam. . . . . 22c  
2" diam. . . . . 25c  
2 1/2" diam. . . . . 28c  
3" diam. . . . . 30c  
3 1/2" diam. . . . . 30c  
4" diam. . . . . 40c

### SHEET

.006 . . . . . sq. ft. 12c  
.008 . . . . . sq. ft. 11c  
.010 . . . . . sq. ft. 10c  
.013 . . . . . sq. ft. 18c

### PRIME MOVERS

Enable you to use 2, 3 or 6  
elastic motors in one plane.  
Complete, ready to attach to  
any plane.  
For 2 elastics, ea. . . . \$ .40  
For 3 elastics, ea. . . . . 70  
For 6 elastics, ea. . . . . 150

## CELLULOID ITEMS

Celluloid sheet for windows on  
cabin planes, windshields, etc.  
Size, 2 1/2" x 1 1/2", 2 for 1c, 12 for 5c

### WHEELS

Colors: Red, white, blue, black,  
green, pink, purple, yellow.  
1" diam. . . . . pair 4c  
1 1/2" diam. . . . . pair 6c  
1 3/4" diam. . . . . pair 8c  
2" diam. . . . . pair 12c  
2 1/2" diam. . . . . pair 27c

### PANTS, black only

Streamliners for wheels  
For 3/2" or 1 1/2" wheel, pr. 2c  
For 1 3/4" or 1 1/2" wheel, pr. 2c  
DUMMY MOTORS, black only  
9 cylinder double impression  
1 1/2" diam. . . . . 15c  
2" diam. . . . . 20c  
3" diam. . . . . 27c

### COWLINGS, black only

2 1/2" diam. . . . . 27c

## Special Propeller Carving Knives

The best obtainable for carving propellers, made from tem-  
pered steel, and take a keen edge. They have a point that makes  
it easy to get a hollow or cup-like shape in the blade of the  
propeller, thereby giving it a better pull or grip on the air. This  
increases efficiency, speed, distance and duration. Price each 50c.

## IMPORTANT ORDERING INSTRUCTIONS

10% packing and postage charge must accompany all orders.  
10c extra to above charges on orders for less than 50c worth of  
balsa wood. No order under 25c accepted. No stamps or C.O.D.'s.  
Orders west of the Mississippi 5c extra. Foreign orders 10c  
extra to above charges. Orders shipped same day received.  
Send for Free Price List containing World's Lowest Prices on  
Model Supplies. Dealers and clubs, write for discounts.

## 15" Flying Scale Models

These Kits are complete in every detail and the  
Models make wonderful flights.


S.E.S.:  
Texaco 13:  
Stinson Mono:  
S.P.A.D.:  
Boeing P-12B:  
Sopwith Camel:  
Nieuport Baby Scout:  
D.H. Tiner Moth:  
Gloster IV Seaplane:  
Fokker D-VIII:  
Supermarine Racer:  
Geo-Bee Racer:  
Laird Super Solution:  
Lockheed Orion:  
Bellanca Skyrocket:  
Curtiss Hell Diver.




15" FOKKER D-VIII Complete Kit 66c p.p.



15" HELL DIVER Complete Kit 66c p.p.



15" HAWK P.C.E. Complete Kit 66c p.p.



15" LOCKHEED ORION Complete Kit 66c p.p.

2 ft. STINSON DETROITER. This model has  
flown over 1000 feet. A winner for  
endurance and stability. . . . . 75c p.p.  
Plans for 2 ft. Stinson Detrioter, 20c each; Plans  
for any 15 inch model, 10c each; 3 for 25c, 6 for 45c.  
HEATH BABY BULLET, complete kit for 7 1/2"  
model. Will fly 100 feet if plans . . . . . 15c p.p.  
are followed  
Enough materials for 2 models, 20c p.p.


## NEW "GLOISH" BALSA

24" STRIPS  
1/32 x 1/16 . . . . . 9 for 2c  
1/16 x 1/16 . . . . . 9 for 2c  
1/16 x 3/32 . . . . . 9 for 2c  
1/16 x 1/8 . . . . . 9 for 2c  
1/16 x 3/16 . . . . . 4 for 1c  
1/16 x 1/4 . . . . . 9 for 3c  
3/32 x 3/32 . . . . . 9 for 3c  
1/8 x 1/8 . . . . . 9 for 3c  
1/8 x 3/16 . . . . . 9 for 4c  
1/8 x 1/4 . . . . . 2 for 1c  
1/8 x 3/8 . . . . . 3 for 2c  
3/16 x 3/16 . . . . . 3 for 2c  
3/16 x 5/16 . . . . . 3 for 2c  
1/4 x 1/4 . . . . . 3 for 2c  
1/4 x 1/2 . . . . . 3 for 4c  
5/16 x 5/16 . . . . . 3 for 4c  
Tapered wood. Excellent for  
Block 2 1/2" x 3 1/4" for nose piece of Hawk Fury, and  
block similar to this size, price 15c.

24" PLANKS  
1 x 2 . . . . . 1 for 15c  
1 1/2 x 2 . . . . . 1 for 18c  
2 x 2 . . . . . 1 for 20c  
2 1/2 x 2 . . . . . 1 for 25c  
3 x 2 . . . . . 1 for 30c  
3 1/2 x 2 . . . . . 1 for 35c  
4 x 2 . . . . . 1 for 45c  
4 1/2 x 2 . . . . . 1 for 50c  
5 x 2 . . . . . 1 for 60c  
5 1/2 x 2 . . . . . 1 for 65c  
6 x 2 . . . . . 1 for 75c  
6 1/2 x 2 . . . . . 1 for 80c  
7 x 2 . . . . . 1 for 85c  
7 1/2 x 2 . . . . . 1 for 90c  
8 x 2 . . . . . 1 for 95c  
8 1/2 x 2 . . . . . 1 for 100c  
9 x 2 . . . . . 1 for 105c  
9 1/2 x 2 . . . . . 1 for 110c  
10 x 2 . . . . . 1 for 115c  
10 1/2 x 2 . . . . . 1 for 120c  
11 x 2 . . . . . 1 for 125c  
11 1/2 x 2 . . . . . 1 for 130c  
12 x 2 . . . . . 1 for 135c  
12 1/2 x 2 . . . . . 1 for 140c  
13 x 2 . . . . . 1 for 145c  
13 1/2 x 2 . . . . . 1 for 150c  
14 x 2 . . . . . 1 for 155c  
14 1/2 x 2 . . . . . 1 for 160c  
15 x 2 . . . . . 1 for 165c  
15 1/2 x 2 . . . . . 1 for 170c  
16 x 2 . . . . . 1 for 175c  
16 1/2 x 2 . . . . . 1 for 180c  
17 x 2 . . . . . 1 for 185c  
17 1/2 x 2 . . . . . 1 for 190c  
18 x 2 . . . . . 1 for 195c  
18 1/2 x 2 . . . . . 1 for 200c  
19 x 2 . . . . . 1 for 205c  
19 1/2 x 2 . . . . . 1 for 210c  
20 x 2 . . . . . 1 for 215c  
20 1/2 x 2 . . . . . 1 for 220c  
21 x 2 . . . . . 1 for 225c  
21 1/2 x 2 . . . . . 1 for 230c  
22 x 2 . . . . . 1 for 235c  
22 1/2 x 2 . . . . . 1 for 240c  
23 x 2 . . . . . 1 for 245c  
23 1/2 x 2 . . . . . 1 for 250c  
24 x 2 . . . . . 1 for 255c  
24 1/2 x 2 . . . . . 1 for 260c  
25 x 2 . . . . . 1 for 265c  
25 1/2 x 2 . . . . . 1 for 270c  
26 x 2 . . . . . 1 for 275c  
26 1/2 x 2 . . . . . 1 for 280c  
27 x 2 . . . . . 1 for 285c  
27 1/2 x 2 . . . . . 1 for 290c  
28 x 2 . . . . . 1 for 295c  
28 1/2 x 2 . . . . . 1 for 300c  
29 x 2 . . . . . 1 for 305c  
29 1/2 x 2 . . . . . 1 for 310c  
30 x 2 . . . . . 1 for 315c  
30 1/2 x 2 . . . . . 1 for 320c  
31 x 2 . . . . . 1 for 325c  
31 1/2 x 2 . . . . . 1 for 330c  
32 x 2 . . . . . 1 for 335c  
32 1/2 x 2 . . . . . 1 for 340c  
33 x 2 . . . . . 1 for 345c  
33 1/2 x 2 . . . . . 1 for 350c  
34 x 2 . . . . . 1 for 355c  
34 1/2 x 2 . . . . . 1 for 360c  
35 x 2 . . . . . 1 for 365c  
35 1/2 x 2 . . . . . 1 for 370c  
36 x 2 . . . . . 1 for 375c  
36 1/2 x 2 . . . . . 1 for 380c  
37 x 2 . . . . . 1 for 385c  
37 1/2 x 2 . . . . . 1 for 390c  
38 x 2 . . . . . 1 for 395c  
38 1/2 x 2 . . . . . 1 for 400c  
39 x 2 . . . . . 1 for 405c  
39 1/2 x 2 . . . . . 1 for 410c  
40 x 2 . . . . . 1 for 415c  
40 1/2 x 2 . . . . . 1 for 420c  
41 x 2 . . . . . 1 for 425c  
41 1/2 x 2 . . . . . 1 for 430c  
42 x 2 . . . . . 1 for 435c  
42 1/2 x 2 . . . . . 1 for 440c  
43 x 2 . . . . . 1 for 445c  
43 1/2 x 2 . . . . . 1 for 450c  
44 x 2 . . . . . 1 for 455c  
44 1/2 x 2 . . . . . 1 for 460c  
45 x 2 . . . . . 1 for 465c  
45 1/2 x 2 . . . . . 1 for 470c  
46 x 2 . . . . . 1 for 475c  
46 1/2 x 2 . . . . . 1 for 480c  
47 x 2 . . . . . 1 for 485c  
47 1/2 x 2 . . . . . 1 for 490c  
48 x 2 . . . . . 1 for 495c  
48 1/2 x 2 . . . . . 1 for 500c  
49 x 2 . . . . . 1 for 505c  
49 1/2 x 2 . . . . . 1 for 510c  
50 x 2 . . . . . 1 for 515c  
50 1/2 x 2 . . . . . 1 for 520c  
51 x 2 . . . . . 1 for 525c  
51 1/2 x 2 . . . . . 1 for 530c  
52 x 2 . . . . . 1 for 535c  
52 1/2 x 2 . . . . . 1 for 540c  
53 x 2 . . . . . 1 for 545c  
53 1/2 x 2 . . . . . 1 for 550c  
54 x 2 . . . . . 1 for 555c  
54 1/2 x 2 . . . . . 1 for 560c  
55 x 2 . . . . . 1 for 565c  
55 1/2 x 2 . . . . . 1 for 570c  
56 x 2 . . . . . 1 for 575c  
56 1/2 x 2 . . . . . 1 for 580c  
57 x 2 . . . . . 1 for 585c  
57 1/2 x 2 . . . . . 1 for 590c  
58 x 2 . . . . . 1 for 595c  
58 1/2 x 2 . . . . . 1 for 600c  
59 x 2 . . . . . 1 for 605c  
59 1/2 x 2 . . . . . 1 for 610c  
60 x 2 . . . . . 1 for 615c  
60 1/2 x 2 . . . . . 1 for 620c  
61 x 2 . . . . . 1 for 625c  
61 1/2 x 2 . . . . . 1 for 630c  
62 x 2 . . . . . 1 for 635c  
62 1/2 x 2 . . . . . 1 for 640c  
63 x 2 . . . . . 1 for 645c  
63 1/2 x 2 . . . . . 1 for 650c  
64 x 2 . . . . . 1 for 655c  
64 1/2 x 2 . . . . . 1 for 660c  
65 x 2 . . . . . 1 for 665c  
65 1/2 x 2 . . . . . 1 for 670c  
66 x 2 . . . . . 1 for 675c  
66 1/2 x 2 . . . . . 1 for 680c  
67 x 2 . . . . . 1 for 685c  
67 1/2 x 2 . . . . . 1 for 690c  
68 x 2 . . . . . 1 for 695c  
68 1/2 x 2 . . . . . 1 for 700c  
69 x 2 . . . . . 1 for 705c  
69 1/2 x 2 . . . . . 1 for 710c  
70 x 2 . . . . . 1 for 715c  
70 1/2 x 2 . . . . . 1 for 720c  
71 x 2 . . . . . 1 for 725c  
71 1/2 x 2 . . . . . 1 for 730c  
72 x 2 . . . . . 1 for 735c  
72 1/2 x 2 . . . . . 1 for 740c  
73 x 2 . . . . . 1 for 745c  
73 1/2 x 2 . . . . . 1 for 750c  
74 x 2 . . . . . 1 for 755c  
74 1/2 x 2 . . . . . 1 for 760c  
75 x 2 . . . . . 1 for 765c  
75 1/2 x 2 . . . . . 1 for 770c  
76 x 2 . . . . . 1 for 775c  
76 1/2 x 2 . . . . . 1 for 780c  
77 x 2 . . . . . 1 for 785c  
77 1/2 x 2 . . . . . 1 for 790c  
78 x 2 . . . . . 1 for 795c  
78 1/2 x 2 . . . . . 1 for 800c  
79 x 2 . . . . . 1 for 805c  
79 1/2 x 2 . . . . . 1 for 810c  
80 x 2 . . . . . 1 for 815c  
80 1/2 x 2 . . . . . 1 for 820c  
81 x 2 . . . . . 1 for 825c  
81 1/2 x 2 . . . . . 1 for 830c  
82 x 2 . . . . . 1 for 835c  
82 1/2 x 2 . . . . . 1 for 840c  
83 x 2 . . . . . 1 for 845c  
83 1/2 x 2 . . . . . 1 for 850c  
84 x 2 . . . . . 1 for 855c  
84 1/2 x 2 . . . . . 1 for 860c  
85 x 2 . . . . . 1 for 865c  
85 1/2 x 2 . . . . . 1 for 870c  
86 x 2 . . . . . 1 for 875c  
86 1/2 x 2 . . . . . 1 for 880c  
87 x 2 . . . . . 1 for 885c  
87 1/2 x 2 . . . . . 1 for 890c  
88 x 2 . . . . . 1 for 895c  
88 1/2 x 2 . . . . . 1 for 900c  
89 x 2 . . . . . 1 for 905c  
89 1/2 x 2 . . . . . 1 for 910c  
90 x 2 . . . . . 1 for 915c  
90 1/2 x 2 . . . . . 1 for 920c  
91 x 2 . . . . . 1 for 925c  
91 1/2 x 2 . . . . . 1 for 930c  
92 x 2 . . . . . 1 for 935c  
92 1/2 x 2 . . . . . 1 for 940c  
93 x 2 . . . . . 1 for 945c  
93 1/2 x 2 . . . . . 1 for 950c  
94 x 2 . . . . . 1 for 955c  
94 1/2 x 2 . . . . . 1 for 960c  
95 x 2 . . . . . 1 for 965c  
95 1/2 x 2 . . . . . 1 for 970c  
96 x 2 . . . . . 1 for 975c  
96 1/2 x 2 . . . . . 1 for 980c  
97 x 2 . . . . . 1 for 985c  
97 1/2 x 2 . . . . . 1 for 990c  
98 x 2 . . . . . 1 for 995c  
98 1/2 x 2 . . . . . 1 for 1000c  
99 x 2 . . . . . 1 for 1005c  
99 1/2 x 2 . . . . . 1 for 1010c  
100 x 2 . . . . . 1 for 1015c  
100 1/2 x 2 . . . . . 1 for 1020c  
101 x 2 . . . . . 1 for 1025c  
101 1/2 x 2 . . . . . 1 for 1030c  
102 x 2 . . . . . 1 for 1035c  
102 1/2 x 2 . . . . . 1 for 1040c  
103 x 2 . . . . . 1 for 1045c  
103 1/2 x 2 . . . . . 1 for 1050c  
104 x 2 . . . . . 1 for 1055c  
104 1/2 x 2 . . . . . 1 for 1060c  
105 x 2 . . . . . 1 for 1065c  
105 1/2 x 2 . . . . . 1 for 1070c  
106 x 2 . . . . . 1 for 1075c  
106 1/2 x 2 . . . . . 1 for 1080c  
107 x 2 . . . . . 1 for 1085c  
107 1/2 x 2 . . . . . 1 for 1090c  
108 x 2 . . . . . 1 for 1095c  
108 1/2 x 2 . . . . . 1 for 1100c  
109 x 2 . . . . . 1 for 1105c  
109 1/2 x 2 . . . . . 1 for 1110c  
110 x 2 . . . . . 1 for 1115c  
110 1/2 x 2 . . . . . 1 for 1120c  
111 x 2 . . . . . 1 for 1125c  
111 1/2 x 2 . . . . . 1 for 1130c  
112 x 2 . . . . . 1 for 1135c  
112 1/2 x 2 . . . . . 1 for 1140c  
113 x 2 . . . . . 1 for 1145c  
113 1/2 x 2 . . . . . 1 for 1150c  
114 x 2 . . . . . 1 for 1155c  
114 1/2 x 2 . . . . . 1 for 1160c  
115 x 2 . . . . . 1 for 1165c  
115 1/2 x 2 . . . . . 1 for 1170c  
116 x 2 . . . . . 1 for 1175c  
116 1/2 x 2 . . . . . 1 for 1180c  
117 x 2 . . . . . 1 for 1185c  
117 1/2 x 2 . . . . . 1 for 1190c  
118 x 2 . . . . . 1 for 1195c  
118 1/2 x 2 . . . . . 1 for 1200c  
119 x 2 . . . . . 1 for 1205c  
119 1/2 x 2 . . . . . 1 for 1210c  
120 x 2 . . . . . 1 for 1215c  
120 1/2 x 2 . . . . . 1 for 1220c  
121 x 2 . . . . . 1 for 1225c  
121 1/2 x 2 . . . . . 1 for 1230c  
122 x 2 . . . . . 1 for 1235c  
122 1/2 x 2 . . . . . 1 for 1240c  
123 x 2 . . . . . 1 for 1245c  
123 1/2 x 2 . . . . . 1 for 1250c  
124 x 2 . . . . . 1 for 1255c  
124 1/2 x 2 . . . . . 1 for 1260c  
125 x 2 . . . . . 1 for 1265c  
125 1/2 x 2 . . . . . 1 for 1270c  
126 x 2 . . . . . 1 for 1275c  
126 1/2 x 2 . . . . . 1 for 1280c  
127 x 2 . . . . . 1 for 1285c  
127 1/2 x 2 . . . . . 1 for 1290c  
128 x 2 . . . . . 1 for 1295c  
128 1/2 x 2 . . . . . 1 for 1300c  
129 x 2 . . . . . 1 for 1305c  
129 1/2 x 2 . . . . . 1 for 1310c  
130 x 2 . . . . . 1 for 1315c  
130 1/2 x 2 . . . . . 1 for 1320c  
131 x 2 . . . . . 1 for 1325c  
131 1/2 x 2 . . . . . 1 for 1330c  
132 x 2 . . . . . 1 for 1335c  
132 1/2 x 2 . . . . . 1 for 1340c  
133 x 2 . . . . . 1 for 1345c  
133 1/2 x 2 . . . . . 1 for 1350c  
134 x 2 . . . . . 1 for 1355c  
134 1/2 x 2 . . . . . 1 for 1360c  
135 x 2 . . . . . 1 for 1365c  
135 1/2 x 2 . . . . . 1 for 1370c  
136 x 2 . . . . . 1 for 1375c  
136 1/2 x 2 . . . . . 1 for 1380c  
137 x 2 . . . . . 1 for 1385c  
137 1/2 x 2 . . . . . 1 for 1390c  
138 x 2 . . . . . 1 for 1395c  
138 1/2 x 2 . . . . . 1 for 1400c  
139 x 2 . . . . . 1 for 1405c  
139 1/2 x 2 . . . . . 1 for 1410c  
140 x 2 . . . . . 1 for 1415c  
140 1/2 x 2 . . . . . 1 for 1420c  
141 x 2 . . . . . 1 for 1425c  
141 1/2 x 2 . . . . . 1 for 1430c  
142 x 2 . . . . . 1 for 1435c  
142 1/2 x 2 . . . . . 1 for 1440c  
143 x 2 . . . . . 1 for 1445c  
143 1/2 x 2 . . . . . 1 for 1450c  
144 x 2 . . . . . 1 for 1455c  
144 1/2 x 2 . . . . . 1 for 1460c  
145 x 2 . . . . . 1 for 1465c  
145 1/2 x 2 . . . . . 1 for 1470c  
146 x 2 . . . . . 1 for 1475c  
146 1/2 x 2 . . . . . 1 for 1480c  
147 x 2 . . . . . 1 for 1485c  
147 1/2 x 2 . . . . . 1 for 1490c  
148 x 2 . . . . . 1 for 1495c  
148 1/2 x 2 . . . . . 1 for 1500c  
149 x 2 . . . . . 1 for 1505c  
149 1/2 x 2 . . . . . 1 for 1510c  
150 x 2 . . . . . 1 for 1515c  
150 1/2 x 2 . . . . . 1 for 1520c  
151 x 2 . . . . . 1 for 1525c  
151 1/2 x 2 . . . . . 1 for 1530c  
152 x 2 . . . . . 1 for 1535c  
152 1/2 x 2 . . . . . 1 for 1540c  
153 x 2 . . . . . 1 for 1545c  
153 1/2 x 2 . . . . . 1 for 1550c  
154 x 2 . . . . . 1 for 1555c  
154 1/2 x 2 . . . . . 1 for 1560c  
155 x 2 . . . . . 1 for 1565c  
155 1/2 x 2 . . . . . 1 for 1570c  
156 x 2 . . . . . 1 for 1575c  
156 1/2 x 2 . . . . . 1 for 1580c  
157 x 2 . . . . . 1 for 1585c  
157 1/2 x 2 . . . . . 1 for 1590c  
158 x 2 . . . . . 1 for 1595c  
158 1/2 x 2 . . . . . 1 for 1600c  
159 x 2 . . . . . 1 for 1605c  
159 1/2 x 2 . . . . . 1 for 1610c  
160 x 2 . . . . . 1 for 1615c  
160 1/2 x 2 . . . . . 1 for 1620c  
161 x 2 . . . . . 1 for 1625c  
161 1/2 x 2 . . . . . 1 for 1630c  
162 x 2 . . . . . 1 for 1635c  
162 1/2 x 2 . . . . . 1 for 1640c  
163 x 2 . . . . . 1 for 1645c  
163 1/2 x 2 . . . . . 1 for 1650c  
164 x 2 . . . . . 1 for 1655c  
164 1/2 x 2 . . . . . 1 for 1660c  
165 x 2 . . . . . 1 for 1665c  
165 1/2 x 2 . . . . . 1 for 1670c  
166 x 2 . . . . . 1 for 1675c  
166 1/2 x 2 . . . . . 1 for 1680c  
167 x 2 . . . . . 1 for 1685c  
167 1/2 x 2 . . . . . 1 for 1690c  
168 x 2 . . . . . 1 for 1695c  
168 1/2 x 2 . . . . . 1 for 1700c  
169 x 2 . . . . . 1 for 1705c  
169 1/2 x 2 . . . . . 1 for 1710c  
170 x 2 . . . . . 1 for 1715c  
170 1/2 x 2 . . . . . 1 for 1720c  
171 x 2 . . . . . 1 for 1725c  
171 1/2 x 2 . . . . . 1 for 1730c  
172 x 2 . . . . . 1 for 1735c  
172 1/2 x 2 . . . . . 1 for 1740c  
173 x 2 . . . . . 1 for 1745c  
173 1/2 x 2 . . . . . 1 for 1750c  
174 x 2 . . . . . 1 for 1755c  
174 1/2 x 2 . . . . . 1 for 1760c  
175 x 2 . . . . . 1 for 1765c  
175 1/2 x 2 . . . . . 1 for 1770c  
176 x 2 . . . . . 1 for 1775c  
176 1/2 x 2 . . . . . 1 for 1780c  
177 x 2 . . . . . 1 for 1785c  
177 1/2 x 2 . . . . . 1 for 1790c  
178 x 2 . . . . . 1 for 1795c  
178 1/2 x 2 . . . . . 1 for 1800c  
179 x 2 . . . . . 1 for 1805c  
179 1/2 x 2 . . . . . 1 for 1810c  
180 x 2 . . . . . 1 for 1815c  
180 1/2 x 2 . . . . . 1 for 1820c  
181 x 2 . . . . . 1 for 1825c  
181 1/2 x 2 . . . . . 1 for 1830c  
182 x 2 . . . . . 1 for 1835c  
182 1/2 x 2 . . . . . 1 for 1840c  
183 x 2 . . . . . 1 for 1845c  
183 1/2 x 2 . . . . . 1 for 1850c  
184 x 2 . . . . . 1 for 1855c  
184 1/2 x 2 . . . . . 1 for 1860c  
185 x 2 . . . . . 1 for 1865c  
185 1/2 x 2 . . . . . 1 for 1870c  
186 x 2 . . . . . 1 for 1875c  
186 1/2 x 2 . . . . . 1 for 1880c  
187 x 2 . . . . . 1 for 1885c  
187 1/2 x 2 . . . . . 1 for 1890c  
188 x 2 . . . . . 1 for 1895c  
188 1/2 x 2 . . . . . 1 for 1900c  
189 x 2 . . . . . 1 for 1905c  
189 1/2 x 2 . . . . . 1 for 1910c  
190 x 2 . . . . . 1 for 1915c  
190 1/2 x 2 . . . . . 1 for 1920c  
191 x 2 . . . . . 1 for 1925c  
191 1/2 x 2 . . . . . 1 for 1930c  
192 x 2 . . . . . 1 for 1935c  
192 1/2 x 2 . . . . . 1 for 1940c  
193 x 2 . . . . . 1 for 1945c  
193 1/2 x 2 . . . . . 1 for 1950c  
194 x 2 . . . . . 1 for 1955c  
194 1/2 x 2 . . . . . 1 for 1960c  
195 x 2 . . . . . 1 for 1965




# Are you building the "Big 4"?



If you want beautiful, accurate, easily-constructed and perfect-flying Models of the popular ships of the day, here they are! Thousands of Builders are getting real sport and wonderful performances out of the "Big 4" of Modeldom . . . the IDEAL-Designed 18-in. Wing Span Flying Models . . .

**Curtiss A-8 Attack Plane • S-6-B Supermarine  
Curtiss F9C-2 "Akron" Fighter • Boeing XP-936 Pursuit**




Every essential detail of these present-day ships is copied in these Ideal-Designed Models, and materials furnished in the Kits so you can reproduce them perfectly. As usual, Ideal-Designed Kits make building easier because more of the time-taking work is done for you. Design patterns for all flat parts are printed on balsa ready to cut out; all wire parts are ready to use; new machine-cut balsa props are furnished on all except the A-8; straight strips for spars, longerons, etc., are cut to size and length; liberal quantities of cement, model dope, rubber, silk tissue, reed and other supplies come in each Kit. Each Kit also contains a Full Size Plan showing all details, with intricate parts shown enlarged and fully explained. You can build easier with Ideal-Designed Kits! Select the Models you want now and send along your order!

**\$1.**

**Complete 18-in. Construction Kits ..**

**POSTAGE EXTRA:**—If you order one Kit, send 15 cents extra for postage (\$1.15 in all). If you order two Kits, send 25 cents extra. If you order three or four Kits at one time, we will pay the transportation charges.

**E A C H  
PLUS POSTAGE**



## 6-in. Carved Miniature Replica Models

Solid Balsa, Hand-Carved duplicates of famous Airplanes; perfect copies in every detail, colored and decorated like the originals. Just the thing for exhibitions, decorations and presents to friends. Each comes in complete Kit with instructions. Select from these twenty (20) different Ships, and order your Kits now so you can make them for Christmas . . .

Curtiss Fledgeling  
Pittsairn Autogiro  
Spad  
Laird  
S. E. 5  
Gee-Bee  
Nieuport  
Supermarine  
Hoff Diver  
Lockheed Vega

Hawk PGE  
DeHavilland  
Vought Corsair  
Boeing Fighter  
Howard Racer  
Albatross  
Fokker Triplane  
"Akron" Fighter  
Pfalz  
Sopwith Camel

Select your Kits from the above list and send your order now . . .

**2 Kits for 60c**

(Postage 10c Extra)

**6 Kits for \$1.50**

(Postage 25c Extra)

## Here's Triple Value for one price!

**Three 15-in. Flying Models for \$1.50**

Postage 15c Extra

These Combination Kits offer Big Value; each Kit contains all materials and full size Plans for three 15-inch Flying Models. Full fuselage type with build-up wings. Three different Kits to select from:

<b>KIT No. 1</b>	<b>KIT No. 2</b>	<b>KIT No. 3</b>
Travelair	Fokker D-VII	Spad
Army Falcon	Lockheed Vega	Vought Corsair
Boeing Fighter	Waco	Lockheed Sirius

Each Kit \$1.50, plus 15c postage

Be sure to mention which Kit you want

Pick yours now and get started! You get three 15-inch Flying Models for what one would cost if packed separately. Each one a neat job, easy to construct and a perfect flyer.

**Send 5c for Catalogue**


**New Edition—Just Out!**

**Ideal Aeroplane & Supply Co., Inc.**


20-24 West 19th Street, New York, N. Y.

Canadian Model Aircraft, 47 Hawarden Ave., Montreal  
(Canadian Prices are 40% Higher to cover Customs Duty)


**DEALERS:**—IDEAL Airplanes will make money for you. Write for Dealer Discounts and Special Starting Offer.



LOCKHEED SIRIUS




SPAD BIPLANE



VOUGHT CORSAIR



# UNIVERSAL



Vol. VII

No. 5

Edited by Charles Hampson Grant

## CONTENTS

NOVEMBER — 1932

THE PUSS MOTH.....	By Avrum Zier	6
FLYING THE FRONT FOR THE NAVY.....	By Lieut. (jg.) H. B. Miller	7
HOW WELL DO YOU KNOW YOUR AIRPLANES?		8
BUILD THE FRIEDRICHSHAFEN G II. WAR-TIME BOMBER.....	By Robert G. Smith	9
A PIONEER MAKES GOOD (Chapter II).....	By Orville H. Kneen	16
THE HALBERSTADT C. L. 2. GERMAN FIGHTER	By Stockton Ferris, Jr.	18
AVIATION ADVISORY BOARD.....		19
AIR WAYS—HERE AND THERE.....		20
HERE IS THE CURTISS HAWK P-6 E.....	By Stockton Ferris, Jr.	26
THE AERODYNAMIC DESIGN OF THE MODEL PLANE.....	By Charles Hampson Grant	31
A MINIATURE AIRPORT FOR MODEL PLANES.....	By Henry Hodges	33
ONE OF THE EARLIEST AVIATORS.....		34
HOW TO BEND BALSA STRIPS.....		34
LATEST HAWK TRAVELS 200 M.P.H.....		35
THE BREGUET 19-A2 OBSERVATION.....	By Stockton Ferris, Jr.	36

### In Our Next Issue The Airplane Catapult

Lieut. (jg.) H. B. Miller gives us the interesting points about the development of the catapulting of airplanes from battleships in—Human Cannonballs. Also plans for building a model catapult.

### Heath Parasol and Howard's "Ike"

Jo Howell crashes through with a neat set of plans and instructions to build a flying scale model of the new Heath Parasol as well as plans to build a solid scale model of Ben Howard's "Ike."


*Learning to Soar in Germany*, by Bernard Flinch, gives a graphic description of how the author learned to master the tricky wind currents of the Rhön Mountains. There is plenty for the young aviator to learn from this interesting article.

The regular course, *The Aerodynamic Design of the Model Plane*, by Charles Hampson Grant, continues to unfold the mystery of stability.

Other interesting features. Air Ways, Three View Drawings of noted planes by Stockton Ferris, Jr., and a War Ace Story by F. Conde Ott, make our Christmas number all that Santa Claus may desire for his many friends.

Order your copy of **UNIVERSAL MODEL AIRPLANE NEWS** from your newsdealer now, or send \$1.65 for your year's subscription to this office, 125 West 45th Street, New York City.

Published Monthly by JAY PUBLISHING CORP., Myrick Bldg., Springfield, Mass.  
Editorial and General Offices, 125 West 45th Street, New York City.  
George C. Johnson, President. Jay P. Cleveland, Secretary.  
J. W. LeBaron, Advertising Manager, 125 West 45th Street, New York, N. Y.  
Entered as second-class matter June 5, 1929, at the Post Office at Springfield, Mass., under the Act of March 3, 1879.  
Copyright, 1932, by JAY PUBLISHING CORP.  
Price 15c a copy in U. S. and in Canada. Subscription price \$1.65 a year in the United States and its possessions; also Canada, Cuba, Mexico and Panama.  
All other countries \$2.50 per year.  
Chicago Advertising Office: 333 North Michigan Ave., C. H. Shattuck, Manager.  
London Agents: Atlas Publishing & Distributing Co., Ltd., 18 Bride Lane, London, E. C.  
Contributors are especially advised to be sure to retain copies of their contributions, otherwise they are taking unnecessary risk. Every possible effort will be made in our organization to return unavailable manuscripts, photographs and drawings (if accompanied by postage), but we will not be responsible for any loss of such matter contributed.





# NATIONAL CONSTRUCTION KITS

## are WONDERFUL

## CHRISTMAS GIFTS!


—and bring a genuine thrill to every model builder. National Kits have earned a nation-wide endorsement of model builders by their uniform quality and faithfulness of reproduction, accuracy and completeness.

All orders shipped same day as received, insuring Christmas delivery

## Here it is —————→

## NEW GEE-BEE SPORTSTER

Winner of the 1932 Thompson Trophy Race piloted by Major James Doolittle at the terrific speed of over 300 M.P.H. Look at its huge, round, stubby body. Its windshield and rudder are different from last year's ship. See how its pilot sits right over the tail. National engineers have designed two perfect miniature scale models—a 12" scale model with 12 1/2" wingspread, and a 1" scale model, 25" wingspread. Both kits contain several exclusive National features. The models are designed to build a reinforced fuselage just like the truss welded tube frame of the big ship. The new type of cowling; feather weight, non-breakable moulded material, is the same shape and color as the big ship. It is ready to cement to fuselage. Both models have the new multi-powered motor to give them good flying ability. Colors: Red and white, with insignia as shown.



25" Kit contains full size detailed scale blueprint and instructions. Material complete with multi powered motor.  
**\$2.50**  
 Plus postage 20c  
 Blueprint only 50c EACH

12 1/2" Kit contains full size detailed scale blueprint and instructions. Material complete with multi powered motor.  
**\$1.25**  
 Plus postage 10c  
 Blueprint only 25c EACH



### BRITISH HAWKER FURY


A modern English fighter with a speed exceeding 200 M.P.H. National's 12" midget is an excellent replica and a very good flyer. Colors: White, black trim with British insignia. Kit complete ..... **\$1.00**  
 Blueprint only 25c

## This is Your Last Opportunity to Enter

## NATIONAL'S 1932


## MODEL BUILDING FLEET CONTEST

Closes **\$160.00**  
 Dec. 1st The wide interest already shown is evidenced by the constant receipt of entries.  
 Is your enrollment in? **in CASH**  
 If not, act at once.



### 12" AKRON FIGHTER

The little Navy ship attached to the Akron. It models perfectly in a 12" midget as here pictured. You will be sure to want one of these new defense models. Colors: Navy blue and yellow with colored insignia. Complete Kit ..... **\$1.00**  
 Blueprint only 25c



### 24" LAIRD - 400

Another racing ship flown by Maj. Doolittle and which has made many records. National's complete kit assures you of building a flying scale equally as trim and beautiful as the big ship itself. Blueprint only, 50c **\$2.00**

## OTHER NATIONAL KITS

### offer wide Christmas selection


12" FLYING SCALE MIDGETS	Lockheed Sirius	24" FLYING SCALE MODELS	Heath Parasol
\$1.10 P.P.	Nieuport	\$2.20 P.P.	Nieuport Scout
Albatross	Pfalz	S.E. 5	Stinson Detrolter
S.E. 5	Puss Moth	Boeing P-12	S.P.A.D.
Boeing P-12	Polish P-6	Boeing P-12E	Lockheed Sirius
Bellanca	S.P.A.D.	Boeing F-1B-3	Texaco 13
Curtiss Hawk	Sikorsky	British Supermarine S.6B	Curtiss Condor
Curtiss Hawk	Texaco	Laird 400	Boeing
Fokker D-7	Heath	Lockheed Vega	
Fokker D-VIII			
Fokker Triplane			
Gee-Bee			

Blueprints only: 12"—25c, 18"—35c, 24"—50c



### 24" Boeing P-12


A famous U. S. Navy plane. Kit is complete with three view, scale, blueprint and detailed instructions. All materials complete to the last detail. Includes celluloid motor and wheels. Jap tissue covering. Colors yellow and green with Navy insignia. Kit complete. **\$2.00**  
 Blueprint only 50c



### 18" Curtiss A-8 Attack

The new army ship, that you have read so much about. Build a perfect model with the 18" National Junior Kit. It is different than any other weapon of the air you have yet built. Colors: Green and yellow, with correct colored insignia. Kit complete. Blueprint only 35c. **\$1.50**

## NATIONAL "MIDGET" ELECTRIC MOTOR



1 1/2" dia x 2" shaft 1/2" dia  
 Wgt 2oz 3 1/2 lb Volt

Complete with detailed blueprint, brass bearings, laminated electrical silicon steel field and armature, spring brushes, wire, shafts, screws, and all necessary parts ready to assemble. A motor for model trains, boats, and experimental development. Easy to build.

### HOW TO ORDER

Write or print plainly full name and address. For packing and postage add 15c to cost of merchandise on all orders up to \$1.50, over \$1.50 add 10%. Remit by P.O. or express money order or check. We insure all shipments without cost to you.

**FREE!** National monthly bulletin supplements the general catalogue. Check full of news to model builders. Illustrates and describes new models, and quality supplies. Contains special monthly offerings. Write for your free copy today.

Send for YOUR copy of The  
**MODEL AIRPLANE**  
**BUILDER and NEW 1933**  
**National Catalog "F"**




**10**  
 ¢

48 Pages;  
 50 Illustrations; helpful data for model builders. Complete list of quality supplies, and a 12" blueprint to acquaint new customers with accuracy and completeness of National blueprints.

**NATIONAL MODEL AIRCRAFT & SUPPLY CO.**  
**BLUE BIRD BUILDING (Dept. A-30) New Rochelle, New York**



**THIS 3" 30c MOTOR**  
**9-Cylinder only**




**Rule 1** Write your supply order amounting to \$1 or more on this Order Blank. Mark it C.O.D. (send no money) or Cash.

**OUT** Order Blank, which tears off the eagle's wing-tip!

**Rule 3** By doing this, and ordering at least \$1 worth of supplies, you are allowed to order 1, 2, or 3 of these celluloid motors for 5c each—worth 30c each!

I enclose 3c ☐  
for Catalog



*Business-Like*  
*Business-Like Man*



## Now Comes Major Doolittle's "FLYING SILO" » » »


### The New Record-Breaking GEE-BEE SUPER SPORTSTER

The plane that broke all existing land speed records, travelling at the rate of 296 miles per hour. This new Scientific model looks just like the real ship. Here are the details: Wing span, 20 inches; Length, 14 inches; Weight, 1 1/4 oz.; Colors, red and white. The Kit is most complete: Ribs, bulkheads, wings and other parts clearly printed on balsa; semi-finished propeller; all wire fittings ready formed; finished turned cowling front (no bamboo to bend); 1 oz. banana oil and colored cement and special colored dope; tissue; rubber; all balsa strips cut to size, and, of course, full size plans and instructions.


**150**  
POST-PAID

### STINSON TRI-MOTORED AIRLINER


Every boy can well afford to buy a Stinson Airliner. And just look at these specifications—Wing Span, 26 1/4"; Length, 17 1/2"; Weight, 1 oz. Here's what this Kit includes: All balsa clearly printed; 3 finished, turned balsa cowlings; finished balsa wheels with bushings; ready-shaped propeller; all wire fittings ready formed; all insignia and letters cut out and gummed; banana oil; colorless cement; colored dopes; fine tissue; bamboo; rubber motor; and balsa strips cut to size. Colors: Dark green and white.



**2 FT. FLYING KELLETT AUTOGIRO**  
Working on the same principle as the original ship, with the vanes rotating while ship is in the air. It's a great sight in flight and a great model. Complete with everything (all ribs, wingtips, bulkheads, etc., stamped on sheet balsa). Full size plans and instructions.




**2 FT. MONOCOUE - 110**  
From the very second this model takes off, your eyes will follow it with the utmost admiration and satisfaction. Kit contains everything for a complete Monocoupe (essential parts printed on balsa), full size plans and instructions.



**2 FT. GEE-BEE SPORTSTER**  
A picture can hardly do justice to this beautiful model. It's a real beauty and is of high quality, the same as all other Scientific Kits. Complete with full size plans (necessary parts clearly printed on balsa) and everything to build a perfect scale Gee-Bee.

**125**  
POST-PAID



Order Your Scientific Kits Now  
and have them ready for Xmas

Easy to build.  
Guaranteed to  
fly. Complete  
in every detail.



Lockheed Vega  
Fokker Triplane  
S.P.A.D. Chasieur  
S.E.5 Brit. Pursuit

15-INCH FLYING  
SCALE MODELS

**99c**  
POSTPAID

STINSON  
COMPLETE  
**150**  
POST-PAID

#### PLANS

For Lockheed Vega; S.E.5; S.P.A.D.; Fokker Triplane; Curtiss Hell Diver; Curtiss Hawk; S.E.5; Laird Super Sealion and others. Complete Line of A.M.L.A. Scale Model Plans Vought, Corsair; Boeing P-12; Waco Taper Wing; Lockheed Sirius and others **20c** ea.

**10c**

ea. or 3 for 25c

### WORLD'S HIGHEST GRADE MATERIALS

#### SCIENTIFIC BALSA

36" lengths	8 for 5c
1/16 x 1/16	1c
1/16 x 1/8	1c
1/16 x 3/16	1 1/2c
1/16 x 1/4	1 1/2c
1/16 x 1	4c
3/32 x 3/32	1c
1/8 x 1/8	1c
1/8 x 3/16	1 1/2c
1/8 x 1/4	2c
1/8 x 3/8	2 1/2c
3/32 x 1	5c
3/16 x 3/16	2 1/2c
3/16 x 1/4	2 1/2c
3/16 x 1	6c
1/4 x 1/4	3c
1/4 x 3/8	3 1/2c
1/4 x 1/2	4 1/2c
1/4 x 1	6c
1/2 x 1/2	8c
1	17c

SHEET BALSA 36" lengths	
1/32 x 2	4c
1/32 x 3	8c
1/16 x 2	5c
1/16 x 3	9c
1/8 x 2	6c
1/8 x 3	11c
1/4 x 2	10c
1/4 x 3	17c
1/4 x 2 x 18"	3c 2 for 5c

PROPELLER BLOCKS	
3/8 x 1/2 x 5	1c
1/2 x 3/4 x 5	3 for 1c
1/2 x 5/8 x 6	3 for 1c
5/8 x 3/4 x 7 1/2	3c
5/8 x 1 x 8	2 for 5c
7/8 x 1 1/2 x 11	7c
1 x 1 3/8 x 12	9c

COMPRESSED AIR MOTOR	
Complete kit	99c

FINISHED BALSA PROPELLERS	
with wire shafts and washers	
2 1/2" diam.	8c
3" diam.	10c
4" diam.	12c
5" diam.	15c

COLORLESS DOPE	
Red, blue, yellow, orange,	

green, silver, black, white.  
Large 2 oz. can. .... 15c  
Per pint. .... 85c

BANANA OIL OR  
ACETONE  
Large 2 oz. can. .... 10c  
Per pint. .... 55c

COLORLESS CEMENT  
Large 2 oz. can. .... 10c  
Per pint. .... 55c

DUMMY RADIAL ENGINE  
3" diam., each ..... 25c  
2" diam., each ..... 25c  
1 1/2" diam., each ..... 25c

CELLULOID COWLINGS  
3" diam. .... 25c  
2 1/2" diam. .... 22c

CELLULOID PANTS  
"Takes 1 1/2" or 1 3/4" wheels  
Per pair ..... 25c

Small pants for 3/4" or 1"  
wheels. Per pair ..... 15c

THRUST BEARINGS  
Large or small, each .... 2c  
Per dozen ..... 19c

ALUMINUM COWLINGS  
Closed N.A.C.A. and open-  
face types

1 1/2" diam. .... 18c  
2" diam. .... 20c  
2 1/2" diam. .... 25c  
3" diam. .... 20c  
3 1/2" diam. .... 40c

ALUMINUM DRAG RING  
1 1/2" diam. .... 18c  
2" diam. .... 20c  
2 1/2" diam. .... 25c  
3" diam. .... 27c  
3 1/2" diam. .... 35c

CELLULOID WHEELS  
Complete with bushings.  
Come in red, blue, yellow,  
white, green and black.

3 1/2" diam., pair ..... 6c  
1 1/2" diam., pair ..... 8c  
1 3/4" diam., pair ..... 11c  
1 1/2" diam., pair ..... 10c

JAPANESE TISSUE  
For commercial sails  
Sheet 20 1/2" x 24" ..... 5c

SCALE MODEL TISSUE  
Sheet 21" x 25", 2 for 5c

COLORLESS JAPANESE  
TISSUE  
Red, blue, yellow, orange,  
brown, green

Sheet 20 1/2" x 24" ..... 5c  
6 sheets. .... 25c

REINFORCED WINDERS  
MUSIC WIRE (Not Coiled)  
Sizes .014", .020",  
.028", .034", 3 ft. for 1c

SCIENTIFIC EXPERT  
RUBBER  
.045 sq. .... 3 ft. for 1c  
1/16" flat ..... 3 ft. for 1c  
3/32" flat ..... 3 ft. for 1c  
1/8" flat ..... 3 ft. for 1c  
3/16" flat ..... 3 ft. for 1c

BALSA WOOD WHEELS  
Bathron type, with bushing:  
1" diam., pr. .... 5c  
1 1/4" diam., pr. .... 5c  
1 1/2" diam., pr. .... 7c

#### SHEET ALUMINUM

12" wide	
.001", per ft. ....	15c
.002", per ft. ....	15c
.003", per ft. ....	15c
.005", per ft. ....	15c
.010", per ft. ....	18c

ALUMINUM TUBING  
1/16" O.D., per ft. .... 8c  
3/32" O.D., per ft. .... 8c  
1/8" O.D., per ft. .... 7c  
3/16" O.D., per ft. .... 11c  
1/4" O.D., per ft. .... 13c


BRASS WASHERS  
1/8" O.D.—doz. 1 1/2c; gross  
15c. 1/4" O.D.—doz. 1 1/2c;  
gross 15c.

REED  
1/32", 1/16", 3/32"  
diam. .... 6 ft. 5c  
1/8" diam. .... 4 ft. 5c

RUBBER AIR WHEELS  
1" diam., pair ..... 18c  
1 1/4" diam., pair ..... 20c  
1 1/2" diam., pair ..... 25c



Scientific Double  
Genred Winder  
New, large size. **50c**



American Beauty **350**  
Winders with auto-  
matic counters at-  
tached, complete...  
Winder without counter 55c

HOW TO ORDER SUPPLIES  
Orders under 25c not accepted.  
Add 15c for packing and postage on all supply orders  
up to \$1.50. Over \$1.50 add 10% (orders west of  
Mississippi add 10c extra).  
On Canadian and foreign orders up to \$1.50 add 25c.  
Over \$1.50 add 15%.

FREE! Complete Price List. Send 3c to cover postage.  
SCIENTIFIC KITS AND SUPPLIES ON SALE AT LEADING DEPT. AND TOY STORES

**SCIENTIFIC MODEL AIRPLANE CO.**

277 HALSEY STREET

(Dept. N-11)

NEWARK, N. J.

World's Largest Manufacturers of Model Airplane Kits and Supplies Exclusively




# DE HAVILLAND PUSS MOTH—Hearts Content

**T**HE first westward solo flight was accomplished by Captain J. A. Mollison, a British flyer, in his De Havilland Puss Moth, "Hearts Content." Captain Mollison took off from Portmarnock Strand, Ireland, and landed at Pennfield Ridge, New Brunswick, Canada, August 19, completing the flight in 30 hours 12 minutes. This marks the shortest time from land to land on a westward crossing. Leaving Canada, Mollison set his


wheels down on Roosevelt field, Long Island, New York, August 21.

The "Hearts Content" is powered with a Gypsy 3 inverted 4-cylinder air-cooled engine of 120 horsepower. The body of the Puss Moth is constructed of steel tubing, covered with fabric, the tail assembly consisting of a balanced rudder and an adjustable stabilizer. The tail wheel is of steerable type, and is controlled from the cabin.





# Flying the Front for the Navy



One of the Nieuport No. 28s used by Ingalls in his many air battles

**A**t eighteen he was in a classroom at Yale. At nineteen he was behind the machine gun of a tricky fighting plane as Flight Commander of a picked detail. At twenty he was awarded the D. S. C. by the King of England.

This, in brief, is the dramatic war-time record of David Sinton Ingalls, late Assistant Secretary of the Navy for Aviation. As a member of the famous Northern Bombing Group, naval aviators who had left the sea to fly on the Western Front, Ingalls demonstrated amazing skill as a flyer, a leader, and a fighter. He had a talent for narrow squeaks, time after time bringing his plane back from some encounter with German airmen so riddled and torn that only a miracle of luck could have supported it in the air long enough to make a safe landing.

The story of Ingalls rightfully begins before our entrance into the World War. It begins with a group of boys in college whose practical patriotism proved wiser than that of their elders in the hour of the country's dire need.

In 1915, a number of seniors and juniors at Yale led by F. Trubee Davison, later to become Assistant Secretary of War for Aviation, turned their attention from football and hockey to a far more grim and thrilling game.

Trubee Davison had spent the spring and summer of that year working in the American Ambulance Field Service. He met many of the flyers of the gallant Lafayette Escadrille—Norman Prince, Kiffin Rockwell, Victor Chapman. Names to make any American proud. He talked with these young flyers, heard first-hand accounts of hazards, escapes, and the methods of an air service in the war.

Returning to this country, he realized how unprepared America was to take part in aerial warfare. There were few planes, even in the services, and almost no pilots. The Navy, at that time, had just thirty-eight qualified aviators. Davison talked with his classmates, injecting into them some of his enthusiasm for this splendid service. He made them see that no matter how skeptical grey-haired authorities of the country might be, the youth of the nation must be prepared to spring into the cockpits of hundreds of planes if that day should come when we must take part in the war. Eventually, he and his friends

## How David Sinton Ingalls Battled His Way to Fame Over the Western Front

Lieut. (jg) H. B. Miller

organized the First Yale Unit, and set about to train themselves as flyers. They were the "Minute Men" of aviation and did this country and the Navy a splendid service.

Ingalls, younger than this group, all of whom were juniors or seniors, took a deep interest in the early struggles of the Unit to obtain backing and money to carry on their flight course. Eventually, he joined the Third Yale Unit which was trained under the auspices of the Navy.

This unit went across early in 1918 arriving in Northern France at a time when the flying manpower of the Allies was at a low ebb. Ingalls, in common with his fellow flyers, was eager to get into the fray. They had spent months of arduous preparation to fly under war-time conditions. They expected to chase Germans out of the sky the day after disembarking. Their disappointment was keen, upon arriving at their base, to find that there were no planes for them to fly.

It was perfectly natural that Ingalls and many other flyers would drift over to the French or English pursuit squadrons, adjoining the base of the Unit. Here they would watch the planes come in, listening avidly to the first-hand accounts of dog-fights over the front.

Friendships were formed between the French and English pilots and the newly arrived Americans. The Allied airmen lent their tricky little ships to the Americans. Imagine the sensations of these youngsters who had never flown single-seaters before; who had never known anything but the slow and comparatively clumsy training planes! Though it is not in the records, it is highly probable that some of these flights, surreptitiously, led

(Continued on page 39)



David Sinton Ingalls, World War Air Fighter and late Assistant Secretary of the Navy for Aviation.



A Fokker D II, one of the greatest German fighting ships that Ingalls had to face.




# How Well Do You Know Your Airplanes?

What Are the Names of the Airplanes Silhouetted on this Page?

The following awards will be paid by UNIVERSAL MODEL AIRPLANE NEWS to the persons whose letters, in the opinions of the judges, show the greatest evidence of accuracy, neatness and attention to detail. The winners will be judged by Mr. Charles H. Grant, Editor of UNIVERSAL MODEL AIRPLANE NEWS, and Mr. Stockton Ferris, Jr.

Award for First Place, \$5.00; award for Second Place, \$3.00; award for Third Place, \$2.00.

In the event of two or more per-



sons being tied for the first, second or third places, both persons will be paid the award.

All entries to be eligible for these awards, must be received not later than December 1st, 1932. Address all answers to Silhouette Award, care UNIVERSAL MODEL AIRPLANE NEWS, 125 West 45th Street, New York City.

Get busy, sharpen your wits, and see how good you are. This contest will increase your aviation knowledge, which will be a constant source of pleasure to you.

## Here Are the Answers to the September Contest

I AM afraid that we owe an apology to our readers for allowing them so little time in which to prepare their answers to the September Silhouette Contest. Due to circumstances which we could not avoid the magazine did not come out until very late. However, some very ambitious and intelligent young men managed to get some very excellent answers into our office before the closing date of the contest. They are to be commended for turning in such excellent copy in so short a time.

There were more one hundred per cent answers to the September contest than for any previous one. The winners, therefore, have been judged on the basis of their neatness and the amount of information they have supplied about each ship, provided all the answers were correct in the first place.

We do not wish to keep you in suspense for too great a time, so here are the correct answers for September.

1. Curtiss Navy Fighter F-9.
2. S.E.5 A (wartime).
3. Solar MS-1.
4. Waco "F" straight wing.
5. Curtiss Carrier Pigeon II.
6. Fokker D.VIII (wartime).

7. Boeing P12-B.
8. Curtiss Hawk P-6.
9. Laird Super Solution.
10. Pitcairn Mailwing PA-7.
11. Vought O2U seaplane.
12. Lockheed Air Express.
13. Fairchild K.R 21 or 21B.
14. Arrow Sport Trainer.

Now, for the names of the winners. All of these boys named every ship correctly as well as giving an unbelievable amount of information concerning them.

The winner of the first award is Kenneth Reeves of 655 West 190th Street, New York City. This entry was extremely neat. Also, he took great care in giving every bit of information that it was possible to give.

The second award goes to Ike L. Kibbe of 1105 San Jacinto Street, Austin, Texas.

The third award goes to Robert C. Morrison, Mercersburg Academy, Mercersburg, Pa.

We wish to give special mention to Ronald J. Small of 601 West 173rd Street, New York City; Wendell Westlund of 3949 Waveland Avenue, Chicago, Illinois; and Joseph Gigante of 57 East

(Continued on page 42)



# Build the Friedrichshafen G II, War-Time Bomber

## Complete Instructions and Plans of the Famous German Bomber That Often Bombed London

By Robert V. Smith

**T**HE flying model to be built this month is the Friedrichshafen G II, a German war-time ship used for long distance bombing flights. This model is what may be called the little brother of the plane which appeared on the cover of the October 1931 issue of Universal Model Airplane News, the Friedrichshafen G III.

This model is not hard to build, but care should be taken to see that each wing has the same amount of sweep-back and each propeller has the same amount of pitch. Because of the fact that the following plans are drawn to exact scale, some of the minor dimensions have been left out, although these can be had by using a ruler.

### Fuselage

The sides of the fuselage should be made first. All wood used for this part of the model is 1/16" square balsa. The longerons are each 11 9/16" long and should be pinned to a full-size layout of the side, while the uprights are ambroided between them. The two sides should be joined first at 7" then at 1", to 2", 3", 4", 5" and 6" in that order. The forward gunners pit is formed by thin bamboo strips about 2 1/2" long. The strips should be ambroided to one side and allowed to dry and then bent around and ambroided to the other side.

### Center Sections: Upper Wing

First cut out six ribs 1 3/4" long and glue them to the wing leading edge which is cut from 1/16" balsa. The leading edge is 1/16"x5/32"x6 1/2". The trailing edge is next. This should be 1/16"x3/32"x6 1/2" and is slightly tapered so as to follow the rib curve. The support should now be set and glued. It is 1/16" square and 6 1/2" long.

The same directions should be used for the lower section which runs through the fuselage between crosspieces 2 and 3.

### Motors

The radiators should each be cut from a block of soft balsa 1/2" x 3/4" x 1 5/16". These finished pieces should be hollowed out and with a slot cut through large enough to permit the motor stick and rubber motor to pass. The cylinders, (6 to a motor), are 5/16" high and should be mounted on a strip of balsa.

### Motor Sticks

Both sticks are made of 1/8" x 3/16" x 9" white pine. A regular propeller bearing is glued to the end of each motor stick. The rear hooks of No. 12 wire are then fastened on.

### Propellers

The propellers are each cut from a block of hard balsa 1" x 3/8" x 4 1/4". Much care should be taken to see that each propeller has the same amount of pitch as it increases the stability of the model. The propellers should also be very carefully balanced. This is done by sanding down the heavier side until balance is obtained.

### Landing Gear

The landing gear should be attached to the center section and should be glued in place after the center section is papered. The four wheels are 1 1/4" in diameter and are *glued directly to the axles*. After the socket (c) is glued onto the axle support (d), one wheel should be glued to the axle, slipped through the socket and then the other wheel put on. The axle and axle support should both be made of bamboo because of the stress upon them.

### Tail Surfaces: Fin

The fin outline (b) should be first bent either by steam or open flame and then the supports made and glued onto the outline.

### Elevators


The elevators should both be made at the same time in one piece and then cut in half when ready to be put on.

### Wings: Top Wing


First cut out ten ribs 2 3/4" long and 3/16" high cutting out grooves for the leading edge, the two supports and the trailing edge. There should also be two ribs the same size as the center section ribs. When gluing ribs to the leading edges, do not forget to set them on an angle, especially rib No. 1, as there is both sweepback and dihedral. The wing-tips are bamboo and should be bent before placing them on the wings.

### Lower Wing

The lower wing is the same length and height as the upper wing but it is 2 5/8" wide. This wing also has the same amount of sweepback and dihedral as the upper



The author gives 'er a trial flight



The completed model which will give you a real thrill in flight



wing. The wing struts are placed between ribs No. V and VI and III and X, and are ambroided to the supports.

### Covering and Decorating

**C**OVER the model slowly and with care, as a good covering not only increases the looks but also helps the model's flying quality. Although both sides of the wings and fin are covered, only the top surface of the elevators need be covered. All four sides of the fuselage should be finished. After the model is covered, all but the tail surfaces should be steamed and allowed to dry without being touched. This will give the paper sufficient tightness. The tail surfaces should not be steamed because of the danger of warping.

A simple and yet attractive camouflage is shown on Page 15 of the plans. This design should be put on the top and side surfaces only. It consists of thin solutions of black, blue and green paints. It may be put on with an ordinary water color brush. It is best to completely finish the whole plane in one color first.


The fin should be black with either the black straight across or iron cross apparent with a white outline.

### Conclusion

**T**HIS model should be flown with two or more strands of 1/8" flat rubber for each motor.





Although it may seem a bit hard to build, it is well worth your while as it is not only attractive in its flying qualities but also in its appearance.

(Editor's Note:—It is always uppermost in our minds to give our readers plans of airplanes that they desire most of all. Therefore, we will greatly appreciate a word or two from you stating the name of the plane that you would like us to publish and whether you prefer that they should be presented as *solid scale models*, *detail scale models* or *flying scale models*. By sending us your opinion in this matter, you can co-operate with us in making UNIVERSAL MODEL AIRPLANE NEWS a medium of greater service to our many friends.)





No. 2









No 3

Center Sections



Top Wing




Bottom Wing



$$6 \times 1\frac{3}{4} = 10\frac{1}{2}$$




No 4



Elevator Ribs - Make 2 of each




Fin Ribs Make 1 of Each








N<sup>o</sup> 5

$2\frac{3}{4} \times 8\frac{1}{2}$   
 $\frac{85}{170}$   
 $\frac{64}{23.4}$   
 $\frac{46.8}{10.5}$   
 $\frac{57.3}{57.3}$






No 6



Motor Stick







One of the first autogiros built for the British Air Ministry, 1926.

## A Pioneer Makes Good

### The Story of the Successful Development of the Autogiro by Cierva and the Application of it to Commercial Use by Harold Pitcairn

By Orville H. Kneen

#### CHAPTER II

**W**E left young Juan de la Cierva, you remember, nervously waiting for an equally nervous pilot to test his No. 3 machine. It had a queer 5-bladed rotor and a complicated rig whereby the pilot could change the angle of incidence. This, he hoped, would finally correct the crazy, drunken leaning to one side that had made all his previous designs useless.

The pilot taxied slowly across the field, his machine wabbling but not quite turning over as previously. He opened her up a bit and the contraption seemed almost ready to hop, as did the inventor. But his practiced eye noted that same habit of wanting to lean on something. Not so much as before—but rigid advancing blades *still* had too much lift. Changing angle of incidence was no great help, if any. But he felt he was on the right track. He worked twice as hard. *Nine times* he remodeled that stubborn machine. At every test it showed some signs of intelligence. But it needed something—a new idea.


Luckily, about this time the government showed interest, to the tune of some real money—\$34,000 worth—for wind-tunnel

experiments. Scores of tricky little whirlingigs, mounted on ball bearings, were put through their paces in tunnel winds that attained 45 miles an hour.

Cierva measured the lift of his rotor when inclined. It proved greater than for fixed wings of equal area. Head resistance was lower than for fixed wings of equal lift, proving his figures okay! So he put his nose to the drawing-board again and drew pictures of a new ship, with five-bladed rotor braced to the axis by steel wires. This time, to keep his ship from leaning over, he built an extra large elevator in two parts, each part to be operated by itself. He then trundled the new machine out for a test—the proof of all theories.

After all his testing and figuring, the blankety-blank thing *still* tried to lean over! And gyroscopic action was bad. The thing would not be controlled. It had no ambition to get up in the world. But it seemed better than previous ones.

So he rebuilt it—four times—and studied it a thousand times. One night he was at the theatre. His mind wandered from the play, as he thought about one little rubber-driven model which had shown



Mr. Harold Pitcairn with the Collier Trophy awarded to him, after landing his autogiro on the White House lawn.



up well in the wind-tunnel.

Suddenly there flashed into his brain an explanation. Perhaps the flexibility of the blades, made of rattan (or bamboo), as they met the oncoming air, enabled them to adjust themselves automatically. His aircraft—if he ever got it up in the air—would have to ride the whirls and eddies, whereas fixed-wing planes cut through them. His craft must ride them slowly, like a bird, and his rotor should be constantly adjusting itself to the currents, like the wings and tail of a bird.

**C**ALCULATIONS seemed to prove this theory correct. Long weeks of work produced four long, thin blades of laminated hardwood, mounted on a hub supported by a spider, or pylon, rising from the fuselage. It was a queer-looking rig. But it worked better!

When not turning, the rotor blades hung down almost to the ground. But at around 100 revolutions per minute they swung almost straight out, like the outswinging pail of water on the end of a rope.

The pilot swore he could feel their lifting power. The machine would tremble, as if ready to leap into the air. Cierva tried out combinations of two, three, four and five blades. And finally he evolved a scheme of "articulating" the blade fasteners so that the connection of each blade to the hub should be non-rigid. This should enable each blade to freely adjust itself to the load, and to gusts of wind.

Being hinged besides, the fastening was really a universal joint, cables between the blades keeping them from running into each other. But now the blades acted much like a bird's wing, able to wriggle, flop, rise or fall as load and air currents required. As a blade advanced it could be seen to rise at its tip, reducing the angle of incidence and resulting lift. Retreating blades did the opposite.

That, the young inventor believed, should at last balance the machine. Perhaps he uttered the Spanish for Hot Dog! The machine should now be perfect, at least as far as leaning over was concerned.

But it wasn't. The pilot did not seem to have enough control




The autogiro proves of great help in locating and fighting forest fires

pers out from the fuselage, on either side. Really two small ailerons, on arms. They gripped the air—theoretically.

Would the machine actually fly—or hop—or at least stand straight with the rotor turning? He thought so.

But his heart thumped harder, when it was ready for test, than when his big bomber had been trundled out for its trials, over three years previously. On January 9, 1923, all was ready. The strange bird, perhaps more full of "bugs" than a real one, was taken to the Getafe Airdrome, near Madrid, where there was plenty of room. Now for the proof of the pudding!



Harold Pitcairn explaining the operation of the machine to Orville Wright at Langley Field, Va., May, 1929.


**P**ROBABLY no one except the inventor expected the thing to get off the ground. Even he may have had his doubts. So many, many designs had failed, laying down weakly, savagely splintering their long arms on the ground.

The pilot was one of Spain's best—Lieut. Alejandro Gomez Spencer. His strange steed embodied a lot of time and labor and money. He handled it with care. Several men, pulling on a long rope wound around the hub, brought the four-

bladed rotor up to speed. The motor, not connected with the rotor, but driving a tractor propeller in the usual way, warmed up cheerfully and loudly.

The pilot waved to the anxious inventor. He taxied slowly to increase the speed of the rotor. The machine

taxied easily, did not lean weakly. He "gave her the gun." The whirling vanes took the load. There were cheers as the wheels lifted a few inches. The machine hopped, skipped and jumped across the field. Then, with sudden resolution, the pilot opened the



One of the late models, the Pitcairn T.A.-18.

(Cont. on page 37)




# THE HALBERSTADT C.L.2 GERMAN FIGHTER

**T**HIS was one of the most highly developed German two-seater fighters in use at the end of the war. It was so classed because of its maneuverability and visibility rather than because of performance.

Powered with a Mercedes 180 H.P. engine, it had a

high speed of approximately 105 M.P.H., climb of 500 feet per minute, and landed at 55 M.P.H.

In building a model of this plane, note that the trailing edges of the inner ribs of the lower wing are turned up so as to produce a smooth contour with fuselage.





# Aviation Advisory Board

Conducted by  
**CHARLES HAMPSON GRANT**  
Chairman of the Board

Formerly of  
The Technical Section, Air Service, U. S. Army

**H**ELLO, fellow model builders. I always look forward to this little chat with you. Due to my numerous duties it is not possible for me to interview each one of you separately, so we must content ourselves with this short discussion each month.

As usual, we have some very interesting questions. One which I feel is especially worth while to answer, comes from Calvin Stickel of Mount Vernon, South Dakota.

*Question.* Which is the strongest wood, pine or spruce?

*Answer.* Spruce is the strongest, although it is a little heavier. Pine weighs approximately 24 to 26 pounds per cubic foot. Spruce weighs 32 pounds per cubic foot. Even so, spruce is much stronger for its weight than pine. The use of pine in airplane construction is, we might say, a hangover from model boat building, and personally, I advise the use of this wood be entirely discontinued. It is easy to work. This explains its use in hulls for model boats. It is inadvisable to use in airplane construction because it snaps quickly and suddenly under sudden stress. In order to make a pine structure as strong as a spruce structure, it would be necessary to make it at least 50% heavier than spruce. A good substitute for pine in making propellers, is basswood. The results when basswood is used are far superior.

**H**ERE are a few questions from Leo Garcia of Albuquerque, New Mexico.

*Question.* Why will some models, when the wing is set for normal glide, tend to climb too fast and then, if the wing is set for normal flying, the model glides at entirely too steep an angle?

*Answer.* This is due to the fact that the stabilizer is set at too negative an angle. It should be raised slightly until, through trial, the proper setting has been determined. When the stabilizer is raised it will probably be necessary to increase its area so as to obtain proper stability.

*Question.* Will too much propeller surface give the same bad result as too much rubber?

*Answer.* No, it will not. Very few machines have too much propeller surface. The opposite condition usually prevails. Too much rubber usually causes too much torque, while large propeller surface will usually reduce the torque, for the simple reason that the propeller surface on the average model is too small.

*Question.* How should the areas of rudder, elevator and wing compare on an r.o.g. model?


*Answer.* The rudder area on an r.o.g. model should be approximately 15/100th of the wing area. The elevator should be about 30% of the wing area. These figures hold true where the distance from the main wing to the center of the tail surfaces is equal to half the wing span. If the distance is shorter than half the wing span, then the surfaces must be increased in direct proportion. They may be decreased in area proportionally, if the distance is greater.

*Question.* Should a reversed camber elevator have more or less surface than a flat one?

*Answer.* I assume by the term, reversed camber elevator, that you mean an elevator which is concave upward and convex downward. Under these conditions, less surface will be necessary when using this type than if a flat one were used because when set at zero degrees, the negative curve surface is exerting a pressure downward at the rear of the ship, as a curved surface has a tendency to lift, or when reversed, press downward at its setting of zero. A flat surface obviously set at zero degrees, will not cause any pressure downward or lift upward. Even though the flat surface is set at a negative angle, it will not be as effective as the curved one in creating a tail load.

*Question.* What is the highest and most efficient angle of attack on a wing surface?

*Answer.* The angle of (Continued on page 41)



Here is the little plane "Hearts Content" that cheated the Atlantic of another sacrifice in the name of progress. It is a De Havilland Puss Moth, flown by Captain J. A. Mollison, from Ireland to New Brunswick, Canada, in 30 hours and 12 minutes. A record for a westward crossing, from land to land.



# AIR-WAYS


## HERE AND THERE

Get Busy and "Air Your Ways" of Building and Flying Model Planes. In This Column, Space Will be Devoted to the Activities of Our Readers. Let Others Know What You Are Doing


**O**UR readers have contributed some very interesting features for our Air Ways section this month. There has been a great volume of material sent to us and let me tell you, it's some job to look over all of the interesting things that you fellows are doing and about which you wish us to tell your friends in this column.

After much labor we have selected some material that we feel will be most interesting because of their unusual features.

Our friend, Robert Sweet of Columbus, Ohio, has remembered us again with a sketch showing the Gee-Bee rounding a pylon at the Air Races. This appears at the head of the column to liven the appearance of our pages. Those of you who have read this column each month will remember that



Picture No. 1



Picture No. 2

Sweet is a young man of sixteen who has been bedridden for some time. We appreciate his contribution very much indeed.


Manley Mills of Royston, Georgia, has sent us picture No. 2 of Al Williams' "Mercury"

racing seaplane which was built by his friend Jimmy Cherry of Decatur, Georgia. It has a span of 12" and is a very nice piece of work. I believe that this is the first time a picture of this ship has been submitted to the magazine.

Here is a model of a Curtiss-Wright Sedan, picture No. 3, partially finished, in the hands of William M. Wohlleben, which was constructed by Robert Smith, the author of the article on the Sopwith Dolphin. Smith is one of our most active model builders. He lives at Norwich, New York.



Picture No. 4




Picture No. 5

**P**ICTURE No. 4 shows Harry H. Van Kirk, Jr., of Condit, Ohio, and Colonel T. J. Herbert of the Ohio National Guard, who is holding the model of a Douglas O-38 of the 112th Observation Squadron. Van Kirk built and presented this model to Colonel Herbert during the Squadron's encampment at Camp Perry last summer. If Colonel Herbert takes advantage of this gift to do a little experimenting in the way of flights, it is possible that he may obtain some interesting data concerning the stability

of the Douglas planes. Model flying would not only be an interesting pastime for military men but possibly would be very instructive, as it has proven to be to the young generation which is so active in this field at the present time. I would like to prophesy here, that these young model build-




Picture No. 6



Picture No. 3





Picture No. 7

ers of America are going to show the old-timers a trick with a hole in it when they grow up, as they are obtaining information on model flying of which the present-day aeronautical engineers have no conception.

Robert D. Heidenreich of 145 Aurora Street, Hudson, Ohio, has sent us some pictures of interesting solid scale models which he has built. Picture No. 5 shows one of them, a Sopwith Camel. Heidenreich has made a very neat job of this ship. He also has sent us a picture of an Autogiro model which was built from plans supplied by the Autogiro Company. This, we have been unable to publish because of lack of space. However, those who wish information concerning this ship, may write to Heidenreich.

**H**ERE is Picture No. 6 of a Boeing P-12 D, built by Marvin Krieger of 91 West State Street, Sharon, Pa. Every part of it is built up and contains the exact number of ribs and braces found in the large ship. The wings and fuselage are covered with Chinese silk and tail surfaces and ailerons with corrugated aluminum. The detail of the controls and instruments are complete, including miniature maps, a machine gun, safety-belt throttles, stabilizer adjuster, etc. Even the P & W Wasp engine is detailed to the extent of having wires leading to the miniature spark plugs. Krieger says that he would be very glad to give


hints on building or more details on this model, to any of the readers who wish to write.

Here is a young man who works fast. A. F. Kitchel Jr., of Greenwich, Conn., sends us picture No. 7 of a Boeing Bomber model built from the plans in *UNIVERSAL MODEL AIRPLANE NEWS*. He has evidently modified the plans of this ship and has built it in miniature as indicated by the smokers pipe which is lying on the ground, immediately in front of the ship. It has taken a little ingenuity to scale down the plans so that he could build this miniature model. It is a nice-looking job.

Here is something that I feel will be of great interest to our readers. It indicates that America is not the only place in which there is great activity in aviation. Joe Axisa of 3, Sda. S. Guiseppe, Sliema, Malta, Europe, writes and tells us about a 14-foot glider kite which he has built and flown. Picture No. 8 shows the machine, with a boy standing beside it, in order that you may get some idea of its size. Picture No. 9 shows the plane in flight at the end of a rope. When this picture was taken, it was at a height of 400 feet. Joe tells us that his ship stayed up for two hours and in time he expects to have it climb to an altitude of two or three thousand feet. He has promised to send the details about it and its performance, later. Possibly this will give some ideas to the young men in this country and start a new and interesting sport. It might even be possible to build a machine of this type that would carry aloft a man. We wish to thank Joe extremely for this contribution. It is of great interest.




Picture No. 8




Picture No. 9


**T**HERE seems to be increasing activity in the building of gasoline powered model planes. Last month we published pictures of the successful model flown at the National Model Airplane competition at Atlantic City, built by Maxwell Bassett. Here we have Picture No. 10 of another machine of this type which was built by Hilary Strzelczyk of 19 Kelly Street, Luzerne, Pa. It has a wing span of 6' 2", and is 4' long. Hilary is very candid in telling us that the machine was a "flop." However, he deserves a lot of credit for his attempt in this new field of model building. If he keeps at it, as he says he is going to, he will unquestionably build a successful model eventually.



Picture No. 10



Picture No. 13



Picture No. 11



Picture No. 12




It often takes several years to develop a model of this type which will fly properly. He is to be admired for his frankness and his ingenuity.

Picture No. 11 shows Jack Wilson of Chrome, Pa., standing beside a Heath monoplane which he has just finished. This machine was built in spare time and Jack McIver of 705 Hodgson Street, Oxford, Pa., the young man who took this picture, tells us that it is a beautiful job. It seems that some of the model builders are now growing up and trying their hand at large plane construction. More power to them.


Judging from our correspondence, **UNIVERSAL MODEL AIRPLANE NEWS** is promoting the aviation spirit in all parts of the world. Ravi L. Kirloskar of Panchgani, Satara, India, sends us Picture No. 12 of himself and a model B.F.W. M23c, which he is holding and which he tells us flew for more than two minutes, landing beautifully like a real ship. This young man is evidently no slouch at model building. In his letter he has written and told us that he has built many ships from plans published in this magazine, including a Lockheed Vega and an S.E.5. We appreciate Ravi's contribution exceedingly and are pleased to know that our magazine is helping young men in foreign lands as well as in this country.

Picture No. 13 shows an S.E.5 and a Fokker in flight, built by Fred Fettig of Elm Street, Newport, Ky. This picture is unusual in that it shows two planes in flight at the same time. Those of you who have tried to get photographs of flying models, realize that this is not an easy thing to do.


In Picture No. 14 we see a trim mail ship flying across one of our readers' backyards. At least this is the impression that it gives us. However, Henry B. Sait of 238 East Seventh Street, Claremont, California, tells us that he has faked this picture. Actually it is a model with a 6" wing




Picture No. 15




Picture No. 18



Picture No. 16




Picture No. 23




Picture No. 17

span, held up by a string, a few feet in front of the camera. This goes to show what can be done through the medium of trick photography.

It seems that some of our young men are establishing their own private airports. Picture No. 15 shows the airport of Marvin Riha of 14895 Rutherford Street, Detroit, Mich. The only trouble with this airport is that it is merely a model one, with a Gee-Bee Sportster rolled out on the tarmac. However, an



Picture No. 19




Picture No. 20

idea built in form of a model may soon grow to full proportions. It may not be very long before Riha has the real thing in the line of an airport. The Gee-Bee shown in the picture has a home-made steel cowling and a motor composed of 300 pieces. The ship is complete in every detail.

Another young man is going into the model airport business. Roy M. Hardy of Beeville, Texas, sends us Picture No. 16 of his layout of five solid scale models in front of his hangar. They are, Curtiss Hawk, Boeing flying boat, Junkers Bremen and two Fokker D VII's.


We have a fine contribution from Richard D.






Picture No. 21

It seems that one of our expert builders in far off Hawaii, S. T. Wong of 1865G Elena Street, Honolulu, has included in his letter, several pictures of ships which he has built. Picture No. 18 shows his fuselage ship in full flight. It has a wing spread of 40" and is driven by a 15" propeller. In the front, the fuselage is rectangular and tapers to a triangular form in the rear. Wong has also built a Polish Fighter from plans in the magazine, from which he has secured some very unusual flights. He tells us that this machine climbs to a height of 50' with unusual speed. The staff of the UNIVERSAL MODEL AIRPLANE NEWS wishes to extend hearty congratulations to S. T. Wong for his unusual work in a location where there is not a great interest in model aviation.




Picture No. 24

Dilley of 524 Pelham Manor Road, Pelham Manor, New York. He has sent us ten pictures of his Curtiss Hawk. However, we are unable to print all of them. Picture No. 17 shows one of the best views of the model. Dilley has spent a great deal of time on this ship and incidentally has expended over \$48.00 in its building and repair. That word, repair, is very impressive. We would say that Dilley has been doing a little flying in restricted areas. However, what is the use of building a model unless you can fly it. This model was on exhibition at Proctor's in New Rochelle and attracted a great deal of attention. The specifications will surprise you. The span of the upper wing is 5' 3". It weighs less than one and one-half pounds and is powered with a six cylinder radial compressed air engine. Dilley would probably be very glad to give further details to readers who are interested in his ship.



Picture No. 14



Picture No. 22

Frank W. Schade, Director of the Junior Achievement Foundation of New Britain, Conn., has contributed Picture No. 19, of a 24" scale model Lockheed Sirius. This was built by Franklin Atwater of 109 Elbridge Road, New Britain, Conn. Those readers who thoroughly understand model building will recognize a fine piece of work in this ship. The unique feature of this ship is that all of the parts have been made by hand. None of them have been purchased. Atwater is also the designer of a very successful flying model Autogiro. He requests that readers write to him if they should desire further information about any detail.

Picture No. 20 is a contribution from a veteran model builder. Those readers who (Continued on page 44)



Picture No. 25




# These long fall evenings

## if you're building "Dee" authentic s

Here's an indoor adventure that grips you. It's a challenge—enthusiastically to a home run with the bases loaded—range—anything above and beyond the ordinary—something about the building of them that you just feel accomplishment—step by step you are cleverly engineered result. From the moment you start you're following expert counsel, and with all the sport—and a hundred thousand "Cee-D"


All Cleveland-Designed Models are F



### AKRON FIGHTER F9C-2


Deck Level Photo Shows it Coming in for a Deck Landing with Hook of Cleveland's New Arresting Gear Dropped in Place.

The U. S. Navy's newest and smallest Curtiss fighter. It is Cleveland's new beauty destined to be the successor of the Laird Super-Solution for beauty and flights and almost everyone knows of the Cee-Dee Laird SF-5 (which sells at \$2.50). It is a very consistent flying model and a real beauty in appearance. Detailed only as Cleveland details its models, including authentic gull-shaped upper wing at the proper dihedral angle, the two-leg landing gear which is very strong when built as Cleveland designs—can, wind-shield sights, etc. All balsa comes printed and numbered on flat sheets including curved parts, dummy motor, motor end rings, wheels and all—making it easier than ever to build Cee-Dee ships now! Neither this ship nor the new Boeing is at all hard to make if some model experience is had. The fact is that they are about as simple as the Howard to build, but having more parts the same as the simple Gee-Bee model, take longer. Being a  $\frac{3}{4}$ " scale model, its span is  $19\frac{1}{4}$ ", length  $15\frac{1}{4}$ ", weight 2.2 oz. Colored silver wings and tail, everything else blue except details, which may be colored black with ink. Complete Kit SF-22 (with everything needed, including Cleveland's new enamel dope) only \$1.95 postfree.



### Two Striking Views of the LOCKHEED VEGA

Here is a real model of this famous ship—as you thousands of men and boys have requested. And we mean REAL! First time this authentic Cleveland-Designed model was put on display, our engineers were told it was one of the most beautiful scale models ever designed—and that was from not only model builders, but model sellers as well. This model follows no particular Vega, but the color scheme is that of Amelia Earhart's red and gold monoplane in which she recently spanned the Atlantic. For flights this Cee-Dee model is a wonder. Don't delay getting it. Span is  $30\frac{3}{4}$ ", length 21", weight 3.1 oz.; colored brilliant red wings, tail surfaces and wheel shoes; everything else gold except black details, for which ink may be used. Kit is complete in every respect even with the new enamel dopes and printed balsa same as A-8 Attack Kit. Complete Kit SF-24, postfree \$2.95. (Special Delivery, for U.S. customers only, 25c extra.)



### BOEING BOMBER

The 3-mile-a-minute military monarch cleverly modeled in true Cee-Dee fashion. Its three motors feature the new type Cee-Dee power unit—no exposed rubber.  $\frac{3}{4}$ " scale. Span 29"; length  $19\frac{1}{4}$ "; weight 2 oz. Colored yellow and green. Complete Kit JSF-1005 (everything needed) only \$2.50 postfree.



**LAIRD SUPER-SOLUTION**  
Maj. "Jimmy" Doolittle's own racer—the 1931 transcontinental record breaker. Flies hundreds of feet. Flashing speed.  $\frac{3}{4}$ " scale. Span  $15\frac{1}{4}$ "; length  $13\frac{1}{4}$ "; weight 1.7 oz. Colored yellow and green. Complete Kit SF-5 (everything needed) only \$2.50 postfree.

### All "C-D" Models are Guaranteed

to be as represented or your money will be refunded. Defective parts replaced, except broken strip wood, unless all are broken. If Kits are returned for any other reason, a 50c charge is made—west of the Mississippi, 75c. Please read descriptions carefully.

### Great Lakes Sport Trainer

Redesigned—much improved over the original Cleveland-Designed model that has become popular in many countries. Easier to build. Flies hundreds of feet. Span 20"; length  $15\frac{1}{4}$ "; weight 1.2 oz. Colored orange and black. Complete Kit SF-1 (everything needed) postfree only \$2.50.



HOWARD RACER

Well-known 1931 National Air Race winner.  $\frac{3}{4}$ " scale. Race flyer. Unusual value. Colored with Cleveland's new white pigment—aluminum dope. Span 15"; length  $13\frac{1}{4}$ "; weight 1.3 oz. Complete Kit SF-18 (with everything needed) postfree only \$1.00.

### Here is the Entire "Cleveland-D"

Every One Complete—Every One the Duplicate Far in Excess of Its Modest Pr

#### Authentic $\frac{3}{4}$ " in. Scale Flying Model Kits

SF-1: Sport-Trainer... \$2.50	SF-14: Fokker Triplane \$2.50	Aut
SF-2: Mystery Ship... 2.95	SF-15: Fokker D-7... 2.50	JSF-1005
SF-3: DeHavilland-4... 3.50	SF-16: Albatross D-3... 2.50	
SF-4: Curtiss Jenny... 2.95	SF-17: Gee-Bee... 1.50	
SF-5: Doolittle's Laird... 2.50	SF-18: Howard Racer... 1.00	FL-301:
SF-6: Polish P-6... 2.95	SF-19: Supermar. S6-B... 1.50	FL-302:
SF-7: C. Hell-Diver... 3.50	SF-20: Hawker Fury... 2.50	
SF-8: Boeing P-13C... 2.95	SF-21: Hawk P-6E... 2.50	
SF-9: SF-9... 2.50	SF-22: Akron Fighter... 1.95	Lar
SF-10: Sopwith Camel... 2.50	SF-23: Boeing XP336... 1.95	FL-201:
SF-11: The Exper. Quad... 2.50	SF-24: Lockheed Vega... 2.95	FL-202:
SF-12: Newport Scout... 2.50	SF-25: Curtiss A-8... 2.95	
SF-13: Spad 13... 2.50		

NOTE: Cleveland's new completely printed out and numbered Kits SF-22, 23, 24 and 25.

Cleveland-Designed Models are considered by thousands of those who know, as the Standard of Comparison.

## VOX POP

"In reading your latest folder I discovered that you included among your testimonials one which I wrote more than a year ago. I had only purchased two models then. I now have twelve of your models and find it impossible to compliment you enough. And I don't mean just for appearance and flight ability, but, more to your credit, I believe that you have transformed the construction of model aircraft from an interesting hobby to a most worthwhile pastime."

Irving M. Bailey, 621 Elm St., New Haven, Conn.

"Please send me your Catalog. I have heard of your company in a good way among my friends, who think it is the best they have dealt with."

Illinois.

"I must write to tell you that I never got a better, more complete kit, for twice or three times the amount I paid, than your Howard Racer."

New York.

"My father sent to you for the Cleveland-Designed Laird. Only having built but one plane before, I thought it would be hard, judging from the picture. But I was badly mistaken, it took but a week to build it and I worked only nights on it. It took off beautifully and flew for a distance of 1051 feet and 21 inches in 101 seconds."

Michigan.

"Your models are the most exact I have ever seen."

Vermont.

"I bought a Cleveland-Designed model and it is the best plane I've built in my 17 months of experience."

Ohio.

"I won first and second prizes in a neighborhood contest with your models."

Pennsylvania.

"I purchased one of your Fokker D-VII kits. It completely surpassed all of my expectations. I can truly say you have the best line of models on the market."

Kansas.

All photographs on this page are of the authentic C-D Models themselves. We never use photos of the real ships.

### Cee-Dee Kits are Internationally Famous

Besides being sold throughout the U.S. and its possessions, and in all provinces of Canada, Cleveland-Designed Flying Model Kits are purchased by model airplane builders of 32 foreign countries. Christmas Orders for delivery outside U.S. must be placed now.



FOKKER TRIPLANE

Baron Von Richthofen's plane. 1918. Span  $17\frac{1}{4}$ "; length  $13\frac{1}{4}$ "; weight 1 oz. Colored red, black details. Complete Kit SF-14 (everything needed) postfree, only \$2.25.

CLEVELAND MODEL & SUPPLY CO.,

Designers and Manufacturers of Kits of Authentic Army, Navy and Commercial Models



# pack a brand new thrill

## ne of these "Cee-Dee" flying models

to that same part of your makeup that responds to the old goal in the last 30 seconds, a bull's-eye on the Cleveland-Designed models have an indescribable experience to appreciate. You feel achievement, and masterfully led to a carefully conceived, you sense the worthwhileness of it—you realize many materials and accessories needed. It's real model enthusiasts are with you in it.

models — we make no other kind

### ned" Line of Flying Model Kits

a Master Original Model—Every One a Value Tomorrow's Models Today!

1/4 in. Scale Flying Model Kits  
Performance Boeing Bomber.....\$2.50


1/4 in. Scale Profile Fuselage Flying Model Kits  
n.....\$2.50 FL-303: Pirate Bomber.....\$2.50  
.....2.50 FL-304: Commodore .. 2.50

1/4 in. Scale Fuselage Flying Model Kits  
.....\$1.95 FL-203: C. Bull Pup ..\$1.95  
.....1.95

contained only in

1/4 in. Scale Profile Fuselage Flying Model Kits—EACH **85c**

FL-101: Two Gilders  
FL-102: G. L. Trainer  
FL-103: Fleetster Mono  
FL-104: Boeing P-12  
FL-105: Eaglerock Bullet  
FL-106: Curtiss Hawk  
FL-107: Mystery Ship  
FL-108: Boeing Mail  
FL-109: Curtiss Robin  
FL-110: Vought Corsair  
FL-111: Lockheed Shrike  
FL-112: Curtiss Falcon



### CURTISS A-8 ATTACK PLANE

Portrayed against Realistic No Man's Land Background. Small photos show various views and abundance of detail embodied in this newest Cee-Dee model.

It's the realiest model you've ever seen. Has everything—even instrument boards! All the flying zip, extreme maneuverability and death-dealing accoutrements of America's new "terror of the sky" are packed in this master model job in true Cleveland-Designed thoroughness—detailed to the last feature—machine guns, windows, gas tank, wing flaps, dummy motor incidentals, venturi, and pilot tubes! All balsa wood supplied is printed out and numbered—just crammed full, and we don't mean merely a few so-called "stamped" pieces, either, but all irregularly-shaped parts as well—on 15 1/2 pieces of 2x18" stock of the various thicknesses necessary in design. This simplifies and authenticates construction—simply cut out parts and assemble 'em. This Kit, as all Cleveland-Designed Kits, contains everything needed (excepting touch-up black, for which purpose ink or black dope may be used). Also includes the new Cleveland enamel dopes, which give it that new finish everyone is talking about. Authentic 3/4" scale. Span is 33"; length 24"; weight 4.7 oz.; colored Army yellow and olive drab. Complete Kit SF-25, postfree \$2.95. (Special Delivery mail for U. S. customers only, 25c extra.)

Better to Build One "Cee-Dee" Authentic Flying Model than Half a Dozen Ordinary Models

### Ask Your Dealer for These "Cee-Dee" Kits

Please co-operate with us by asking your dealer for these Kits before ordering them direct. If he hasn't them yet, he'll be glad to get them or any other Cleveland models for you. But do not accept a substitute, for "the just as good" item is never just as good as Cleveland's. Remember that the dealer can very easily supply you with any or all of the greatest line of authentic flying models ever produced—the Cleveland-Designed line of 45 different Kits—ranging from 85c to \$3.50. Ask him to do this for you and your friends who want to purchase authentic models right there in your town.

Foreign Customers: On all orders, send 15% extra, except to countries where transit charge applies, then send 30% extra. Customs payable by purchaser only upon arrival. Ask your postmaster.



"CEE-DEE" BEGINNERS' SPECIALS!

Complete line of 12 profile fuselage models of simple, sturdy design. See each. Curtiss Robin Kit FL-109, shown here, especially recommended.

### BOEING XP936

A Splendid Picture of It Climbing the Turn. Note Particularly the Swiftiness of Its Action; and the Complete Motor and Ring.

new that it still has the "X" letter designating it is an experimental Pursuit. It is a radical departure from the usual U.S. fighting aircraft, being a low design. It is capable of well over 225 MPH. The model is detailed as authentically as possible with its numerous little gadgets, the P-W Wasp motor and lug end ring which you easily make, etc., etc. One of the finest and most allied of all Cleveland-Designed models. Due to its fairly large wing area, its flying qualities are excellent. Being a 3/4" scale model, its span is 20 1/4"; length 6"; weight 2.5 oz. Colored yellow wings and tail surfaces, everything else olive drab except the few details, which may be colored black with ink. Price for the truly complete Kit SF-23, all balsa printed out, new enamel dopes, etc., post-free, \$1.95.

### Cleveland's New Hobby Store

Model builders of Cleveland and all Northern Ohio are invited to come and see our new modern retail store—bigger, better, brighter—located on the corner of W. 57th St. and Bridge Ave.—just a few blocks north of our old store location. Easily accessible from Public Square or any point in Cleveland. Right on Madison car line—near Detroit, Lorain and Harvard-W. 65th car lines, also Franklin bus. When driving—these roads, Detroit, Franklin, Bridge, Madison and Lorain Avenues to W. 57th, also from Harvard-Denison or Clark Avenues to W. 65th Street, then on Bridge Avenue to W. 57th Street. The complete line of finished C-D models displayed here—all those whose photographs are shown on this sheet, our entire line—also many very fine toys and hobby supplies for young and old, at prices to suit any pocketbook. Store hours, daily, except Sundays and holidays, from now until Christmas, 8 A.M. to 6 P.M. After November 10, open also on Tuesdays, Thursdays, and Saturdays from 8 A.M. to 8:30 P.M. (Factory still at the same address.)



GEE-BEE

A 1931 Gee-Bee that is a Gee-Bee, 3/4" scale. Span 17 1/2"; length 12"; weight 1.5 oz. Colored yellow and black. Complete Kit SF-17 (includes everything needed) postfree, only \$1.50.

### Send in at once for your CME Technical Bulletin

Every model builder should have it. Packed with news, details and pictures of the 45 Cleveland-Designed Flying models. Enclose 5c to defray mailing expense. Use the coupon below.

Cleveland Model & Supply Co.,  
1866-N11 West 57th St., Cleveland, Ohio.

My store dealer's name is.....City.....

Please rush the following order, for which I am enclosing \$.....

- ☐ CME Bulletin, 5c  
☐ Kit No. ....@.....ea.  
☐ Kit No. ....@.....ea.  
☐ Kit No. ....@.....ea.  
☐ Kit No. ....@.....ea.  
☐ Kit No. ....@.....ea.

Insurance, 5c extra  
By Special Mail Delivery, all 15c extra per Kit (2 or more Kits, 25c), except SF-24 and SF-25, which are 25c each.

Name.....Address.....

City.....State.....Age.....

Model Experience.....years.

I am pinning to this coupon a list of models I would like to see you design in the order of those I like best at the head of the list. (Mention 5 or 10 if you wish.) Please give us, also, your dealer's name and address.

1866-N11 West 57th Street, Cleveland, Ohio, U. S. A.



# Here is the Curtiss Hawk P-6E

**T**HIS is another plane which shows clearly the trend in modern military construction. Through the use of extensive streamlining and increased power it has given considerable more performance than its predecessors. With its 675 horsepower supercharged Conqueror engine it is said to do 220 miles an hour.

The plans as they are given here are suitable for building a solid scale model, but if the builder wishes to elaborate, the best thing to do is to study photographs of the ship.

The first thing to do is to collect the following materials:

## BALSA

10" x 2 1/8"  
x 1 1/2" — fuselage  
16" x 3 1/8"  
x 3/8" — upper wing  
Two 6" x 2 5/8" x 5/16" — lower wings  
5 3/8" x 2 1/4" x 3/16" — stabilizer-elevator  
2 3/4" x 2 1/2" x 3/16" — rudder-fin  
Two 2" x 7/8" x 7/8" — pants  
1 1/8" x 1" x 7/8" — radiator block  
2 1/8" x 3/8" x 5/16" — head rest

## PINE or SPRUCE

Two 5/8" x 1/4" x 2 3/4" — landing gear legs  
5/32" x 1/16" Stock 2' long — all struts  
Three 2" x 5/16" x 1/4" — propeller

## MISCELLANEOUS

About 6" of 3/32" aluminum tubing — exhaust stacks  
Small scraps of thin aluminum — see article  
About 3" of 5/32" aluminum tubing for gun troughs  
Pair of 7/8" air-wheels (as soft as possible)  
One 7/16" wheel about 3/16" wide for tail  
Piece of celluloid about 1 1/2" x 5/8" for windshield  
Small amount of plastic wood for fillets

## PAINT OR LAQUER

Yellow-orange, olive-drab, black, red, white, blue.

## TOOLS, SANDPAPER, ETC.

**A** WORD before we start to build. The smaller a model is, the smaller is the measurement on it representing a like distance on the real ship. The ship shown in these plans is drawn to a scale of 1/2"=1', which is quite a fair size for a solid model. However if you make a mistake of only 1/16" on your model it would be an error of an inch and a half on the real plane. So you can see why accuracy is necessary.

## Complete Plans and Instructions to Build a Solid Scale Model of Uncle Sam's Greatest Fighter

By Stockton Ferris, Jr.



Notice the refinement of the lines of this latest Hawk

top view. Now here is where careful observance of cross-sections is necessary. Use templates and have them fit exactly. Notice the cowl in front of the cockpit, it has flat faces and gradually becomes curved over the motor.

The radiator is left off at the beginning as it is awkward to shape from a solid block. Make it from a separate block and set in place as shown in the side view. Another difficult point in construction is encountered at the tail. This is where the cross-section shape changes.

Notice at the leading edge of the stabilizer the fuselage has flat sides and top, with the upper corners rounded, while about 3/8" ahead of this point, it has a rounded top. A shallow groove should be cut for the exhaust stacks and holes drilled to receive them. Also holes should be made to receive the

machine gun tubes. Now is also a good time to hollow the cockpit. If a small section of the bottom of the fuselage is removed, you can work from this side also. Be sure to glue it back afterwards. The headrest is put in place now and a slot cut in the end of the fuselage to receive the stabilizer. Wherever a line denotes a seam in the cowl, score the wood with a sharp point.

Flow on a good coat of paint and let dry while working on the wings. *Don't paint any part on which you intend to put cement or plastic wood later, as it will not hold well.*

## Wings and Empennage


**I**N making the wings, taper the blocks before trying to put in the wing section. Leave the curved tips until after the section is in. Note the small streamline aileron control horn box near tail surfaces. The control surfaces may or may not be hinged, as desired. Paint all of these parts before assembly. The wings are yellow-orange all over except for the stars (white on blue ground with red center). The stabilizer and elevator are also orange, while the fin and rudder balance are olive-drab. The rudder has red and white stripes with one vertical blue one.

## Landing Gear


**T**HE handiest way to make the pants is to turn them on a lathe, as they are of circular cross-section. After shaping the outside, split

(Continued on page 44)













No. 3



S.F.







# The Aerodynamic Design of the Model Plane

## Facts About Stability That Will Prevent Those Puzzling Expensive Crashes and Change Your Obstinate Models Into Real Flyers

By Charles Hampson Grant

ARTICLE No. 10

CHAPTER No. 3

SO far in our analysis of Model Airplane Design we have developed the means to lift and propel our model. Many of our young designers are able to produce planes in which these two qualities, lift and propulsion, are worked out to a very efficient degree. However, in most cases their genius stops at this point. The third and most essential factor of flight, a means of securing stability, is often a vague "something" that may exist or may not, as chance dictates. Without this quality a model plane is worthless. Regardless of how efficient the wings and propeller of a plane may be, if it cannot remain in stable flight under varying air conditions, but instead comes to the ground before the motors are unwound, the efficiency of the wing and propeller have no meaning.

In this chapter, data will be given that is the result of twenty years of independent research and which will positively cure your stability troubles if incorporated in the models you build.

First let us consider what "stability" is. It may be defined as follows. Stability is that quality that an airplane possesses when it successfully resists any tendency to displace or turn it from its normal flying attitude, or which causes an airplane to return to its normal flying attitude when once it has been displaced. In plainer words, it is that quality which keeps a model plane "right side up" or which causes it to keep or recover its balance.

There are two general types of stability, "automatic" and "inherent." The first type, automatic stability, is obtained *through* some mechanism that operates to keep the plane in, or return it to, its normal flight balance, because of the effect of an upsetting tendency. Inherent stability is that type which is obtained because of the permanent shape or "proportion" and distribution of weights of the airplane, *without* the operation of any mechanical means designed to change the relative position or attitude of the parts of the plane structure, when in flight.

Perhaps some of my readers have heard of the "Auto-

matic Pilot." When installed in a plane, this mechanism operates the "controls" to return the plane to a level flying position upon the slightest displacement from its normal flight attitude. Any such tendency is detected through the reaction of a gyroscope which in turn causes the proper controls to operate. Thus the plane is returned to its normal flying position immediately.


In this case stability is secured through the "control" of a mechanical device, not through the structural shape or proportion of the ship. We say therefore that it is automatically controlled.

This system is applicable to full-sized airplanes but it is not as practical a means of securing stability for models as the inherent method, in which the distribution of weights, the

shape, and the proportions of the model determine the degree of stability. This latter method requires a great deal of knowledge and experience to apply successfully. It is the best one, however, from a practical standpoint, as it does not involve the complication or weight of an auxiliary mechanical device.

SOME model designers, and many designers of full-sized ships, hold the opinion that it is impossible to build a plane that will be perfectly stable under various weather conditions. Do not let such persons discourage you, for such machines have been built, so it can be accomplished again. In fact, in this chapter and in the chapter on control, data are given that will enable you to design such a plane if you apply it correctly, a plane that will fly as if controlled directly by a human hand.

Such a plane designed by the author won the 1931 Mulvihill Trophy at Boston, Mass., against two hundred or more competitors. The wind was blowing so hard that the full-sized planes at the Boston Airport were grounded for the day, yet this model flew in perfect flight balance during all stages of the flight. The majority of the competing models cracked up because of the bad weather. After all, "the proof of the pudding is in the eating of





it" regardless of what the accepted opinions on the subject may be.

Therefore, as inherent stability is simpler and more easily applied than automatic stability, we will only consider the former type in our discussion which will follow.

### Three Kinds of Stability

WHEN an automobile moves along a road, it operates in a plane. It has stability to consider in two dimensions. In the case of the airplane, however, we must consider three dimensions. There must be stability about three different axes, as follows: first, about the longitudinal axis which passes from the front to rear of the airplane, through the center of gravity (center of weight) parallel to normal line of flight, N-N Fig. No. (35). Second, the vertical axis which passes through the center of gravity, perpendicular to the longitudinal axis, and parallel to the force of gravity when the airplane is in normal flight position, V-V' Fig. No. (35). Third, the "lateral axis" which passes through the center of gravity of the airplane, perpendicular to the vertical and longitudinal axes, L-L' Fig. No. (35).

Lateral stability is that quality which an airplane may possess that causes it to resist any tendency to

roll it sideways about the longitudinal axis, or to recover its normal flight position after such a displacement has taken place. In like manner, directional stability is related to the airplane's displacement about the vertical axis and longitudinal stability about the lateral axis.

Fig. No. (36) shows a plane which has been displaced laterally. It has been tipped over sideways. If it possesses lateral stability it should right itself, returning to its normal horizontal flying position. Fig. No. (37) indicates a directional displacement of an airplane. It will return to the normal flight position if it is directionally stable.

In like manner, the plane in Fig. No. (38) has been longitudinally displaced and will return to the dotted position if it is longitudinally stable.

It must be remembered also that stability is the tendency of the plane to *resist* displacement from the dotted positions to any one of the positions shown by Figs. No. (36), (37) and (38).

IT is interesting to note that the weights of the plane, and their remote distribution, *increase* its tendency to resist disturbing forces and maintain its equilibrium, and is an aid to stability in such a case. While on the other hand, when the plane has been thrown from its normal flight position, the various weights of the parts of the machine resist the stabilizing tendency and make it difficult for it to recover its balance.

The "surfaces" of the airplane have an opposite influence. They resist the displacement from normal flying position, yet also through their influence is it possible for the machine to recover its equilibrium.

In the light of these facts it would be wise to make the inertia (tendency of an object to remain in a fixed position due to its mass or weight) large, IF BY SO DOING, the plane could be made to successfully resist any disturbing force. This is not possible, however, and the inertia of a plane and its various parts makes it very difficult for the plane to regain its balance. In spite of this fact, this is the principle upon which many large-sized airplanes depend for stability. Namely, small stabilizing surfaces relative to the plane's inertia. This makes the ship steady in flight but difficult to recover from spins, stalls, etc. The pilot must have greater control over such a ship. This makes it obvious that the "principle" is not practical for models which must maintain or recover their balance by themselves without the controlling hand of the pilot. For this reason the model designer has a nice little

problem "on his hands."

The principle that must be used, therefore, to gain stability in a model is the one which involves the proper size, proportioning and relative position of the "surfaces." The position of the center of gravity and the distribution of weights relative to the surfaces, is an important consideration also. The complexities of the problem are left for discussion later on, in this chapter. It is more to the point now to show exactly

WHAT must be done in order to endow our model with these three types of stability, lateral, directional and longitudinal.


### How to Obtain Lateral Stability

THE factors of design that contribute to the lateral stability of the model plane may be listed as follows: First, a low center of gravity; second, the sweep back; third, the dihedral angle; and fourth, a combination of the first with either one of the last two.

Now let us get a clear conception of the meaning of each one of these and a thorough understanding of their application. When we speak of "a low center of gravity" we mean that the center of weight of the airplane, (a point, when supported at which, the airplane will remain motionless in a state of balance) is considerably below the center of lift. In figure No. (39) the arrows (A) and (B) denote the lift on the two halves of the wing. Point (CL) on a straight line connecting (A) and (B) is the "center of lift." Point (G) indicates the position of the center of gravity or weight which is below the center of lift a distance (CL-CG). We would say in this case that the model had a low center of gravity as point (CG) is considerably below point (CL). If (CG) should be located approximately at the same point as (CL) the condition of a low center of gravity would not exist. Such is often the case with low wing monoplanes.

In the search for the means of securing stability, the use of a low center of gravity was one of the first methods that presented

(Continued on page 38)







Builders holding two of the larger models. The one on the right cost more than \$500 and was built by an entire class.

# A Miniature Airport for Model Planes

Now You Can Follow the Example of These Los Angeles Model Builders. Build One of Your Own

By Henry Hodges

**V**ISUALIZE a modern airport with all of the hangars, administration buildings and other equipment found in a commercial field accredited by the department of commerce, and that is what the students in the Long Beach, California, schools built recently to show the work that they are doing in school in learning aviation.

The boys had built many models of airplanes but there they were with the models on their hands and nothing to do with them. They went to work and constructed an exact scale model of the Long Beach municipal airport on the lawn of a hotel, in the heart of the city, so that everyone could see what they had done for aviation in their city. The outline of the field was laid with white tape one-half inch wide, fastened to the ground with staples. The dimensions were made as large as the lawn allowed but the plot was kept in the exact proportion of the larger field.

Prevailing wind direction was studied from government charts and the landing and take-off lanes were laid out accordingly. Two parallel lanes, one cross lane and a diagonal lane were marked with large white cord and "T" direction cards were placed at the head of each lane.

Six buildings were constructed to correspond to the units at the larger port. The U. S. Army Reserve, the U. S. Naval Reserve, standard commercial type hangars, a new hexagon hangar and an administration building and passenger terminal were made of beaver board on wooden frames.

Each of these buildings was placed on the field as they ap-


peared on the real airport. In front of the passenger terminal a tunnel made of wire and drab colored canvas awaits the loading of passenger planes. On the opposite side of this building the driveways and parking spaces are laid out.

Model planes constructed by students were placed in the hangars and on the runways to depict a busy day at the municipal airport. About twenty-five models of standard commercial, army and navy types were displayed. The display was left up for one week and each day a different boy was enlisted to explain the display to passing citizens and sightseers.


## Construction

**I**F you should desire to construct an airport such as shown in this article, it is suggested that you use the view of the airport shown in picture No. 3, as a plan. As this picture was taken from a point almost directly above the airport, the dimensions that you will get when scaling them off from the picture will be fairly accurate. This should prove to be a very interesting problem for the young airport engineer

(Continued on page 45)



Army, Navy and hexagon commercial hangars shown with some of the planes.



Aerial view of miniature airport taken from 10th floor of a building



# One of the Earliest Aviators

**T**HESE pictures show a model "A" aircraft put in circulation by Mother Nature ages and ages before puny man took it into his head to gain altitude and subject his frail anatomy to nosedives, tailspins and divers other haphazard stunts. The craft in question is of the "heavier than air" type and may quite properly be called a monoplane. This particular model has undergone few, if any, changes in construction since its appearance in the dim and hoary past. It was very close to perfection from the very beginning.


Birds have served the courageous group of human flying pioneers as models, but none, so far as is known, has ever considered it worth while to question the modest insect about his uncanny perfection in the art and technique of aviation. It seems strange that that should be so, for the lowly "bug" has not only unquestioned superiority in the art, but scats of priority as well.

Take the handsome fellow pictured here. He belongs to the noble and ancient family of Hawk moths. He can fly rings around any bird excepting none. And his ancestors?? Why brother, they were on the wing doing their stuff in the air when our old Mother Earth was just a sprightly youngster and birds were still fish, and poor fish at that maybe!!


**L**OOK at this trim fellow! From the standpoint of engineering alone, he has any bird beaten forty ways. His build inspires ability, power, swiftness, gracefulness and you may rest assured he has all of that, and then some. Chances are he knows little or nothing else, but he DOES know his aviation, and as a navigator he has no equal anywhere. Storm, rain or fog mean nothing to him. He finds his goal no no matter what the flying conditions. He always travels at a tremendous rate of speed and getting out of tight places is his specialty. Straight up or straight down backward, forward, left or right, it's all the same to him.

Here he comes, shooting toward a flower with the speed of lightning. There is no apparent slowing down, but within a small fraction of an inch of his goal, he comes to a dead stop in mid-air. Hovering gracefully before the nectar-laden blossom, he takes a sip and off he is again, so swift that the eye cannot follow.

Why not investigate the "lowly bug"? Learn some of his tricks and apply them.




Remarkable plane ready for take-off



A perfect airplane, the Hawk Moth

## How You Can Bend Your Balsa Strips

**W**HEN making model airplanes it is sometimes necessary to make round bends in balsa or bamboo strips. These bends are hard to get true and smooth by steaming, but if they are made around a hot electric lamp, as shown, a perfect shape may be attained.



Electric lamp serves well to bend balsa strips


## "Now You See It—Now You Don't"

**D**URING the World War, the art of camouflage had developed to a high degree. European engineers have been experimenting ever since and the accomplishments of one of them were recently demonstrated before an astounding group of foreign newspaper correspondents at Lake Garda. Here, a hydroplane, painted with the new type of camouflage, invented by an engineer in the Fiat factory, was seen to rush across the waters, to rise into the air and then to disappear completely. Everybody gasped in wonder when the plane's motor was heard approaching, then receding and finally zooming down to the water. Not until its pontoon struck the surface of Lake Garda was the plane again visible to the murmuring audience who immediately rushed to examine it. Before the foremost of the crowd arrived the mystery plane was whisked away by Italian troops who are closely guarding the latest miracle of science.

## Latest Device Gives Great Speed

**H**ARRY CAMPBELL, night mail pilot for Transcontinental & Western Air, has discovered the solution for all the problems of the air lines. An interested observer watched Campbell land his Northrop mail plane last week. "How fast do those planes fly?" asked the observer. "They have a cruising speed of 150 miles an hour and a top speed of 175 miles an hour. We carry the mail from Los Angeles to New York in 22 hours and 42 minutes." Campbell replied. "Sometimes when we have a tail wind we get the speed up to around 200 miles an hour." "Well," said the observer seriously, "why don't you equip all your planes with tail winds?"





New Curtiss Hawk that travels 200 miles per hour

## Latest Hawk Travels 200 M.P.H.

**H**ERE is the latest Curtiss Hawk. It has a top speed of over 200 miles per hour as well as an exceptional all-round performance, as indicated by tests recently conducted at Buffalo, New York, where the planes were constructed by the Curtiss Aeroplane and Motor Company. This unusual performance is primarily due to the latest 700 h.p. Wright Cyclone engine with which it is powered, to the new type Curtiss single strut landing gear, and to the clean lines of the ship.


This new landing gear is a distinct improvement over the old single strut gear used in the past. As you can see from the picture, the outer part of the fairing covering the wheel is cut away so that the wheel can be removed without first detaching the fairing. Thus, all the advantages of wheel fairings may be obtained without the disadvantage experienced heretofore.

Twenty-four of these ships have been shipped recently to the Turkish government by the Curtiss-Wright Export Corporation. Mr. W. F. Goulding, Vice-President of this corporation, states that this shipment is only a part of a large aviation program being worked out by his company for the Turkish government, which includes the development of factory operations at the Turkish airplane manufacturing plant at Kayserie. Here the Curtiss Hawk Pursuit and Curtiss Fledgling Training planes will be manufactured. Technical personnel has also been furnished by the Curtiss-Wright Export Corporation to assist the Turkish government in establishing service

## New Powerful Cyclone

**T**HE accompanying photograph shows a picture of the new Wright Cyclone F engine with which this ship is equipped. This nine-cylinder engine, rated at 670 h.p. by its manufacturer, was given a rating of 700 h.p., at 1900 revolutions per minute, by the Department of Commerce.

It is also the lightest production air-cooled aviation engine in the world in weight-per-horsepower. It weighs 1.22 lbs. per horsepower. This extremely low weight is especially interesting when compared to automobile engines whose weight ranges from 10-15 lbs. per horsepower.



The latest Wright Cyclone (F) engine. It develops 700 horsepower

stations and giving instruction on the proper care and service of the planes and engines.

This new Hawk is extremely light for the power developed by the engine. Usually 100 horsepower will develop 500 pounds or more static thrust. Thus, 700 horsepower should develop in the neighborhood of 3500 pounds static thrust. In view of this estimate, these ships should have a climb that is nearly vertical. These facts may give rise to considerable thought upon their performance possibilities in actual combat.

New features incorporated include a very short rigid crankshaft designed to eliminate vibration at operating crankshaft speeds, and an entirely new design of cylinder head in which is included a spark plug cooler cast as an integral part of the head which affords much more efficient cooling, thereby making it possible to obtain higher power outputs. This new Cyclone is also equipped with a large 11-inch supercharger blower compared to a 7-inch blower used in previous models. It will afford efficient supercharging without running the blower at high speeds ranging from 20,000 to 28,000 revolutions per minute as has been the


case with supercharged engines using small blowers.

The engine weighs only 10 lbs. more than its predecessor, the Cyclone E, which had a Department of Commerce rating of 575 h.p. Its diameter is 53 3/4 inches.






# BREGUET 19-A2 OBSERVATION

(French)



Engines - Hispano-Suiza, Renault,  
Lorraine-Deitrich, Farman (450-600H)  
High-speed - 135 M.P.H.



Scale  $\frac{3}{16}$ " = 1'

Stockton R. Ferris, Jr.



## A Pioneer Makes Good

(Continued from page 17)

throttle and lowered the tail as the wheels left the ground. Up she went! She was in the air! Several yards above the ground, on an even keel, the whirling windmill sailed slowly across the field.

No longer did it lean weakly from side to side. It rode the air waves smoothly, easily, for some two hundred yards, before the pilot set her down lightly.

History had been made. It could go higher, the inventor knew. This was no helicopter. Its whirling rotor driven by the air only, it could attain altitude with ease. To prove it, a flight was made at an altitude of eighty feet; around the field it flew, several times, until it had covered two and a half miles in its first official flight.

Plenty of cheering then! All the world loves the successful inventor. When, years later, I stood on a field at Bryn Athyn, near Philadelphia, it was to see one of the first flying windmills brought to the United States. The smiling, cheerful, energetic inventor, son of a wealthy and prominent family, would say little about himself, but was delighted to show me his brain-child and to demonstrate it. As I watched the amazing stunts it was put through, Cierva told me of that first official flight at the Cuatro Vientos Airdrome.

Thus three solid years of hard sledding had ended in partial success. Cierva had solved his toughest problems. His machine would fly. Now to cure it of its minor "bugs." He went back to the drafting board.

HE built model after model, machine after machine—some fifty in all! The four-bladed rotor proved best. In 1924 he made his first public flight, amidst wild enthusiasm. Twenty-one years after those first unnoticed flights of the Wright brothers, people now began to realize the importance of flying—and especially, *safe flying* at any desired speed.

A machine built for the Spanish government was so easily controlled that it landed on a mark one yard square. And a landing was made on the deck of a vessel. Later this machine was flown in France. By this time Cierva had evolved a name. The rotor being revolved by the air only, he called his invention "Autogiro"—meaning "self-rotating." The blades never stop rotating in flight, because the air compels them to rotate.

By October, 1925, Cierva had his Autogiro so that it could rise to 1,000 feet, then descend slowly at an angle never before achieved by aircraft—about 60 degrees with the ground. In a slight breeze the pilot found that he could come straight down, about as slowly as a parachute. Spectators, especially aviators, nearly lose their lower jaws when they see that amazing exploit the first time. As I saw such landings at Bryn Athyn often, with but a few feet of run after the wheels struck the ground, I realized that it was the weight of the machine that kept the rotor turning.

By September, 1927, a cross-country flight of fifty miles was made without mishap. Cierva was computing size and strength of every part. He knew that centrifugal forces, pulling radially when the rotor turns, lessen flying stresses, permitting light blades.

(Continued on page 40)

## FREE! Selley \$10.00 OFFERS TO LUCKY BOYS FOR LUCKY ORDER NUMBERS!

### RULES

1. Any boy is eligible.
2. Send in an order to Selley or make your own handmade order blank.
3. The name and order number of every boy will be placed on slips of paper and thrown into a box. Once a month SELLEY will draw 5 slips. The boy whose name and number is on the first slip will receive a credit check entitling him to \$5 worth of SELLEY merchandise. (Unrestricted choice.) The boy whose number is drawn second will receive a credit check for \$2. The next three boys will get credit checks of \$1 each.
4. The names and numbers of the winners will be published in our future advertisements.
5. Orders which are received too late for this month's drawing will be eligible for next month. This contest continues until further notice.

- 1st Prize \$5  
2nd Prize \$2  
3rd Prize \$1  
4th Prize \$1  
5th Prize \$1


BOYS! Here's the contest you've been looking for! NOTHING TO WRITE—NO WORK TO DO. Just send your order to SELLEY and you're eligible for your share of the \$10. And think of it! Your prize entitles you to your choice of the world's finest model airplane supplies. But don't delay. SEND IN YOUR ORDER TODAY TO BE ELIGIBLE FOR THIS MONTH'S PRIZE DRAWING! Be sure to look for your name in our future advertisements.

## NEW! BUILD AND FLY Selley's Models

CAPTAIN MOLLISON'S

PUSS MOTH

"THE HEART'S CONTENT"



Only 75¢  
Postage 20c

Plans Only 25c

Boys, here's a REAL Bargain! Think of it! For only 75c you get a model of PUSS MOTH, "Heart's Content," made famous by Capt. Jas. A. Mollison in his East to West transatlantic flight. This faithfully reproduced FLYING SCALE Model, with its 18" wing span, bright green fuselage and yellow wings is a "beauty." This new SELLEY Kit comes complete with all parts printed on balsawood, special fittings, rubber, cement, colored paper and full size plan with detailed building instructions. IT DOES FLY. Send for it NOW!

A record-breaker Bellanca Flying Model

SKYROCKET \$1.50

Complete Kit NOW on!

Postage 25c




Plans alone 50c each


You will like the smart, unusual lines of this dandy little model. It has been tested by our factory experts and found to be a capable and consistent flyer, often flying well over 200 feet—a remarkable performance. This model represents the world's best in beautiful design and sound construction, 18" wing span.

The Lowest Prices Ever Offered on Selley's Model Supplies!

Dummy Machine Guns



Die Cast Metal Swivel Type Gun 20c



Pursuit Type Gun 10c  
Postage 3c each.

Torpedoes Bombs



Just What You Want for Your Bombers  
13/16" long ..... 10c  
1 1/4" long ..... 15c  
3" long ..... 25c  
Postage 3c

### STREAMLINE METAL

For Struts, Landing Gear, Etc.  
3/16 ..... 15c length  
1/4 ..... 20c length  
5/16 ..... 25c length  
3/8 ..... 30c length  
7/16 ..... 35c length  
1/2 ..... 40c length  
Postage 5c length



## Now Selley Wheels Cost Less!

The largest and lowest-priced selection in the world

	<b>Aluminum Disc Rubber Tired Air Wheels</b> 1 1/2" dia... 13c pr. 1 3/4" dia... 20c pr. 1 1/2" dia... 25c pr.	<b>Celluloid Untired</b> 1 1/2" dia... 6c pr. 1 3/4" dia... 8c pr. 1 1/2" dia... 10c pr. 1 3/4" dia... 16c pr. 3" dia... 40c pr.
<b>Alum. Disc Rubber Tired Tail Wheel</b> 1 1/2" dia... 6c ea 1 3/4" dia... 7c ea 1 1/2" dia... 8c ea 1 3/4" dia... 9c ea 1 1/2" dia... 10c ea 1 3/4" dia... 11c ea	<b>Treaded Rubber Aluminum Disc</b> 13/16" dia... 3c pr. 1 1/2" dia... 40c 1 3/4" dia... 50c pr. 3" dia... 60c pr. 5 1/2" dia... \$1.25 pr.	<b>Celluloid Pants</b> 3/4" or 1" Whl. 25c pr. 1 3/8" or 1 7/8" Whl. 30c pr.
<b>Balsa Wheel Alum. Disc</b> 1 1/2" dia... 25c pr. 1 3/4" dia... 30c pr. 1 1/2" dia... 40c pr.	<b>Balsa Wheels Balloon Tire Shaps</b> 1 1/2" dia... 5c pr. 1 3/4" dia... 7c pr. 1 1/2" dia... 8c pr. 1 3/4" dia... 15c pr.	<b>Celluloid Air Wheels</b> 3 1/2" dia... 8c pr. 1 1/2" dia... 10c pr. <b>Bal. Tired Cel. Disc Whl.</b> 1 1/2" dia... 30c pr. 1 3/4" dia... 35c pr. 2" dia... 45c pr.
<b>Postage on Rubber Tired Wheels</b>		<b>4c; Untired, 3c pr.</b>





With  
12 Thrilling Issues



### Special Offer

Regular yearly subscription price \$1.00. To make new friends we will send you next twelve fat issues for \$1.00—and send you also this wonderful football FREE. Act quickly.

### Rush Coupon

**H**ERE'S a truly wonderful football. Made especially for us by one of America's biggest factories. Made of genuine football grain. Stoutly sewn and stitched. Strongly made, a tough, heavy football. Reinforced eyelets, rawhide lacing, lacing needle. Moulded bladder of strong rubber, tested for strength. A sensation. None sold in stores. Obtainable only from us. You may have it FREE! Read special offer.

### Blood Tinging Adventure Tales

The Open Road for Boys is a 50-page magazine publishing sparkling stories of air adventure, sport stories, articles by famous coaches and star athletes; adventure stories of the barren wastes of the Arctic, of the wild jungles of the Tropics, of the battlefields of the World War, of the cow towns of the Old West, and of the mysterious lands of the Far East; business stories, school stories and many others. In addition four great serials each worth \$2.00 in book form. World-wide correspondence club, stamps, OPEN ROAD PIONEER CLUB, best dope on hunting, fishing, camping. Contests galore, with plenty of prize money. Red-blooded stories for red-blooded HIE boys.

### QUARTERBACK,

Open Road for Boys Magazine,  
130 Newbury Street, Boston, Mass.

Friends: Here's my dollar (\$1).  
Bet your life I'll GRAB this offer. Put me down for a year for the OPEN ROAD FOR BOYS—and rush the football right out to me.

Name .....

Street .....

Town or City ..... State .....

Canadian Postage \$1.00 extra; Foreign 50c extra

**GUARANTEED TO BRING 100% SATISFACTION**

## Aerodynamic Design

(Continued from page 32)

itself. It is evident that if the airplane should be tipped over sideways as in Fig. No. (40) the weight of the plane (G) would have a tendency to swing as would a pendulum and bring the machine back to its normal horizontal flight attitude. The farther G is below the center of lift, the greater will be the righting effect.

However the righting effect is not sufficient to cause satisfactory lateral stability in all cases, and therefore this method is usually used in conjunction with other means. A model embodying this method alone will insure stable flights when air conditions are right but cannot be depended upon to act as a proper means of stability in all kinds of weather.

To secure the best results, design your model so the Center of Weight is as low as possible. If it is carefully designed, the results MAY be perfectly satisfactory. The center of weight should be below the center of lift, at least a distance amounting to five per cent of the wing span. If the span of your model is 25 inches, the distance (CG-CL) Fig. No. (39) should not be less than (1¼) inches.

### Sweep Back

**A** FORM of wing design, known as the "Sweep Back" is also effective when it is used as a means of obtaining lateral stability. The name originates from the fact that in the practical application of this method the wings are constructed in the form of a wide "V" horizontally disposed. The apex of the "V" is formed by the intersection of the leading edges of the two halves of the wing, which slant backward from the nose of the ship in a horizontal plane. The two wings, right and left, form the legs of the "V." Fig. No. (41) shows the plan view of a wing with a sweep back.

The effect of this type of design is to "right" the airplane when it has been tipped over sideways from a horizontal position. However, a swept back wing is not as efficient as a straight one, and ALSO CAUSES THE PLANE TO HAVE A TENDENCY TO "SPIN" upon slight provocation.

If the amount of sweep back is small, this effect may not be produced but the stabilizing effect will be often insufficient. It is possible to have such a model fly properly under good weather conditions, but it is not always satisfactory as far as consistently good flights in all kinds of weather are concerned. However, it serves as an interesting experiment for the model designer.

### Amount of Sweep Back

**T**HE amount of sweep back varies from 10 degrees to 30 degrees. The less that can be used and yet retain a sufficient amount of lateral stability, the better. Twenty degrees is usually sufficient for the average model with a high center of gravity; that is usually in cases in which the line of thrust is close up under or just over the wing center section. This means that each wing slants backward at an angle of twenty degrees to the lateral axis of the machine, or to a line drawn through the apex of the "V" formed by the wings, and

(Continued on page 45)



## Flying the Front

(Continued from page 7)

across the lines. Wild, stolen forays into the war game they were soon to know so well!

**E**VENTUALLY, our Flight Commanders offered these French and British units the use of our pilots. They were accepted cordially and initiated into the grim art of fighting in the clouds. Americans were soon flying Spads and Nieuports with the French, and Camels or S.E.-5s with the British.

Ingalls, along with several other members of the Northern Bombing Groups, was loaned to the British Squadron No. 213. Except for a short time when he was ordered back to Dunkirk to work with the Navy group there, he continued until the end of the war with this British outfit. At first, he flew Camel seaplanes but later the squadron was equipped with landplanes which gave them better odds with the Germans in dog-fighting.

The young American's first redoubtable exploit came when he was separated from his patrol during a flight. At first, his sensation at finding himself a lone airman back of the enemy lines, was not a happy one. But when the initial strangeness had worn off, he relished the idea of being able to do some stalking on his own. Presently, he discovered a German two-seater busily engaged in directing artillery fire. Taking a quick survey to be sure the planes did not have an escort of Fokkers in a position to dive on him from above, Ingalls pointed his craft down towards the German and with full throttle, descended upon him.

A spatter of bullets from Ingalls' gun was the first warning the enemy pilot received. He was quick and experienced, and in spite of Ingalls' daring attack, managed to get his craft turned around and headed for home. Ingalls followed, determined not to lose his prey. Somewhere in the back of the young American's mind the thought that he was being drawn further and further into enemy territory may have occurred. If so, he ignored it. For months he had been awaiting this moment and no amount of cautious reasoning could have induced him to give it up.


On they roared, zigzagging through the sky, pursuer and pursued. Giving his tiny scout all she could take in one final burst of speed, Ingalls came close enough to the other plane to direct carefully a few bursts of gunfire. Suddenly a puff of black smoke emerged from the German followed by tongues of flame until the craft was a flaming comet headed for the ground and destruction. The youngster who had dreamed, at Yale, of fighting his country's battles in the sky, was on his way to becoming an ace.

Shortly after this, Ingalls' squadron engaged in a daring and clever maneuver. Daylight had not yet streaked the sky and their field was still shrouded in darkness when they took off on a secret flight. Up, up they climbed until the air about them had a numbing chill and far over the edge of the horizon they could see the golden fingers of the sun. Below, all was dark. When they had reached the altitude agreed upon for their rendezvous, they fell into V formation and with their engines shut off started a long, silent, ominous glide into enemy territory.

(Continued on page 43)

# COMPARE - THESE QUALITY PLANES

You will then understand why Madison Models are the best buys Quality for Quality—Price for Price




## TWO-IN-ONE KIT

Contains the around-the-world "Winnie Mac" and the "Transatlantic Bel-lanca." Both 15" wing spans. Kit contains full size plans, bulkheads, large tube of cement and all other materials needed to complete these two wonderful models. Get yours now.

**\$1.25**  
Postpaid

## FREE A Beautiful GLIDER KIT

Everything to Com-  
plete a Real Model  
Glider  
With a Purchase  
of \$1 or More.



**ALUMINUM N.A.C.A.  
COWLING AND  
THRUST BEARING  
WITH DUMMY  
MOTOR**

Size of Cowling:  
Diameter, 3"—  
Depth, 2". Packed  
in cardboard box  
with mounting in-  
structions. If or-  
dered separately,  
add 5 cents for  
packing and post-  
age. **50c**

## Outdoor Cabin Tractor

One of the snappiest flying models in its class, proper engineering and all balsa construction does it. This plane has a double surfaced, high lift wing, 30 inch span, all balsa fuselage, extra strong landing gear to withstand the shocks of outdoor flying, and a large, wide-bladed propeller to keep it up for long endurance flights. The Kit contains complete plans and instructions, stamped ribs, large tube cement, 1 oz. bottle clear dope, pair celluloid wheels, and all materials needed to com-  
plete the model. Price

**\$1.50**  
Add 10c for Postage

"Benco" Balsa Wood  
Our Balsa Wood is the  
lightest and best balsa to  
be had. It is clear straight  
grained stock cut to con-  
venient sizes.

36" Strips		
1/16 x 1/8	.01	7 for .05
1/16 x 1/8	.01	7 for .05
1/16 x 1/4	.01	6 for .05
1/8 x 1/8	.01	6 for .05
1/8 x 3/16	.01	6 for .05
1/8 x 1/4	.02	5 for .09
1/8 x 3/8	.02	5 for .09
3/16 x 3/16	.02	5 for .09
3/16 x 1/4	.02	5 for .09
1/4 x 3/8	.03	5 for .12
1/4 x 1/2	.04	5 for .12
3/8 x 3/8	.05	5 for .12
3/8 x 1/2	.06	5 for .12
1/2 x 1/2	.08	5 for .12
1 x 1	.17	2 for .30
40" Strips		
1/8 x 3/8	.01	
1/8 x 1/2	.01	
3/16 x 3/8	.01	
3/16 x 1/2	.01	

Sheet Balsa		
1/32 x 2 x 36	.0112	
1/16 x 2 x 36	.0512	
1/8 x 2 x 36	.0612	
3/16 x 2 x 36	.09	
1/4 x 2 x 36	.11	
Plank Balsa		
1 x 3 x 36	.33	
1 x 6 x 36	.60	
2 x 3 x 36	.60	
2 x 6 x 36	.90	
2 x 8 x 36	.90	

Balsa Propeller Blocks		
1/2 x 3/4 x 5	.33	
1/2 x 3/4 x 6	.33	
5/8 x 1 x 7	.22	
5/8 x 1 x 8	.22	
3/4 x 1 1/8 x 8	.22	
3/4 x 1 1/8 x 10	.22	
3/4 x 1 1/8 x 11	.22	
5/8 x 1 1/2 x 11	.22	
5/8 x 1 1/2 x 12	.22	
7/8 x 1 1/2 x 12	.22	
7/8 x 1 1/2 x 11	.22	

Dowels		
1/8 diam.—18 in.	6 for .05	
3/16 diam.—26 in.	3 for .05	
1/4 diam.—36 in.	2 for .05	
Bamboo		
straight-grained,		

no-knot bamboo in the fol- lowing sizes:		
1/16 x 1/4 x 15	.01	
Per Doz.	.08	
1/32 x 1/4 x 8	.0042	
Per Doz.	.01	
1/16 x 1/16 x 9	.03	
"Alec" Colorless Cement		
Absolutely the strongest, t. lightest and fastest drying colorless cement on the market! Try some Now!		
2 dram tube	.05	
1 oz. tube	.13	
1 oz. can	.15	
4 oz. can	.32	
1 Pint	1.00	

Madison "Ace" Rubber		
Delivers more turns to the foot. Four sizes to select from at the lowest prices in America!		
.015 square	3 ft. for .01	
3/32 flat	3 ft. for .01	
1/8 flat	3 ft. for .01	
3/16 flat	2 ft. for .01	

Celluloid Wheels		
2/4 diam.—Pair	.06	
1 1/8 diam.—Pair	.06	
1 3/8 diam.—Pair	.11	
1 7/8 diam.—Pair	.14	
Bushing		
4 for .04		

Dummy Radial Engines		
Celluloid, 9 cylinders, 3 in. diam. Each	.30	
Music Wire		
Strong, light and stiff.		
Sizes: .011, .020, .028, .031		
5 ft. packages	.02	

Aluminum Tubing		
1/8 Outside diam., ft.	.07	
3/16 Outside diam., ft.	.11	
1/4 Outside diam., ft.	.13	
Sheet Aluminum		
12 inches wide		
.005 per ft.	.12	
.010 per ft.	.19	

Thrust Bearings		
Strong and light. Large		
Size	.02	
.035 hole, each	.02	
Per Doz.	.20	
Small size, .025 hole.		
Each	.02	
Per Doz.	.20	
Washers		
1/8 O. D. Brass for light indoor models.		
Per Doz.	.012	

## READ BEFORE ORDERING

In Order for Prompt Delivery Please Comply With Instructions Below

- Orders under 25c not accepted—due to our very low prices.
- Add 15c for packing and postage on orders up to \$1.50; on orders for \$1.51 and over add 10% for packing and postage charges.
- Add 10c extra to above charges on Balsa plank orders less than \$1.50 West of the Mississippi and Canada.
- Postage stamps, Canadian or Foreign Coin not accepted as payment.
- Remit by check, postal or express money order. Make payment to MADISON MODEL AIRPLANES, INC., 134 Livingston St., Brooklyn, N. Y.
- Add 5c for insurance against breakage in transit.

Canadian Charges—Add 25c for packing and postage on orders up to \$1.50. On orders of \$1.50 and over add 15% packing and postage. Postage stamps, Canadian or foreign coin not accepted as payment.

Dealers and Clubs Write for Special Price List

1/1 O. D. Copper for outdoor models. Per Doz.	.0112
Covering Material	
Newest thing in covering your models!	
Aluminum Leaf	
This material is pure sheet aluminum .0003 of an inch in thickness. Think of it, only one-tenth the thickness of writing paper. It is light, strong, and makes a beauti- ful covering job. 3 1/2 inches wide	5 ft. for .05
Extra-Thin Tissue	
Absolutely the lightest cov- ering material known to be had anywhere at any price. Use it for covering your endurance models.	
Sheet 20 x 15	.05
Doz.	.50
Japanese Tissue, A strong, light tissue for covering your commercial models.	
Sheet 20 x 24	2 for .05
Doz.	.25
Colored Jap Tissue	
Colored Jap Tissue, Red, Blue, Orange, Brown.	
Sheet	.07
Per Doz.	.75
Wood veneer paper for scale model work	
Sheet 20 x 30	.15
Clear Dope	
This is real nitrate dope thinned down to meet the requirements of model air- plane usage.	
2 oz. can	.13
4 oz. can	.25
Pint	.90
Colored Dope	
Real pigmented aircraft dope. Do not confuse this with dopes of inferior qual- ity. Red, Blue, Yellow, Orange, Black, Olive Drab, and Silver. Order by color.	
2 oz. can	.13
4 oz. can	.25
Pint	.90
Acetone	
To thin out your heavier liquids.	
2 oz. can	.11
1 oz. can	.20
1 Pint	.80


**MADISON MODEL AIRPLANES, Inc.**  
134 Livingston St. » » Brooklyn, N. Y.

Our Kits and Supplies are Handled by Leading Department Stores—ASK FOR THEM



**Capt. Mollison's PUSS MOTH**

"The Heart's Content"



**14" FLYING MODEL.** A new sensation, and the easiest model to build. A most complete kit containing all necessary material with plans and instructions to make this flying model of the transatlantic ship. Be among the first to fly this internationally known plane.

**99c**

postpaid

**Thompson's Trophy Winner GEE-BEE**

**Doolittle's Speed Record Breaker.** Complete kit to make a perfect flying scale model. Gee-Bee. Easy to build. You must see how beautifully this model flies to appreciate it. Wing span 14".

**99c**


postpaid

**Jimmie Haizlip's WEDELL WILLIAMS**

The plane that made the new transcontinental record at the National Air Races. A magnificent model. Complete kit includes everything to make a perfect 14" flying model.

**99c**

postpaid

**Post and Gatty's LOCKHEED VEGA**

Complete with semi-finished propellers, finished wings, finished fuselages with drilled cockpits, finished stabilizers and rudders, with full size blueprints, glue, and everything else required. (Lockheed) Sirius kit contains finished pontoons—Lockheed Vega and Sirius Land Plane contain semi-finished pants and finished wheels. Price per kit for these solid models, 99c each Postpaid.

**99c**

postpaid

Remit by Check or Money Order. Add 15% to Foreign Orders.

**RIPIN MODEL AIRPLANE CO.**

915 Franklin Ave., Brooklyn, N. Y. Dept. N-11

**BOYS & GIRLS Earn Xmas Money**

Write for 50 Sets St. Nicholas Christmas Seals. Sell for 10c a set. When sold send us \$3.00 and keep \$2.00.

No Work—Just Fun.

St. Nicholas Seal Co. Dept. 864-M.A.N., Brooklyn, N. Y.

**I'M A MEMBER!**  
**HAVE YOUR CLUB OR CLASS WEAR PINS**  
 If your club or class hasn't got pins, get busy right now. 35 cents will buy a dandy pin. Designs to suit every taste and requirement. Our big new 1933 catalog shows over 300 handsome, snappy styles, many illustrated in colors. It's Free. Write today!  
**BASTIAN BROS. CO.** 91 Bastian Bldg., Rochester, N. Y.  
**35c EA. UP**

**Model Airplane Material**

Five large sheets of colored Japanese tissue 20 x 14". Balsa wood of various sizes, rubber band and other supplies including our price list. All for 25c, five bundles for \$1.00. Postpaid.

**Aero Shop, 3050 Hurlbut Avenue, Detroit, Mich.**

**A Pioneer Makes Good**

(Continued from page 37)

The British Air Ministry, designing its first machine, had to learn anew the lesson of flexibility in blades. Its engineers insisted upon stiffer and more rigid blades. Two hundred feet up two blades gave way with a loud crack. Down, down the machine came. The force of the hard landing, made partly on a wooden structure, tipped the machine over and drove the undercarriage clear through the fuselage.

But the pilot stepped out with nothing worse than bruises. Thus was safety proved. Several Autogiros were ordered—with flexible wings. And by now the young inventor was so confident that he began to fly his machines himself, though he had never become a pilot. He made no flights of distance, till suddenly he resolved to make a real trip.

So on September 18, 1928, with a French editor as passenger, he took off from England, heading out across the English Channel. It was rather nervy for the Channel was rough, as was the air. A landing would have been fatal. At nearly a hundred miles an hour—top speed had been increasing—they whirled above the white-caps.

The machine seemed to smooth out the air bumps. Soon they were across. Cierva picked up a railroad and followed it to historic Le Bourget field, near Paris. It was not long after Lindbergh's famous flight. Tens of thousands raised their voices and eyes to the sky as the pilot cut his motor, several thousand feet up, and floated down "like a maple leaf drifting leisurely earthward."

Two days later an American reporter was "taken for a ride," and a surprising one. Taxing over the field, they felt a jar. They took off and made a few turns. The landing was anything but gentle. The reporter heard something crack. The left wing snapped off as the wheel sank down. Two blades were clipped off. A third dangled. The fourth dug itself in and supported the ship. The prop was clipped.

The shaken reporter and the pilot climbed out. They learned that a cable on the landing gear had struck a stake and broken, weakening the left wheel. Cierva had guessed the trouble at once. The reporter telegraphed his story, pointing out that such a landing with a fixed wing plane "would surely have resulted in splinters and possible explosion." Neither Cierva nor the reporter was injured in the least. In a few days the machine was whirling again. Around the British Isles and the Continent it whirled, 3,000 miles without trouble.


LATE in 1928, Harold Pitcairn brought an Autogiro to the United States and took over all rights in this country. He developed a clutch to utilize the motor for bringing up the rotor to 120-150 r.p.m. in about half a minute. Thereafter the rotor turns freely in the air.

Many other mechanical improvements have been made, from ball and roller bearings for rotor to enclosed cabin, longer vanes, long-travel shock absorber. Small fixed wings replace the early flippers, with dihedral and upturned tips to increase lateral stability and give effect of high fin area.

(Continued on page 42)

**DIRIGIBLE 25c**

Complete DIRIGIBLE for only 25c. All ready to blow up. Ready to fly three minutes after received. Nothing to construct or build. Three-blade propeller all ready made. Flies in or out of doors. Sixteen inches long. Modeled after Army dirigibles. Zooms and plunges. Many exciting stunts can be performed. Complete, nothing more to pay or buy, 25c. Five for \$1.00, postpaid.

**WORLD NOVELTY CO., Dept. 10, Madison, Wisc.****ELECTRIC TRAIN 25c**

A complete Electric Train for 25c. For only 25c we send you all of the parts necessary for complete construction, together with full printed directions for assembling. Takes but a few minutes to completely assemble. Requires no tracks nor transformer—a big saving. Runs equally well indoors or outdoors. Runs on one or two dry cells. Double engines like those that run over the Rockies can be made. Sent complete for only 25c or 5 for \$1.00 postpaid. For 25c extra we will send you a cover as shown in illustration, complete with tender, 3 pullman cars, observation cars, dining car, complete railway station, baggage train, waiting booth, black house, two telephones, two railway crossing signals, which can be assembled in a few minutes.

**The BOY ELECTRICIAN, 10c**

Add 10c and we will send you a book all about electricity in simple language. Tells how to make batteries, dynamo, motors, radio, telegraph apparatus, telephones, lights, electric bells, alarms, coils, electric engines, etc. Written especially for boys by electrical experts so anyone can understand it. 64 pages, 100 illustrations.

**WORLD ELECTRIC CO., Dept. 22, Madison, Wisc.****AAA BALSA WOOD**


24" SHEETS	24" PLANKS
1/64x2' (.04) x3' (.06) x4' (.10)	1x2x24" .15 x36" .23
1/32x2' (.03) x3' (.05) x4' (.10)	2x2x24" .25 x36" .38
1/16x2' (.03) x3' (.05) x4' (.10)	1x3x24" .20 x36" .30
1/8 x2' (.04) x3' (.06) x4' (.10)	2x3x24" .30 x36" .45
24" Polished Strips	PROP BLOCKS
1/32x1/16" .15 for .05	1/4x1x6" .01 1x1 1/2x12" .06
1/16x1/16" .15 for .05	1/4x1x8" .02 1x1 1/2x14" .07
1/16x1/8" .15 for .05	1/4x1x8" .03 1x2x10" .08
1/16x1/4" .15 for .05	1/4x1 1/2x10" .04 1x2x12" .10
3/32x3/32" .15 for .05	1/4x1 1/2x12" .05 1x2x14" .10
1/8x1/8" .15 for .05	TISSUE PAPER—CEMENT
1/8x1/4" .10 for .05	20x24" White Hakone .02
3/16x3/16" .10 for .05	21x31" Mino Silk .03
3/16x1/4" .5 for .05	18x24" Superfine .05
1/4x1/4" .5 for .05	Cement (large tube, clear Seal Super) .15

Free Postage, Packing, on Orders Over \$1.00

36" lengths are 1/4 more than 24" lengths. 10c Add. Postage  
**LONG BEACH BALSA SYNDICATE, MODEL DEPT.**  
 2485 American Avenue, Long Beach, California

**INTERESTING NEWS**

about where to buy models, supplies and bargains of all sorts is printed in the Classified Directory on page 48

**READY TO FLY!****25c**

Postpaid

Not a Construction set, but a real Airplane!

This crash-proof 14-inch R. O. G., worth a dollar in any store, only 25c, or 5 for \$1.00! Flies off ground, flies 50 to 200 feet or more. Positively Guaranteed to Fly. Made of best materials: silk tissue, Japanese poplar, balsa, duralumin, etc. Weighs 1/4 ounce. Agents wanted. No catalog.

**Read What Others Say:**

"Your Dragon-Fly certainly does ride these Montana breezes. I have had several 500-foot flights with mine."

"Believe me, it certainly does fly! You are to be congratulated on building such a wonderful little plane."

"I have never seen a model at any price that compares with the Dragon-Fly. I have made several hundred flights with mine."

"—flies to beat the band and will stand an unbelievable amount of punishment."

"—simply couldn't be better; in fact, it is more like a \$1.00 value than a 25c seller."

"The Dragon-Fly is in a class by itself—I have never found anything near it in performance or workmanship."

"—flies perfectly and does everything you claim for it."

Send for Yours Today!

**WESTERN AIRCRAFT MFG. CO.**

4135 W. Pico

Los Angeles, Calif.



## Advisory Board

(Continued from page 19)

attack that gives the greatest lift is usually about 15 degrees. The most efficient angle of attack is between 4 and 6 degrees. There may be exceptions to this rule in the case of airfoils of unusual design.

**Question.** Please explain how and why a surface added to the underside of an r.o.g. wing would change the lift?

**Answer.** By r.o.g. wing, I am taking it that you mean a single surfaced airfoil. By adding a surface to the underside, the total effective camber of the wing is reduced. Thus, the lift of the wing at the same speed is less than is originally the case. However, when a surface is added to the underside, a much more efficient airfoil is the result. Therefore, with the same power, the machine will fly very much faster. Due to the added efficiency of the wing and to the greater speed, this double surfaced wing will give more lift than the original single surfaced airfoil, with the same power. Summing up briefly, by using a double surfaced airfoil, greater lift and greater speed may be obtained.

**H**ERE are some questions from Clyde Cook of Burlingame, Calif. It looks as if he intended to get into the flying game in a serious way; if he isn't in it already.

**Question.** Is it possible for a private pilot to become an instructor of flying?

**Answer.** Anything is possible provided the person has enough determination. It

will be necessary for the private pilot to pass an examination for transport pilot and then go out and land a job as instructor.

**Question.** How long does the average airplane last?

**Answer.** This depends upon so many varying factors that it is impossible to determine the average life of an airplane in general. If you are speaking of transport airplanes, that is one thing; military airplanes, that is another; and commercial airplanes, flown by private individuals, that is still another. The life of an airplane, I should say, depends upon the intelligence of the flyer and how carefully he operates his ship.

**Question.** Are air bumps close to the ground dangerous to airplanes?

**Answer.** The air bumps themselves do very little damage to the ship. It is the sudden contact with terra firma that often results in kindling wood, or should I say, twisted metal. Seriously speaking, however, air bumps close to the ground are usually not dangerous to airplanes when the ship is flown by a competent pilot, who takes into account the possibility of air bumps being located at any specific point. Down drafts have caused many pilots to lose altitude upon the takeoff, thus preventing them from clearing telephone wires, trees, etc., at the end of the field, with disastrous results. Therefore, we might say that fields should be long enough to insure against the possibility of such an event taking place. The most dangerous period in the

flight of an airplane occurs at the takeoff and during the first few moments when the ship is climbing. The loss of support at this time causes the machine to drop or to turn over sideways. When it is in such a position, the pilot cannot readily return it to proper balance and flying speed.

J. L. Carr of Demmison Avenue, East, Toronto, Ontario, asks:

**Question.** Which airfoil is better to use for a low-wing sport model, a U.S.A. 35A, or a Gottengen 387? With the U.S.A. 35A, I would sacrifice speed, but with the 387 I would get a fair amount of lift and more speed. (Editor's note: These two sections appear on page 28 of the March, 1932, issue of MODEL AIRPLANE NEWS).


**Answer.** I would use the Gottengen 387 because it gives a reasonable amount of lift, yet will require less propeller blade area to fly your model properly than the U.S.A. 35A. If the 35A is used, the amount of propeller blade area will necessitate your propeller being extremely large in proportion to the wing. This will make your model look distorted. If a small propeller is used in order that the model have proper eye proportion it will be entirely too small to fly the model correctly. With the Gottengen 387, a smaller propeller may be used and yet retain the proper performance.

**Question.** In a tapered wing, should the leading edge taper as much, less, or more than the trailing edge?

**Answer.** What you should do in this case depends entirely upon the effect that you

(Continued on page 44)

## FALCON ADVANCED MODELS hold the distinction




MONOCOUPÉ 110

### MONOCOUPÉ FEATURES

Prime Mover—Cell. Dummy Motor—Spun Aluminum Ring—Aluminum Cowl Plate—Cell. Balloon-type Wheels—Special Model Airplane Color  
Winner of many National Air Race events. The model is a natural record-breaker without the prime mover, but with this marvelous device its performance is practically doubled. Kit for this 18" wing span model contains, besides the special features named, full size detailed drawing, large folder of instructions, and generous supply of material. Kit postpaid ..... \$1.95

of being the most complete ever offered. The reason? We include, besides plenty of grade A material, every known feature and device to make our models the most beautiful and best flying on the market. (Notice Monocoupe features.)

**THE PRIME MOVER**—a new, gearless, patented device for doubling the endurance and increasing the all-around performance of model aircraft—is included in each ADVANCED MODEL kit. Weighs only 1/40 oz. Yes—we also retail them, packed in individual boxes, 40c each postpaid.




LOCKHEED ORION

When our models are placed upon realistic backgrounds, it is practically impossible to tell them from the real ships.


Fastest and most modern commercial plane—the Lockheed Orion 200-mile-an-hour super-transport. This 18" wing span model faithfully reproduces its original both in appearance and flying ability. Kit contains such features as prime special airplane color. Full size drawing, detailed instructions, and plenty of material. Kit postpaid ..... \$1.95

And for those who like indoor ships ..... SUPER MIDGET MODELS



AKRON FIGHTER

Assounding discounts to dealers and clubs!



BOEING XP936

Send stamp for price list of supplies.

These 9" wing span, flying scale models use a new type of construction, making them easily built and practically non-breakable.

Each kit (2 planes) postpaid ..... \$1.35 Any 3 kits (6 planes) postpaid

For example: the Akron Fighter kit contains sufficient material to build two Akron Fighters and costs 50 cents.

Boeing XP936	Hawker Fury
Curtiss Hawk PGE	Curtiss Hell-Diver
Akron Fighter	Boeing P12C
A-8 Attack	Ben Howard Racer
Gee-Bee Racer	Lockheed Sirius
Lockheed Vega	Fokker D7
Spad	Albatross D3
S.E.5	

**FALCON MODEL AIRPLANE CO.** 9610 Division St. Portland, Oregon




## BUILD THESE Beautiful Models

Exact scale miniatures of  
10 FAMOUS PLANES!

Pfalz Scout, No. AC-1 S.E.5, No. AC-2  
Rumpler, No. AC-3 Nieuport, No. AC-4  
Camel, No. AC-5 S.P.A.D., No. AC-6  
Travelair Mys., No. AC-7 A-8 Attack, No. AC-8  
Boeing P-12C, No. AC-9 Akron Fighter, No. AC-10

MODELS ARE 6" TO 8" SPAN IN  
PROPORTION TO SCALE



A-8 Attack 8" Wingspan  
BUILT ENTIRELY FROM KIT NO. AC-8

These are the most complete kits you will ever have the pleasure of working from. They contain absolutely everything you will need, including such features as fully printed balsa parts, stamped fuselage block, correct insignias, and plenty of our brilliantly colored dopes, besides all the other parts needed to make a model that will look just like the real thing.

### START NOW!

10 wonderful models to select from  
ONLY 45¢ each P.P. ANY 3 for \$1.10 P.P.

Send 3c stamp for our new big price list

**ARIEL MODEL PLANES**  
622 Hegney Place New York City



## Print Your Own

Cards, Stationery, Circulars, Advertising, etc. Save money. Print for others, big profit. Junior Press, \$5.90. Job press \$11 up. Power \$149. Easy rules sent. Write for free catalog with address. **THE KELSEY CO., Y-61, Meriden, Conn.**




PHOTO OF A STOCK HAWK MODEL  
TRUE SCALE ORNAMENTAL MODELS

BEAUTIFUL, 20" fine detailed, true scale models of the CURTISS HAWK P-6-E and FALCON AC-3. These models are authentic miniature reproductions of the prototype, carefully designed and constructed to bring out the finest detail. Each an art-piece of rare beauty and distinction.

The wings and control surfaces are of specially treated, polished balsa, with natural rib markings. Fuselage of bamboo dove framework, covered with a glossy drum-tight covering. Cowlings are also of polished balsa. Many little features, such as a dummy instrument board, radiator shutters, scalloped trailing edge of the wings, etc., give these models a most realistic appearance. The super-streamline of the Hawk's landing gear, radiator and wing fairings is carried out to the finest detail. The entire model is carefully hand-finished in special gloss lacquers. These models are unconditionally guaranteed to be exactly as represented.

CONSTRUCTION KITS are unusually complete, including all necessary material, balsa wood, bamboo, large quantity of dope for finishing the wood, cement, fairing filler, special gloss lacquers in yellow-brown, red-white-blue, silver, etc., covering material, music wire, special cockpit lining braid, instrument boards, wheels, even pins. Also a detailed three-view, full-size drawing, pattern layout, and full instructions.

Completely finished, Curtiss Hawk P-6-E, with baseboard, \$21.50 each; completely finished, Curtiss Falcon AC-3, with baseboard, \$20.00 each; Curtiss Hawk P-6-E Construction Kit, complete, \$3.50 each; Curtiss Falcon AC-3 Construction Kit, complete, \$3.25 each.

Postage on kits, 35c

Full size, detailed three-view drawing, either model (prepaid), 50¢ each; full size, pattern layout, either model (prepaid), 50¢ each.

### SPECIAL PRICES TO DEALERS

Photographs, 10¢ each. Descriptive folder free upon request.

Please remit by Money Order or check. Stamps and foreign coin not acceptable. C.O.D. orders accepted if accompanied by 25% full cost.

VICTOR STANZEL, Schulenburg, Texas

## A Pioneer Makes Good

(Continued from page 40)

After twelve years of unremitting toil Cierva has produced at last a machine which attains an air-speed as great as one hundred miles an hour, while the landing speed is little or nothing: has produced a non-stalling machine, with controls always effective.

Recently a man jumped from a plane with a parachute; alongside was an Autogiro, in which the engine was stopped. Side by side the man and Autogiro floated earthward. The machine was last to reach the ground. Landings have been made on docks, even large lots, streets and highways, and take-offs also. Perhaps future villages will have community plots for commuters' landings and take-offs. Huge transports, aerial taxis, hovering bombers, ambulances, exploring craft, have all been built or are planned for the future.

Autogiros have sought jungle-covered Maya ruins, have flown from coast to coast, have been used for taking photographs, news gathering, army and navy tests, traffic study. Amelia Earhart flew one to 18,000 feet; W. T. Campbell, at Boston, to 22,000 feet. Windmill planes have delivered mail to steamers, found big game and lost flyers. On October 13, 1931, one was looped without difficulty.

Thomas A. Edison, near the end of his career as the world's greatest inventor, visited Newark Airport to see an Autogiro flown.

"Flexible! That's the trick," he said, feeling the blades. "That's the only way to avoid gyroscopic action."

James G. Ray, pilot, fluttered to a landing without forward roll. The aged inventor gasped.

"By gosh!" he explained, "you have them so now that they'll do anything but chew tobacco!"

Always skeptical, he had the landing repeated. He was convinced.

"That's the answer!" he cried, with all the enthusiasm of the boy he had always been. "That's the answer! That's the kind of planes we've got to have."

Be that as it may, that young engineer has brought a new principle to aviation. As President Hoover said, when presenting the Collier Trophy to Mr. Pitcairn and his engineers:

"Its ability to rise and descend with safety almost vertically makes it a practical and decided step forward."

The Autogiro is the only plane that ever made a landing and a take-off on the White House lawn. Perhaps the day is not far distant when it will land and take off on every man's lawn.

## How Well Do You Know Your Airplanes

(Continued from page 8)

97th Street, New York City.

These first two young men had perfect entries. Gigante, however, made a very minor mistake in the designation of the Boeing P12B.

We will be very pleased to hear from any of the winners. They will receive their awards very shortly.

## V-I-C-T-O-R-Y Broadcasting

far and wide to all air-minded boys and girls. New "Holiday" Prices—make an ideal gift at a great saving. "Build a Plane."

Balsa Wood Grade AAA  
36" LENGTHS

Strips		Sheets	
1/16 x 1/16	13 for \$.05	1/32 x 2	2 for \$.07
1/16 x 1/8	12 for .05	1/16 x 2	2 for .07
1/16 x 3/16	10 for .05	1/16 x 3	2 for .15
3/32 x 3/32	10 for .05	3/32 x 2	2 for .09
1/8 x 1/8	10 for .05	1/8 x 2	2 for .09
1/8 x 3/16	7 for .05	1/8 x 3	2 for .19
1/8 x 1/4	7 for .05	3/16 x 2	2 for .13
1/4 x 1/4	3 for .05	3/16 x 3	2 for .22
1/2 x 1/2	3 for .14	1/4 x 2	2 for .15
1/2 x 3/4	2 for .11	1/4 x 3	2 for .25
1 x 1	2 for .22		
Balsa Planks		Colorless cement	
1 x 3	\$.50	2 oz.	\$.10
3 x 2	.40	Colored dope	2 oz. .10
3 x 3	.50	Banana oil	2 oz. .08
2 x 4	.60	Acetone	2 oz. .05
2 x 6	.80	Wire, all sizes	1 ft. .01

And many other wonderful buys—prop blocks, bamboo, reed, covering materials, celluloid wheels, etc.

Kit, complete, 20" wing spread \$.55 P.P.

Write for details

"FREE PRICE LIST"

**VICTORY** Model Airplane Supply  
6725 10th Ave., Dept. A  
Brooklyn, N. Y.

## DON'T MISS


the December issue of UNIVERSAL MODEL AIRPLANE NEWS. Besides the regular features about model flying, model club news, War aces, air mail stamps, answers to questions about aviation, and prize contests, December issue will carry not less than SIX Model Plans and Articles. Here's the list, you'll want to build every one:

New Heath Parasol  
Page-Nancy Rour  
Widell-Williams Rour  
Howards IKE  
Stratasphere Plane  
War-Time Fighter

December issue will be out on the news-stands December 1. Be sure to get your copy—15c.

Or make it absolutely certain that you won't miss the December or any other issue by sending in \$1.65 now for your year's subscription.

## A NEW FLYING CABIN MODEL



Wing Span 16", Length 14"

New construction makes this the easiest and quickest built model on the market. It is more than a toy; it embodies scientific principles used in all modern aeronautical engineering. It flies great, too! See its New Prop—a new high lift wing and many other new features. To introduce this craft we offer the complete kit with fully illustrated instructions for . . . . .

ONLY

**15¢**

POSTPAID

Velia-Craft 1518 Westwood Ave. Lakewood, O.



## Flying the Front

(Continued from page 39)

WHAT an experience this was for the American lad who, in spite of having brought down his first plane, was still a novice. Dawn was breaking; the sky was coldly gray. Like great hawks whirling down on their prey, were the shapes of his companion planes. The accustomed cheerful roar of the machines, which is music to an aviator's ears, was gone. The only sound was the eerie whine of the wires.

In back of them they could hear the guns of the front line. Ahead, dimly discernible through the morning mist, were a few glimmering, incautious lights. There was their destination. Lying tranquilly below them was the enemy airdrome at Varsenaere where the Germans considered themselves far enough back of the lines to be fairly safe.

The leader raised his hand. The signal they had agreed upon back at the headquarters of No. 213! Opening wide their throttles, they dived full upon the sleeping camp, letting loose a hail of bombs and machine guns. Men fled in every direction and when they at last turned back to their base, the Squadron had the satisfaction of knowing that their repeated dives, each one bringing a new rain of bombs and machine gun bullets, had done considerable damage to German hangars and planes. For his work in this raid, Ingalls was made a Flight Commander.

Scarcely a month later while leading a section of five Camels in a twenty-plane formation, he attacked the airdrome at Uytterke at daybreak. The strafing performance of a few weeks before was repeated much to the chagrin of the Germans. However, the enemy succeeded in filling the air with machine-gun bullets and anti-aircraft shrapnel. It was not strange that at least one of the attacking planes should be hit in the heavy barrage through which they flew. Fate decreed that Ingalls' plane should be the target for a steel-capped projectile.

A forced landing in enemy territory was imminent. Ingalls afterward said, "My engine cut out, hitting at most on three cylinders. I started on a gentle glide, looked at the gauges and switches, and tried running on the gravity tank, but no luck. So I looked around for a smooth field from an altitude of five hundred feet, and in the midst of Archie bombs."

All seemed lost when suddenly his engine began to pick up and finally pulled him to the safety of a cloud bank through which his companions had disappeared. Forging on through, he found one of his squadron mates who joined up with him. Gleefully he waved to this friend, and in his delight rocked his little plane from side to side.

To most men, this would have seemed enough excitement and suspense to last for many a long day. But the eventful flight was not yet through. Pursuing a southerly course in a manner suggesting that it had business to attend to, was a Rumpler two-


seater. Ingalls shifted his course on the instant, and with his companion scout following, they hastened to overtake the German and soon found themselves in one of the liveliest of dog-fights.

The German was clever and from the first it was evident that the contest would be no easy matter in spite of the fact that the enemy was outnumbered. The Allied single-seaters worked well together, keeping a steady, alternate fire on the Rumpler. But the tricky German, twisting, diving, rolling, managed to elude them for a time while the rear machine gun was a constant menace. However, the shifts of fortune in an air-battle come without warning. Suddenly, the German, nose-down, started diving. Thinking that he had had enough and was attempting to get out of the conflict, the two scouts kept on his tail. But the Rumpler never came out of the dive, crashing on the beach at Ostend. Saluting a brave enemy, Ingalls and his squadron mate at last made their way back to the base.

THREE days later in company with two British pilots, Ingalls attacked an observation balloon near La Barriere. These great bags were generally well protected by a nest of "archies." The feat was not so much to get the balloon as to get it and get away afterward. As the three airmen approached this particular "sausage," the Germans began hauling it in rapidly. The scouts did not falter. It was necessary for  
(Continued on page 46)

## A New Thrill for Model Builders! Entirely Different!

### 5-ft. MODEL of a FAMOUS OCEAN LINER ■ Sister Ship of S. S. Leviathan



### Lifelike 5-ft. Model of GRAF ZEPPELIN



One of the most beautiful scale models ever designed, and any one can build it. Everything included to the last detail, gondolas, fins, cabins, etc. Metallized parts in demand for displays, show windows, etc.

**150**  
Prepaid

**3-FT. MODEL OF JUNKERS FLYING WING.** Complete parts to build this 4-motored plane. A real scale replica; all parts metallized. Start building now for Xmas.

**100**  
Prepaid

Do the unusual thing! Build a model of an Ocean Greyhound, the S.S. Imperator (name may be easily changed to S.S. Leviathan), one of the two largest ships afloat! All parts in original color! Model is very lifelike! Parts are laid out in full size, ready to be cut out and reinforced with plywood or cardboard. No detail is omitted! Model has high sales value and may be rented out to stores, movie houses or exhibitions to attract crowds. When complete it is 5 feet long and 16 inches high. Very impressive—exactly like models displayed by Steamship Companies. Work is very fascinating! Your dad will want to help you! No unusual skill required! Start early to have it ready for the Holiday season!

Kit of parts with full instructions showing just how to complete the model.

**250**  
Prepaid

Price of ship model built complete .. \$75.00 prepaid


The model pictured above built by Herman Lieberman of Norwich, Conn.

Buy these models from your local dealer or, if ordering direct, please mention dealer's name. Remit by check, postal or express money order. Order now or send 4c for complete specifications of our models.

**BILDON COMPANY, 709 Wenonah Ave., Oak Pk., Ill. DEPT. M-8**



# JUST OUT



High  
Altitude  
Long  
Distance  
Model

22-INCH  
Flying Model

Complete  
Kit  
POSTPAID  
only 75¢

HI-  
FLYER

Easy To Build  
Easy To Fly

Here's a new thrill for Model Airplane Builders. The 22-inch Wing-Spread HI-FLYER is easy to build, but gives amazing performance. Takes off with a 3-foot run—then soars way up for many feet—flies a long distance at a fast, racy pace—and then comes down gracefully to a perfect 3-point landing. You never saw its equal! And it's a beauty, too—colored red, white and black. Get this kit quickly. Enjoy building the HI-FLYER and then have hours of thrilling fun, making it perform for you. Kit contains full size layout sheets and instructions, balsa strips cut to size, semi-finished nose and plug, stamped ribs and formers, balsa prop block, 1 1/2" red celluloid wheels, bamboo, formed wire parts, rubber cement, banana liquid, and red, white and black tissue. Packed in a sturdy box. COMPLETE KIT, POSTPAID, 75¢.

## Easy Model Plans 10c Each

Take your choice—each one a Winner! Boeing P-12B, Gee-Bee, Laird Super, Hell Diver, P6E, Bellanca, Stinson, Lockheed Orion, Vega, Travelair, Super Marine, Sopwith Camel, Gloster IV, S.E. 5, Tiger Moth, Spad, Nieuport, Bernard, Ansaldo, Fokker Tri-motor, Curtiss, Pfalz, Fokker D8, Polish Fighter. EACH PLAN 10c—3 FOR 25c. POSTPAID.

**SUPPLIES:** Wheels, rubber tired with aluminum disc, 1 1/2" Dia., 2c Pair; 1 3/4" Dia., 25c Pair; 2" Dia., 30c Pair. BANANA LIQUID, CLEAR DOPE, ACETONE, 2-oz. bottle 10c. Large tube, quick drying Cement 10c. Orders under \$1.00, add 10c packing charge.

Send Cash or Money Order (No Stamps or C.O.D.'s)

**TROST MODEL AIRPLANE and SUPPLY COMPANY**  
3111 W. 63rd St., Chicago, Ill.

Mill Importers of  
**MODEL AIRPLANE  
JAPANESE TISSUE  
PAPER**  
MADE IN 32 COLORS  
BALS-WOOD VENEER  
WHITFIELD PAPER  
WORKS, INC.  
12 Vestry St., New York City  
Est. 1869

## MODEL AIRPLANE NEWS

For Builders and Dealers! Compare these prices and learn what REAL NEWS this ad brings you

36" Sheet Balsa	2 ozs. Thinner
1/32 x 2.....2 for 7c	2 ozs. Thrust Bearings .025, .035.....2 for 3c
1/16 x 2.....2 for 7c	Motor Rubber .045 sq. 1/16 sq. 1/16
1/8 x 2.....2 for 9c	Flat 3/4 flat, 3 flat, 1c
1/4 x 2.....2 for 12c	3/16 flat, 5 flat, 2c
1/32 x 3.....6c	Reed 1/16 or 1/8 dia., 5 ft. 2c
1/16 x 3.....6c	Music Wire .014, .020, .028, .034, 5 ft. coil.....2c
1/8 x 3.....8c	Balsa Wheels Machine Carved and Polished
1/4 x 3.....12c	3/4" or 3/8".....dr. 4c
1 x 1.....1c	1 1/2" pr. 7c; 1 3/4" pr. 11c
36" Balsa Strips	Bushings 1 for.....1c
1/16 x 1/8.....2 for 1c	Washers 1/4 or 3/8 d. doz. 1c
1/8 x 1/8.....2 for 1c	Shredded Bamboo .045 sq. x 10 ft. doz. 1c
1/8 x 1/4.....2 for 3c	Insignia Sheets 21 insignias and rudder stripes, 4 countries sheet.....10c
3/16 x 3/16.....2 for 3c	Ready Cut Out Insignia 3/4" or 1 1/2" pair.....1c
1/4 x 1/4.....2 for 5c	1 1/2" or 2" pair.....2c
1/2 x 1/2.....6c	3" pair.....5c
1 x 1.....11c	German Crosses 1 1/2" or 1" pair.....1c
36" Plank Balsa	36" Birch Dowels 1/4" or 3/16" dia., ea. 1c
1 x 36.....25c	1 1/2" dia., ea. 2c
1 x 6 x 36.....10c	
2 x 6 x 36.....70c	
Propeller Blocks	
5/16 x 3/4.....3 for 2c	
6" x 3/4.....3 for 2c	
8" x 1.....3 for 5c	
8" x 1.....2 for 5c	
10" x 1.....2 for 7c	
11" x 1.....4c	
12" x 1.....5c	
13" x 1.....7c	
Formed Propeller Blanks	
2c each extra	
Jap Tissue	
White, 20x24.....3 for 5c	
Colored tissue.....2 for 5c	
Dope, Clear or Colored	
1 oz. 6c; 2 oz. 10c	
Construct-A-Loid Cement	
1 oz. 7c; 2 oz. 12c	

Remit by cash or money order. No C.O.D. stamps. Orders less than 50c not accepted. Add 15c for postage up to \$1.50, for \$1.51 and over 10%. Dealers send for special discount.

**CONSTRUCT-A-PLANE CO.**  
285 Bushwick Ave., Brooklyn, N. Y.

How to get here: 14th St. Subway to Montrose Ave. Station

## Here is the Curtiss Hawk P-6E

(Continued from page 26)

them vertically and hollow out. Notice how the landing gear is constructed in cross-section 2. The wheel is placed in a strong wire frame. This wire runs in grooves on the sides of the strut and the ends are bent and set in the wood. Lash this on with thread and glue. When dry, cover with paper to smooth. These struts are set into sockets in the fuselage (cement being placed on them first) before the pants are put on. Being already split, a small portion at the top of the inner half is cut away to slip it on. Part of the wood cut away is reset to fill the notch and the outer half of the shell put in place. When this structure is dry, make the fillets where shown and paint. This type landing gear will stand a lot of rough usage.

All of the struts are made of spruce as it is much stronger than balsa and easier to streamline than bamboo. Make them a little longer than shown in the plans (page 4) and set in small holes as sockets to get a good strong job. They are olive-drab. Make fillets around ends before painting.

## Assembly

**I**N joining the lower wings to the fuselage, make heavy pins of bamboo (about 3" long, 3/32" square) and force them through the fuselage, then set the wings onto these and cement. Note dihedral (1 1/2, 3/16") and incidence (-2, trailing edge up 3/32" on upper wing, 1/16" on lower). The wings can be held in place with various objects until dry. The prop is made of spruce and the blades covered with tinfoil, the parts being made separately and cemented. The hub is given a touch of aluminum paint.

## Finishing

**P**IECES of aluminum are bent and forced into the nose to make the air intakes. A narrow strip is bent lengthwise and forced in alongside the exhaust stacks to finish off the opening. The tail wheel is left to your own judgment. A good fork is hard to make and takes a long explanation.

Use heavy thread for the wires.

## Advisory Board

(Continued from page 41)

wish to obtain. If you taper the wing in such a manner that the highest point of each one of the various ribs is in a straight line from tip to tip, the effect will be the same as far as stability is concerned, as if your wing were absolutely straight with no sweep-back or sweep-forward. If the rear and trailing edges are tapered to such proportion that, when a line drawn through the high points of the ribs slants backward from the center or wing-root toward the tips, then the effect will be that of a swept-back wing. If there is no taper on the front edge, all of the taper being on the rear or trailing edge, the effect will be that of a swept-forward wing and it will have a tendency to be slightly unstable laterally. I should advise a wing with an equal amount of taper on the leading and trailing edges.

## Air-Ways

(Continued from page 23)

know model building will not doubt this for a moment. It is one of the finest models of a Dornier DO-X that we have seen. The builder is Walter H. Reuman of 4012 Fairview Drive, Toledo, Ohio. He tells us that he is 22 years old and hopes that his age will not prevent him from contributing to our columns. Possibly he will be surprised to know that some of our contributors are as old as 50. Model building has ceased to be placed in the class of toys. It is performing the very necessary function of providing young men with inexpensive means of experimentation in aeronautics. The greatest science is involved and for those who have brains, it can be developed to a high degree. This model has a 55" wing span and was built before the real plane was finished in Germany. This is a remarkable stunt in itself. Reuman was fortunate enough to sell this model for \$150.00 to the Thompson Products Company of Cleveland, Ohio. We hope that he will continue to send us information regarding his work.

## CLUB NEWS

**I**VOR FRESHMAN, Secretary of the Model Flying Club of Australia, has again sent us some very interesting information. Australian model builders are becoming more active with each succeeding day. Picture No. 21 shows a group of boys in this club, starting their models into flight. It is quite an impressive display, to say the least. Expert model builders know that it is difficult to get a picture of such a group of planes, all of them flying in a balanced position.

Picture No. 22 shows an Australian Fokker Tri-motor and a Puss Moth.

Picture No. 23 is one of a little ship that flew for 37' 8" and then was lost to sight in the sky. This was designed and built by Ivor Freshman, Secretary of the club. It has a span of 36", a length of 24" and weighs three-quarters of an ounce. We would say that this is "some little ship." It certainly measures up favorably with any of the ships flown by the young men of America.

Mr. Ivor Freshman is shown in Picture No. 24, giving directions to an expert sawyer regarding the sawing of some balsa wood for models. This little shop cuts all of the balsa wood for the Australian model trade.

Some idea of the extent of the model business in this far-off land, from a commercial standpoint, may be had from Picture No. 25. This shows the interior of a thriving model airplane factory. Judging from this scene, it doesn't look as if the depression had hit the model business in this part of the world.

This progressive model club requires that members pass various tests. They are rated in standing and title in the club according to the tests which they are able to pass. A list of these tests follows:

## Tests for Members of Branches

- No. 1 Cadet Test—Build Glider capable of 80 ft. or 10 secs.
- No. 2 Cadet Test—Build Stick Tractor capable of flying 20 secs.
- No. 3 Cadet Test—Build Single Pusher capable of flying 20 secs.

(Continued on page 46)



## Aerodynamic Design

(Continued from page 38)

perpendicular to the fuselage or body of the airplane. See Fig. No. (41).

The foregoing discussion refers to a wing that has the same length of chord throughout its entire span. If the wing is to be of the tapered type, however, the angle of sweep back should be measured between a line running through the apex of the (V) of the wings and one drawn through the points that are back of the front edge of the wing, a distance of  $1/3$  the respective chord lengths. Fig No. (42). This figure shows a tapered wing with a 20 degree sweep back on each side.

The most efficient results from a sweep back are obtained when a low center of gravity is used in conjunction with it. We have heretofore assumed that the center of gravity is high, when the line of thrust is very close to the wing center section. This is often, but not always the case. It may be considered low when the center of gravity is a distance of  $5/100$  of the wing span, below the wing, in the case of swept back wings. An accurate checkup may be made by balancing the ship on its side, shifting the point of support until the point of balance (center of gravity) is found.

If the center of gravity is  $5/100$  of the wing span below the wing, the required amount of sweep back of the wings is just half of the amount necessary for cases in which the center of gravity is high. For instance, let us suppose that the span of the wing is 25 inches measured from tip to tip. The center of gravity is  $1 1/4$  inches or  $5/100$  of the span below the wing. Then the center of gravity is "low." So instead of a twenty degree sweep back on each wing being necessary, only ten degrees is required. (One degree equals a displacement of  $1/16$  inches in a length of four inches.)

As less sweep back can be used in conjunction with a low center of gravity, the tendency to spin is diminished. This combination is therefore recommended.

Next month we will continue our discussion of lateral stability and show you the method that will give you the best results. (Note:—In the October instalment of this article, we wish to make a correction of one value given in tables No. 1. In the series of tables in which (d) equals  $7/8$ , the value of (13.5), given in column four for 8" diameters, should be (12.5).


## A Miniature Airport

(Continued from page 33)

to work out in detail.

The most exact method might be to place a piece of tracing paper over the picture and trace the plan of the airport on it. After this is done, you will have a distorted figure. This, however, may be readjusted and drawn to suit your convenience. For instance, the right hand line which represents one boundary of the airport will not be at right angles to the boundary which is nearest to your eye. Take a point at the center of this line and swing the line around into proper position. The distortion of course is due to the fact that the camera was not directly above the airport when the picture was taken.

## The First REAL NEW IDEA in Model Building!



This patented TRU-BILD DRAWING eliminates guess work entirely.

TRU-BILD is the result of considerable planning and experimenting by a well-known aviation engineer. You simply place your balsa on the TRU-BILD drawing framework or jig, apply glue and lift off sections in perfect alignment, doing the job in a fraction of the time spent formerly. With a TRU-BILD JIG DRAWING (Patented) you can build as many models as you choose and most important of all, you work in the same manner as mechanics in airplane assembling plants.

### COMPLETE TRU-BILD JIG DRAWING KIT

Containing all necessary materials to build a  $20\frac{1}{2}$ " wing-span Lockheed Vega similar to Amelia Earhart's Transatlantic plane. All ribs, bulkheads, stringers, etc., die-cut to size, unlike any other kit. An educational and thrilling way for beginners and experienced model builders to construct real flying planes.


DEALERS AND CLUBS: WRITE FOR OUR SPECIAL OFFER!

**295**  
Post-  
paid

Send today for this marvelous TRU-BILD KIT. Remit by postal or express money-order. Add 15% for Canadian or foreign orders.

TRU-BILD MODEL PRODUCTS CO., 442 West 27th St., New York City

## a Record Breaker



### NEW and UNIQUE

Never Before Was Such an Invention Offered. IT REVOLUTIONIZES propeller operation.

A Light Machined Bearing, mounted in an alloy hanger. Normally it is held in fixed alignment with the motor stick; yet if the propeller strikes an object it will flex in any direction and protect the propeller and shaft. A long shaft is not necessary. Think of it! A true and smooth running prop, with balance, protection and efficiency! Truly a Model Development.

Complete outfit ready to install—all for 30c. Order Today From Your Dealer. We believe you'll be well pleased with this new motive equipment.

We sell wholesale only

Discounts and data gladly sent dealers.


TRAVIS MODEL AIRPLANE CO.

P. O. Box 873

Colorado Springs


Colorado

## READY-BUILT SILVER FLASH MODELS



READY-TO-FLY — \$2.85 P.P.

This beautiful 2-foot wing span model of the cabin monoplane that recently flew across the Atlantic to the coast of Ireland piloted by a famous woman flier, comes to you fully constructed, accurately balanced, decorated in colors, and guaranteed to fly. Has real cellophane cabin windows, streamlined balsa fuselage and wheel pants, demountable wings and adjustable controls for straight flight or circles. Average flights 300-500 feet. A real plane at this price.



READY-TO-FLY — \$2.75 P.P.

This snappy ready for action 2-foot wing span, model of the latest United States Army pursuit plane, comes to you completely constructed, with Army insignia, 1 mm. air-cooled radial engine, drag ring, pilot's cockpit, adjustable control for straight flight or circles, fast realistic flights averaging 300-500 feet. Flight guaranteed.

Special Xmas offer. Remit by money order or registered cash. No C.O.D. Both planes above, ready to fly, \$5.00. Postpaid in U.S.A. Address

SILVER FLASH MODELS

Box 88

Portland, Pa.

## Get This Curtiss Robin WITHOUT COST!

-----MAIL THIS COUPON!-----


Mr. Jim Thayer, Dept. 279  
The Crowell Publishing Co., Springfield, Ohio.

Dear Jim: I want to earn MONEY and PRIZES. Start me as a salesman.

Name .....

Address .....

City ..... State.....



The famous "Curtiss Robin" model; has 30-inch wing span. Silk covered wings and tail. Rubber tires. A beauty. Actually flies.

### No Cost to You

You can win this plane and many others—all without cost to you. It's easy! Just join the Crowell Club and deliver three well-known magazines to regular customers.

Win your choice of 300 prizes and earn your own SPENDING MONEY!



# ROCK BOTTOM PRICES ON SUPPLIES

Highest Quality Balsa Wood (18" Lengths)		Sheet Balsa (18" Lengths)	
1/16 x 1/16.....26	for .05	1/32 x 2.....1	for .05
1/16 x 1/8.....24	for .05	1/16 x 2.....1	for .06
1/16 x 1/4.....24	for .07	1/8 x 2.....1	for .09
1/8 x 1/8.....24	for .05	3/16 x 2.....2	for .08
1/8 x 3/16.....24	for .09	1/4 x 2.....2	for .09
1/8 x 1/4.....24	for .12		
1/8 x 3/8.....24	for .15		
3/16 x 3/16.....10	for .06		
3/16 x 1/4.....10	for .07		
1/4 x 1/4.....10	for .08		
1/4 x 3/8.....6	for .08		
1/4 x 1/2.....6	for .09		
3/8 x 3/8.....6	for .09		
3/8 x 1/2.....6	for .10		
1/2 x 1/2.....4	for .10		
1 x 1.....2	for .16		

Plank Balsa	
1 x 3 x 36.....25	
1 x 6 x 36.....28	
2 x 3 x 36.....42	

Jap. Tissue, sheets 20x21, white, 3 sheets 5c; Colored, blue, red, orange, brown, 2 sheets 5c; Double Thin Tissue, lightest ever known, sheets 20x15, each 4c; Wood Veneer Paper, sheets 20x30, each 13c; Colorless Cement, strongest and lightest on the market, 1 oz. tube 6c; 2 oz. tube 8c; pint can 60c; Clear Dope and Acetone, 2 oz. can 7c; 4 oz. can 13c; pint 35c; Colored Dope, leaves a fine smooth finish, colors, blue, red, yellow, orange, silver, black, and olive drab, 2 oz. can 9c; 4 oz. can 17c; pint can 60c; Bamboo, straight-grained, knotless, 15" lengths, doz. 7c; 3" lengths, doz. 5c; shredded 9" lengths, doz. 3c; Dowels, 18" lengths, 3/4 diam., 7 for 5c; 3/16 diam., 6 for 5c; 1/4 diam., 4 for 5c; Rubber, always fresh, more turns per foot, .045 sq., 50 ft. 12c; 225 ft. 45c; 3/32 flat, 50 ft. 13c; 225 ft. 48c; 1/4 flat, 50 ft. 13c; 225 ft. 52c; 3/16 flat, 50 ft. 16c; 225 ft. 70c; Sheet Aluminum, 12" wide, .003, per ft. 10c; .003, per ft. 11c; .010, per ft. 12c; Aluminum Tubing, .010 wall, 1/2 O.D., per ft. 4c; 3/8 O.D., per ft. 7c; 1/2 O.D., per ft. 10c; Aluminum Drag Rings, latest thing in streamlining your models, 1 1/2 diam., 15c; 2" diam., 17c; 2 1/2 diam., 20c; 3" diam., 24c; Aluminum N.A.C.A. Cowlings, eliminates use of dummy motor, 1 1/2 diam., 18c; 2" diam., 20c; 2 1/2 diam., 23c; 3" diam., 27c; Music Wire, light and strong, in one-foot lengths, straight, sizes .014, .020, .028, .034, 4 ft. 1c; Thrust Bearings, perfectly formed and with hole truly centered, large size, .035 hole, small size, .025 hole, 5 for 5c; Washers, 1/2 O.D. and 3/4 O.D., 2 doz. 3c; Celluloid Dummy Motors, 9 cylinders, 1 1/2" diam., 15c; 3" diam., 27c; Celluloid Wheels, black only, 3/4 diam., pair 4c; 1" diam., pair 6c; 1 1/2" diam., pair 8c; 1 3/4" diam., pair 12c; Bushings for Wheels, 4 for 1c; Insignias, army and navy type, star in circle, each sheet contains 4 circular insignias and 2 sets of red, white and blue stripes for rudder; 1" diam. (circles, per sheet 2c; 1 1/2" diam., per sheet 3c; 2" diam., per sheet 4c; 2 1/2" diam., per sheet 5c.

Include 15c on orders up to \$1.50. Orders over \$1.50 add 10% for packing and postage. Orders west of Mississippi and Canadian orders add 10c extra. Orders under 25c not accepted.

BERNARD'S MODEL SUPPLY SHOP  
15 Hanover Place Brooklyn, N. Y.




**LONG BEACH BALSA SYNDICATE IMPORTERS**

Mill and Branch Office located in  
ECUADOR, SOUTH AMERICA  
Main Office: LONG BEACH, CALIFORNIA

# SUPPLIES AT DEEP CUT PRICES

Super-Quality Balsa Wood 20" lengths		Celluloid Wheels—in all colors	
1/16 x 1/16.....20	for 5c	3/4" diam., pr.....4c	
1/16 x 1/8.....20	for 5c	1" diam., pr.....6c	
1/16 x 3/32.....20	for 5c	1 3/8" diam., pr.....8c	
1/8 x 1/8.....20	for 5c	1 7/8" diam., pr.....12c	
1/8 x 1/4.....20	for 12c	Banana Oil—2 oz. 7c; pt. 37c.	
1/4 x 1/4.....20	for 15c	Acetone—2 oz. 7c; pt. 37c.	
20" Sheet Balsa		Celluloid Pants	
1/64 x 2.....5	for 8c	Small 14c; Large 25c	
1/32 x 2.....5	for 8c	Colored Dope	
1/16 x 2.....5	for 8c	All colors and Clear	
1/8 x 2.....4	for 12c	1 oz. 7c; 2 oz. 10c	
Prop Blocks		1 oz. 8c; 2 oz. 12c	
1/2 x 3/8 x 5.....2	for 1c	Thrust Bearings	
1/2 x 3/4 x 5.....6	for 5c	Small or large, each.....1 1/2c	
1/2 x 3/4 x 6.....6	for 5c	Para Rubber	
5/8 x 1 x 7.....6	for 8c	1/16" flat, 50 ft.....13c	
5/8 x 1 x 8.....8	for 5c	1/8" flat, 50 ft.....13c	
3/4 x 1 1/2 x 10.....2	for 5c	Jap. Tissue—Red, yellow, blue, orange, green, purple, 5 sheets 10c	
Washers—large or small		Muscle Spring Wire	
2 doz.....3c; Gross.....11c		.014", .020", .028", .034", 13 ft.....5c	
Reed—1/32 or 1/16", 6 ft. 3c		Double-Geared Winders	
Aluminum Tubing		Each.....25c	
1/16" O.D., per ft.....5c			
1/8" O.D., per ft.....6c			

Include 15 cents to all orders up to \$1.50. Orders over \$1.50 and over, add 10% for packing and postage. (Orders west of Mississippi, add 10 cents extra.) On all Canadian and foreign orders up to \$1.50, add 25c. On orders of \$1.51 and over, add 15% for packing and postage. No discount on above prices. No catalogs sent.



**STAR.....★  
MODEL AERO SHOP**  
10-12 Pearl St., Newark, N. J.

## Flying the Front

(Continued from page 43)

Ingalls to follow the bag down to five hundred feet before he could get in an effective burst which torched it off in a mass of flames. Indeed, an entire panorama of destruction was soon spread out beneath him, for parts of the flaming balloon had fallen upon two inflated bags moored on the ground and set them afire. The entire observation station was doomed.

There was scant time, however, to even note this complete triumph. The anti-aircraft batteries were still very active. It was impossible for them to miss at the range which Ingalls' daring dive on the balloon had given them. Out of the corner of his eye he saw that the fabric of his wings was ripped and torn. He knew that his fuselage had sustained numerous hits. How about the engine?

He didn't have long to wait for the answer to that question! As he pulled the Camel up in an attempt to gain some altitude, the motor began to miss. Try as he might, he could not gain altitude. By this time his companions had taken separate courses, as agreed on beforehand. Apprehensively, Ingalls listened for the final spluttering that would mean he must land in enemy territory and spend the remainder of the war in a prison camp—providing he didn't crash in, making a landing on the rough terrain of the battle ground.

Apparently his engine wasn't quite ready to give up the game, crippled as it was. Archies, machine guns, rifles, all picked him out as their target. He was traveling so close above the trenches that he could see the startled faces of the men below, who, no doubt, thought he was mad. Luck was with him—extraordinary luck—for he passed through this ordeal of fire, bringing his crippled ship to land at the base.

BY September, the German retreat was well under way. It now fell to the lot of the aviation forces to impede their progress as much as possible. Otherwise, the Allied armies would be unable to keep contact and so capture the infantry when their roads were obstructed. With this in mind, Ingalls took his flight of five Camels on a series of daring raids that covered most of Flanders.

Four trips were required to carry out his plans. Darting here and there, the raiders created havoc. Ammunition dumps were exploded, trains were wrecked. Supply dumps were burned, horse trains scattered beyond hope of assembly.

Nor was this brilliant campaign the finale of Ingalls' work at the front. Before the Armistice was signed, he, with another Camel fighter, was to bring down a two-seated Rumpler over Nieuport. Not content, he took his flight up for a patrol later in the day. Seeing below them a formation of seven Fokkers, the Camels dove down on them. In the ensuing mêlée three Germans were shot down and the rest beat a hasty retreat.

For his brilliant work with Squadron No. 213 Ingalls received the Distinguished Flying Cross from the King of England. It is with pride that Americans may realize that this Naval ace has served the cause of aviation in peacetime no less than in war. Tireless in developing the industry, his record as our flying Assistant Secretary of the Navy for Aviation has been a splendid one.

## Air-Ways

(Continued from page 44)

No. 4 Cadet Test—Build Twin Pusher capable of flying 30 secs.

No. 5 Cadet Test—Build Simple Fuselage Type capable of flying 20 secs.

No. 6 Flight Cadet Test—Build Advanced Fuselage capable of flying 40 secs.

No. 7 Flight Cadet Test—Build Speed Type, 66 ft. in 2 secs.

No. 8 Flight Cadet Test—Semi-scale model (24" span), duration 25 secs.

No. 9 Flight Cadet Test—Exact scale model (non flying), to be judged on accuracy of detail.

No. 10 "Ace Test"—Original design to R.O.G. and fly over 90 secs., and R.O.W. and fly over 50 secs.

We hope that we will hear more from Mr. Freshman, regarding the model airplane activities in Australia.

## Dayton Chapter

DAYTON, Ohio, model builders, who belong to the Dayton Chapter, National Advanced Model Engineers, have put in a very busy summer bringing honors to their club through the setting of new records and by winning the majority of the points in state-wide meets which they have entered.

Here are three real records set by the club during the past month:

On August 20th, William Utzinger of the Third Pursuit Squadron (see story July MODEL AIRPLANE NEWS), set a record with an outdoor fuselage plane, Wakefield specifications, of 14' 7" against the official record of 4' 8". On September 10th, Utzinger with an outdoor fuselage r.o.g., made the exceptional time of 33' 20" before his plane vanished in the clouds.

On the same date, while trying to break the Dayton thread launched glider record of 3' 42" which was held by Harold Coovert of the Hat in the Ring Squadron, James Neff of the Third Pursuit Squadron, using 100 feet of thread and a three-foot glider patterned after a German soaring plane, lost his model in the clouds after 40 minutes, which is believed to be one of the longest model glider flights ever made from a level field. This model was last seen about 10 miles from the starting point.

At the Ohio State Fair, the four Dayton champions who were on a trip to the National Air Races at Akron, carried off the majority of the honors, winning 10 firsts out of 13 events entered, six seconds and 11 thirds, for a total of 18 ribbons and 11 trophies. In four exhibition events with two planes, a Supermarine S-6 and a Polish P-6, Dayton won six out of eight trophies offered. The Supermarine was built by Edward Woolery (see story August M. A. N.) and the Polish by Harold Coovert.

Robert Houdeshell of Dayton, was the high point winner and made an enviable record, four firsts, two thirds and one fourth out of seven events. Houdeshell won the outdoor fuselage r.o.g.; o.d. flying scale; 9-inch indoor r.o.g.; indoor fuselage. He took fourth in the outdoor scientific, and third in the indoor scientific and indoor flying scale.

Woolery won the indoor scientific, took third in outdoor flying scale, won the boy scout airplane display and took first in exhibition of the non-flying scale.

Harold Coovert of Dayton, took two firsts and two seconds in exhibition classes and was not entered in flying events. Edmund Schieve of Dayton, took two seconds



## The Choice of CHAMPION MODEL BUILDERS

### Clear, White, Sheet Balsa

1/32 x 2 x 24".....4 for .10 1/4 x 2 x 24".....2 for .10  
1/16 x 2 x 24".....4 for .10 3/8 x 2 x 24".....2 for .10  
1/8 x 2 x 24".....4 for .10 1/2 x 2 x 24".....2 for .10

### Polished, Straight Balsa Strips

1/16 x 1/16 x 24".....30 for .10 1/8 x 1/4 x 24".....20 for .10  
1/16 x 1/8 x 24".....30 for .10 3/16 x 1/16 x 24".....20 for .10  
1/8 x 1/8 x 24".....25 for .10 1/4 x 1/4 x 24".....15 for .10

### Propeller Stock

1/2 x 1 x 24"......05 1 x 1 1/2 x 24"......10  
3/4 x 1 1/2 x 24"......08 1 1/2 x 24"......10

### Japanese Tissue and Cement

Imperial Tissue, size 20x24", 10 for .20. Japanese Mino Silk Tissue, 18x24", 10 for .30. Lightest Tissue Made, extra thin, 18x24", ea. .05. Superseal Clear Cement, large tube, ea. .15.

10% Postage and Packing  
Minimum Order \$1.00

## AERO MODEL RESEARCH LAB.

Box 1051, LONG BEACH, CALIF.

## The New BEN SID 5-in-1

Complete with all material  
to make 5 perfect planes.

65¢  
Postpaid



This kit contains stamped balsa, cement, sandpaper, plans and even colored dopes—everything to complete these five 5" perfect miniature, scale replicas: Traveler, Mystery Ship, Fairchild, "22", "A.O. 6", Pittman "Mailwing", and Stearns "Cloudboy". Order a few 5-in-1 kits now for Xmas gifts.

Dealers: Write for full details.


Send 3c stamp for complete price list.  
Remit by money order or check.

BEN-SID Aircraft Co., 182-3rd Ave., N. Y.

## Big 3 Ft. Telescope

5 sections, Brass bound, 10-mile range. Study Moon, Stars & distant objects with this powerful 3-x instrument. Special Eye piece for viewing Sun included. FREE. Makes an ideal Microscope. Guaranteed. Big value. Postpaid \$1.75. C. O. D. 15c extra.

BENNER & COMPANY, T-74, Trenton, N. J.



HAWKER FURY  
6" wing span

HOWARD RACER  
5 1/4" wing span

### PETITE SOLID SCALE MODEL KITS

25c each. Postpaid in U.S.

These are real Engineered Kits and contain Complete insignia and finishing material. Contest Winners.

Also: Flying Model Kits

12" F-9-C-2 Akron Fighter { \$1.00 Each  
15" Howard Racer { Postpaid

## W. BURR BENNETT

Box 213, HONESDALE, PA.

Send 3c stamp for free list of supplies

in flying events, with Utzinger taking one second place.

In the outdoor flying scale event at the Fair Meet, Houdeshell flying a Fokker D-7 made between 900 and 1000 feet distance. In the indoor events, time made was almost 5 minutes despite hanging decorations, a crowd of about 5,000 people and a building as drafty as outdoors, due to the fact that every window and door was open.

About 100 contestants from all parts of Ohio took part in the State Fair Meet.

### Youngstown, Ohio, Becomes Air-Minded

WE recently have had a letter from William Beerstein, telling us that a new model airplane club is being organized at the Youngstown Y.M.C.A. He says:

"We are inviting all boys in Youngstown and vicinity who are members of the 'Y' to join. The purpose of our group will be to promote model airplane activity and to study model airplane design so as to produce real record smashing models. The club expects to hold contests regularly, one very four weeks, and members will be given the opportunity to fly their models after each meeting. There will also be competition to determine the standing of the members—the member flying his model longest will be awarded the highest rank, etc. All boys will be required to pass a Baby r.o.g. test of 30 seconds flight before becoming full fledged members.

"We want all Youngstown model builders to turn out. Get any further information at the 'Y' Boys' Division."

### Loper Takes It

UNQUESTIONABLY, some of our readers will remember Robert Loper, who has been a contributor to our columns. Mr. L. P. Dittmore of the Topeka, Kansas, Model Airplane Club, sends us the following information about this enterprising young man:

"Scoring 17 out of a possible 20 points, Robert Loper, Topeka, captured the Kiwanis club trophy for all-around excellence for entrants under 21 years old, in the state miniature airplane tournament.

"Loper's planes captured a second in outdoor duration with a flight of 3' 47.4": third in outdoor gliding with 8.7": first in indoors duration with 4' 43", and first in indoor fuselage model, with 3' 17.2."

Clifford Mesehimer, Lawrence, and Elva Jean Dittmore, Topeka, tied for second in the trophy competition with 5 points each. The trophy is a silver airplane mounted on a base of black and silver, with engraved plate.

### Model Gossip

THERE were many of our expert model builders who were not fortunate enough to be able to attend the Fifth National Model Airplane Contest held recently at Atlantic City, N. J. One of the outstanding features was the flight of Joe Kovel's indoor model, which won with the time of 13' 3". We thought possibly that some of our readers might be interested in knowing the specifications of Kovel's ship, so here they are:

Wing area: 121 square inches.  
Propeller diameter: 15".  
Propeller weight: .65 grams.  
Slack: 4".

(Continued on page 48)

## FREE! 500 Ft. Finest Fresh PARA RUBBER

WITH EVERY \$2.50 ORDER

(Not Including Postage.)

! Finest Quality Merchandise Sold!  
! on a Money Back Guarantee Basis!

18" Balsa Strips	Bamboo
1/16 x 1/16.....25 for \$.05	.045 sq.x10 1/2" 24 for \$.05
1/16 x 1/8.....22 for .05	1/16x1/4x15" each .08
1/16 x 3/16.....20 for .05	1/16x1/4x15" 12 for .08
1/8 x 1/8.....20 for .05	
1/8 x 3/16.....11 for .05	Clear Dope or Thinner
1/8 x 1/4.....10 for .05	2 ozs.....\$.07
3/16 x 3/16.....10 for .05	1 ozs......13
1/4 x 1/4.....8 for .05	Pint.....\$.39
1/2 x 1/2.....3 for .05	Quart......75
1 x 1.....1 for .05	
18" Balsa Planks	Colored Dope
1 x 3".....1 for \$.15	White, Red, Blue, Yellow,
1 x 2".....1 for .20	Orange, Olive Drab, Sil-
2 x 3".....1 for .25	ver, Black, Green.....
2 x 6".....1 for .45	1 ozs.....\$.10
18" Balsa Sheets	Pint.....\$.65
1/32 x 2.....2 for \$.10	Quart.....1.00
1/16 x 2.....2 for .10	
1/8 x 2.....5 for .10	Colorless Cement
3/16 x 2.....3 for .12	Strongest fastest drying
1/4 x 2.....4 for .15	on the market.
	2 ozs.....\$.10
	1 ozs......19
	Pint.....\$.65
	Quart.....1.00
For 36" lengths	
double 18" lengths cost.	Finest Para Rubber
Balsa Prop Blocks	1/32x1/32.5 ft. for \$.01
5".....9 for \$.05	225 ft. skein......30
6".....7 for .05	.045 sq. 3 ft. for .01
7".....3 for .05	225 ft. skein......60
8".....2 for .05	3/32 flat.....3 ft. for .01
10".....1 for .05	225 ft. skein......60
12".....1 for .05	1/8 flat.....3 ft. for .01
15".....1 for .05	225 ft. skein......65
18".....1 for .10	3/16 flat.....3 ft. for .01
Dummy Radial Engines	225 ft. skein......95
(Celluloid, 9-cylinders)	
1 1/2" diameter.....\$.10	Fine Jap Tissue
3" diameter......30	White, Orange, Red, Olive
Straight Music Wire	Drab, Green, Blue, Yellow,
Sizes .013, .020, .028	Black.
.034, 6 ft.....\$.05	Size 20" x 24"
Thrust Bearings (Small)	2 for \$.05—doz. \$.20
Each.....\$.01	
Per doz......15	Doughnut Rubber Air
	Wheels
Washers	1" dia.....Pair \$1.18
1/4 O. D. Per Doz.....\$.10	1 1/2" dia.....Pair .20
Per Gross......10	1 3/4" dia.....Pair .25
1/2 O. D. Per Doz......10	
Per Gross......10	Celluloid Wheels
Aluminum Leaf	3" dia.....Pair \$.05
.0003 of an inch in	5" dia.....Pair .07
thickness, 3 1/2" wide	6 1/2" dia.....Pair .10
ft. for.....\$.05	12" dia.....Pair .14

### HOW TO ORDER

No orders under 50c. Add 15c for packing and postage to orders under \$1.00. Orders over \$1.50 add 10c per cent. When ordering 36" lengths add extra 10c. Canada 10c extra. (Add 10c extra to cover postage on Free Rubber.)

Dealers' Clubs! Write for confidential

Wholesale Price List

Universal Model Airplanes

1654 St. Johns Pl., Bklyn., N.Y., Dept. N-11

(Subsidiary of Model Aero Supply Mfg. Co.)

## Say "Merry Xmas" with New York Model Kits

Beginners and experienced model builders will welcome these scale models for gifts because of their many wonderful features.

### BELLANCA-PACEMAKER

Flying; 18" wing span



Complete Kit

\$1.25 postpaid

### FORD TRI-MOTOR TRANSPORT PLANE

Solid Scale Model—14" wing span




Complete Kit

\$2.00 postpaid

### COL. LINDBERGH'S LOCKHEED SIRIUS

Solid Scale Model—16" wing span



Complete Kit

\$1.70 postpaid

### NEW YORK MODEL AIRPLANE CO.

1654 St. Johns Place, N-11, Brooklyn, N. Y.

(Subsidiary of Model Aero Supply Mfg. Co.)



## CLASSIFIED DIRECTORY

Advertise in this directory for results. Rate: 10c per word. Cash with order. Minimum space, 10 words. January ads. must be in by November 15th.

### MODEL AIRPLANES—PLANS—MATERIALS

Japanese Model Airplane Tissue, 32 colors, also Wood Veneer. Send for samples. See our ad. this paper with Jap. Girl's Face. Whitfield Paper Works, Importers, 12 Vestry Street, New York City.

We manufacture and distribute model airplane supplies exclusively for model concerns. Model Aero Supply Mfg. Co., 1654 St. Johns Place, Brooklyn, N. Y.

12" Flying Twin Pusher Kit, 25c postpaid. Canada 35c. All parts complete with plans and instructions. See our Free Offer on page 47. Universal Model Airplanes, 1526 St. Johns Place, Brooklyn, N. Y.

26" Flying Scale Puss Moth Kit, \$2.50. Crescent Model Aircraft, 1805 Benson Ave., Brooklyn, N. Y.

GIVEN: "Gee Bee Super-Sportster" Model Airplane. Actually flew! Easily earned. Circular FREE. R. P. Langdale, Box 415, Minneapolis, Minn.

Model Building Service. Models custom built from kits. Cleveland Models a specialty. Send request for list. Frank T. Roberts, Jamesburg, N. J.

Small scale models expertly made to order. Fine Christmas gifts. William Snow, Box 521, Pawtucket, R. I.

Get our blueprints for building 6" ornamental scale models. Lockheed Vega, Lindbergh Lockheed, Hawk's Travelair, Monomail, Ford Trimotor, Bellanca Airbus, Pacemaker, Conder, Army O-1 and P-6, Boeing Pursult, Page Racer, Northrop, Great Lakes, Stearman. Price 20c each; six for \$1. Popular Model Airplane Co., Box 81, Des Plaines, Ill.

Model Plans for all types in the Jumbo Folio, 38c. Get our plan list NOW. Viking Aircraft Co., Box 286, Hamilton, Ohio.

New! Model Airplane Engines, fast, powerful, speedy. For all sizes of Model Airplanes. Runs from 10 to 15 minutes. Write for full information. Washeka, 25 Greenridge Ave., Garden City, New York.

### PATENTS AND INVENTIONS

Unpatented ideas can be sold. I tell you how and help you make the sale. Free particulars (Copyrighted.) Write W. T. Greene, 957 Barrister Bldg., Washington, D. C.

### CAMERAS

Watch Camera, "Every Tick a Picture." Complete outfit, \$2.98, postpaid. Send for Bargain List. Thousands of cameras at half and less. G. Gennert, Inc., 20 W. 22nd Street, New York City.

## NICE STARTER

Collection of 61 DIFFERENT \$1.00  
AIR MAIL STAMPS

including Cuba Lindbergh Stamp

L. W. CHARLAT

Leading Dealer in Air Mail Stamps

180 BROADWAY NEW YORK

## HAVE YOU DECIDED

what you want for Christmas? The December issue of UNIVERSAL MODEL AIRPLANE NEWS will contain scores of good suggestions in the form of Christmas announcements of models never before on the market. Remember, UNIVERSAL MODEL AIRPLANE NEWS can help to get you the present you want. Show the magazine to your mother and dad and let the advertisements sell them the gift you want.

## DON'T

### OVERLOOK THESE REAL VALUES

18" Balsa Strips		Para Rubber	
1/16 x 1/16	.25 for .05	.045	.25 ft. .06
1/16 x 1/8	.22 for .05	1/8 flat	.25 ft. .07
1/16 x 3/16	.20 for .05	1/16 square	.25 ft. .08
1/8 x 1/8	.20 for .05	3/16 flat	.25 ft. .11
1/8 x 1/4	.10 for .05	Thrust Bearings	
		Small or large, 1 doz. .15	
18" Sheet and Plank		Washers	
1/32 x 2	.7 for .10	1/4" dia. doz.	.01 1/2 gr. .10
1/16 x 2	.7 for .10	1/2" dia. doz.	.01 1/2 gr. .10
1/8 x 2	.5 for .10	Insulating Sheet	
3/16 x 2	.4 for .12	24 different	.10
1/4 x 2	.3 for .15	Clear Dope—Thinner	
1 x 3	.1 for .15	2 ozs.	.07
2 x 3	.1 for .20	4 ozs.	.13
2 x 3	.1 for .22	Pint	.40
For 36" lengths double		Colorless Cement	
18" length cost.		2 oz.	.10
		1 pt.	.50
Propeller Blocks		Jap. Tissue	
5" x 3/4 x 3/4	.7 for .05	1/2" dia. doz.	.05
6" x 1 x 1	.6 for .05	Colored Jap. Tissue	
7" x 1 x 1	.3 for .05	red, blue, orange,	
8" x 1 x 1	.3 for .07	olive drab, white	
10" x 1 x 1	.2 for .07	per doz.	.20
Celluloid Parts		Reed and Bamboo	
3/4" diam.	.05	1/16 reed	.6 ft. .03
1" diam.	.07	1/16x1/4x15"	Bamboo .12 for .08
1 1/4" diam.	.09	1/16x1/16	Bamboo .12 for .03
1 3/4" diam.	.13	Plane Wire	
3" cyl. motor	.28	All sizes	.5 ft. .02
1 1/2" cyl. motor	.15		
2" cyl. motor	.20		

No orders under 50c. Add 15c for packing and postage to orders under \$1.50. Orders over \$1.50 add 10 per cent. When ordering 36" lengths add extra 10c. Money Orders Preferred.

MERCURY MODEL AIRPLANE CO., Dept. 4  
4692 Lincoln Place Brooklyn, New York

# KNOWLEDGE AND PHILATELY

Stamp collectors enjoy many advantages in the matter of gaining all kinds of useful knowledge without any special effort in that direction. Almost any page selected at random in the stamp album will reveal the names of celebrities in World History, Commerce, Zoology, Aviation Development, and other important facts concerning the various countries of the world.

How many of our readers know that a section of the Panama Canal is known as the "Gaillard Cut." This is shown on a very beautiful set of stamps issued last year for the Canal Zone. The design shows a steamer passing through the Cut and an airplane overhead.

Do you know what are the principal industries of the Columbian Republic? The answer is pictured on a beautiful set of Air Mail stamps which was issued a few weeks ago. The largest industries of this South American Republic are: Cattle, Coffee, Bananas, Oil, Gold, and Emeralds.

Can you name the Lindbergh of Mexico? If not, all you have to do is look up the 1929 Carranza Commemorative issue which has a splendid photograph of Capt. Emilio Carranza, together with his plane "Mexico Excelsior." It also gives the date of his birth and death.

Italy enjoys the distinction of having been the first country to issue an Air Mail stamp. It was issued on May 22, 1917, for an experimental Air Mail flight, between Rome and Turin. This country has shown a very liberal disposition in honoring its poets and artists as well as patriots including Ferrucci, Dante, da Vinci and Garibaldi.

In December, 1930, the Central American Republic of Salvador issued a set of four stamps in honor of Simon Bolivar, the George Washington of South America. Simon Bolivar was responsible for the liberation of Colombia, Venezuela, Bolivar, Ecuador, and Peru and his influence was felt throughout all of South America.

These are just a few facts which occurred to me at the moment but the subject is almost unlimited.

It will astonish you how much you can learn from your stamps.—L. W. Charlat.

## Air-Ways

(Continued from page 47)

Winds put into motor: 1400.

Tail boom (overall): 12".

Fin: 4"x4" tapered to 2 1/2".

Sinking rate: .166 meters second.

Wing span: 32 inches.

Propeller block: 15"x1 1/16"x1 5/8".

Motor: 1-8"-30 special rubber.

Weight: 2.3 grams.

Winds ship came down with: 30.

Stabilizer span: 12".

Total weight of ship: 6.3 grams.

Gliding angle: 10 plus.

Carl Goldberg, official world's record holder, won third place in the Atlantic City contest, with the time of 12' 38". Carl has done over 14 minutes with this ship but he ran into a little misfortune as the ceiling was fairly low and his ship was designed to take advantage of a high ceiling.

Among the new developments on indoor ships, Carl Goldberg's "tear drop" motor stick "takes the cake." It is a hollowed tapered stick with no bulkheads and only one seam. Its cross-section resembles a streamline or tear drop shape. Here's the way it can be made.

First select a clear light piece of 1-32" flat balsa. Sand a 1"x16" strip of it uniformly down to .025". Taper strip from 5-8" at ends to 7-8" at center. Sand ends down to about .022". Now round two of the edges of a piece of balsa 1-8"x1-4"x17" so that its cross-section is a "U" instead of being rectangular. Soak original strip in very hot water, then bend around "U" beam. Wrap with gauze and put on stove. Heat very carefully until absolutely dry. This will take about 15 minutes. Turn the wood over occasionally. When dry take out and cement seams together. Sand smooth, put in small end plugs, and there you are. A honey of a motor stick.

JEROME KITTEL.

### CORRESPONDENTS WANTED

ROBERT OGDEN of 6317-19 Drexel Avenue, Chicago, Illinois, would like to join an organized model club. Will not some enterprising club secretary communicate with him?

If you live in the north central states and want to start a model airplane club, write to one who has done it. Write to Irvine Seath of 5522 France Avenue South, Minneapolis, Minn., and get some good tried and true information. (Editor's note: The editor will be very pleased to know exactly what this information is. Will not Irvine Seath write to Mr. Grant and give him an outline of the formation of a model club. It will be very useful, as calls come for this information continuously.)

James Fairley of 2633 York Street, Vancouver, B. C., Canada, would like short new items that could be used as material for the *Vancouver Sun* newspaper. He is taking care of the model department and is sadly in need of material, which many of our readers might be interested in contributing to him.

If there is anybody anywhere interested in forming a model airplane club, kindly communicate with Bill O'Keefe of 956 North 21st Street, Milwaukee, Wisconsin.



**My Planes  
Fly Boys!**

*The Comet Kid*



**"Your Company Can't be Beat  
for Service, nor YOUR  
MODELS for TRUE  
FLYERS!"**

*Lloyd Gabriel (Mich.)*


# BIG NEWS! 3 NEW Comet KITS IN FULL COLORS

**Printed on Back of This Page!**

Follow the leader—follow Comet! FIRST to print ALL PLANES in FULL COLORS in our new, amazing, 24-page, 5-color CATALOG (Have you seen it? OH, MAN!)—and FIRST to show model airplanes in their real, complete colors on this back page of Model Airplane News! Now, read this page FIRST! Read how you can get 10 Pairs of Comet INSIGNIA FREE! by ordering Comet Kits through your local store . . . THEN read, see, 3-color Photos of new Comet Kits on reverse side of this page! Go to it—then ORDER! QUICK! You can order C.O.D.! We want you to!

Bates, Jr., "Formed" Celluloid Prop Free with each \$1 and \$1.50 Comet kit. Offer good limited time so act quick! Super-pull gives longer flights! Invented by third man ever to FLY in U. S.! Wright was first, then Curtiss—then Carl Bates!

**AMAZING  
New INVENTION  
FREE!**



Comet's Dipper—Span: 12½"—Length: 9½"

## "My DIPPER FLEW 900 Feet!"

Thousands like Bob Lutas of Colorado have easily, quickly built and FLOWN Dipper hundreds of feet. You can, too. The price is amazingly low—50¢ postpaid—results amazingly great. Weighs less than one-half oz., rises off ground, flies like a bird. Colors: Pure white, blue and red. Complete materials come to you neatly packed in yellow and black box. MATERIALS include rubber motor, balsa prop block, all wire parts, Jap tissue, cement, banana oil, wheels, all balsa parts, bamboo, clear instructions, FULL SIZE, 3-view PLANS, etc. Get yours quick. Have big fun—order C. O. D.!

**50¢** Postpaid  
or at  
DEALERS!

Span:  
13"  
Length:  
14"

**FLYING  
Scale**

**\$1.50**

POSTPAID  
or at  
Dealers!

## NEW U. S. A. NAVY RACER

Striking thru the air, its red, white and blue colors glinting in the sun, this flying scale U.S. Navy Racer, crafted by Comet—will thrill any fellow in any country! Unusually easy to build. Hand-launched for land flights, or will rise off water. Bargain price of only \$1.50 brings you this "navy's pride" in complete kit from INSIDE "Our Flag" silvered box, colored red, white, blue. Get hot on this, gang! Remember, Comet Planes FLY! Order quick, using coupon—send no money—use easy C.O.D. plan!

**SATISFACTION GUARANTEED  
OR MONEY REFUNDED**


Order with perfect confidence as thousands have done under this fair and square guarantee: Satisfaction, or Replacement, or Money Back. Means just what it says. Comet kits give such 100% satisfaction everyone is delighted. You will be, too! If you prefer to order direct from us, send cash by money order or registered mail. Add 15¢ for exchange, if you send check. We pay postage on CASH orders. For convenience, use our "Send no money" C.O.D. method of ordering. Just send coupon and pay for Kits and few pennies postage. C.O.D. fee, on delivery. Canadians add 20% to remittance. Use international money order, no Canadian coins accepted.

**COMET'S New 5-Color, 24-Page  
CATALOG Shows ALL PLANES  
IN FULL COLORS!**

The only one of its kind in the world! Different! Unique! Beautiful! Shows actual planes built by boys from Comet Kits, in their full, complete, rich colors! Comet supplies described, illustrated! Get your copy quick—LIMITED SUPPLY PRINTED! NEW Customers get Catalog FREE with first order. Otherwise send 3¢ stamp for mailing cost. Easily worth 25¢. Get YOUR COPY quick—sensational—FIRST and only one of its kind! You'll say "Comet leads again!" when you see this BIG SURPRISE CATALOG!

**3<sup>c</sup>** Stamp

**Another Great FLYER!**



Span: 15½"  
Length: 11½"

## Comet's NEW RED RACER!

You should see and fly this red-hot baby! "Speed" all over it. All-red color, gleaming black celluloid wheels. Easy to build—and only costs \$1.00 postpaid! Special Comet insignia. Big, brilliantly colored box containing EVERYTHING needed to quickly, easily build and fly this original COMET CRAFT! Full-size, 3-view plans, of course! Get it! Order, using Coupon now! Satisfaction Guaranteed. Hurry! You can order C.O.D. from Comet!

**\$1** POSTPAID  
or at DEALERS!

**10 PAIR INSIGNIA  
FREE!**



If you will help us get a dealer in your locality, we will give you 10 Pairs of Comet Insignia. HERE'S HOW YOU GET THE FREE INSIGNIA: Order the Comet kits you want from this page and Comet kits on back of this page. Fill out other

side of this coupon, then take coupon to your favorite school supply, hardware, department or drug store and ask them to order kits for you. Then we enclose 10 pair of these Insignia with your order: Indian Head, Skull, Kicking Mule, Cat, Hat'n Ring, Wolf-head, Dog (see picture above), Capitol Dome, The Executioner. They're great! Get yours free by ordering thru a dealer! Hurry! See Comet Planes in FULL COLOR on back page now!

**Order Now on BACK Side of Coupon — Take To Dealer  
or Mail It Direct To Comet!**

**DEALERS!** Hardware, Department, School Supply, Variety or Drug Stores—Read This!

Accept this coupon, correctly filled in, from customers who ask you to order kits for them. We will include in their order 10 Pair Insignia Free! Cooperate, help them get Free Insignia! YOU DO THIS: Collect price of kits ordered from customer, send amount to us with this Coupon. We will then ship kits to you prepaid. We will not accept C.O.D. orders from you for your customers—just cash orders.

**We Mail You Our Check, Mr. Dealer, as Commission Which is YOUR Dealer's Discount!**


**GREATEST DEALER LINE IN U. S. A.!**

WRITE at once for full details of our Special Introductory Dealer's Offer. It lets you stock and SELL Comet kits without risking one cent of your money! Get next to this "No-Risk," GUARANTEED Trial Sales Offer quick!

**COMET KITS PRICED TO SELL!**

Priced to retail from 50¢ to \$1.50. BIG advertising schedule in 12 national magazines helps you sell. Kits packed in handsome, "sell-on-sight" boxes! Unusual, sales-creating Dealer Helms given! Kits give 100% FLYING Satisfaction to customers. Builds BIG REPEAT business! Great "leader" to draw men, boy trade. ALL KITS SOLD ON MONEY BACK GUARANTEE. Investigate now! Hundreds of Comet dealers making easy, effortless, steady, year-round profits in these times! You can. WRITE TODAY! Get in on Big Xmas Sales Profits!






Curtiss Robin—Span: 17½", Length: 14"

## NEW ARMY PURSUIT FLIES 1300 Feet!

**75¢**

Postpaid  
or at  
Dealers

"Your Army C-1 Pursuit made a RECORD Flight for me of 1300 FEET! It was the easiest ship I ever constructed. The plans so easy to follow!" Clyde Kowalka (Ohio), PROOF that we mean what we say about marvelous FLYABILITY of ALL Comet planes! Look at that color-photo of the NEW ARMY PURSUIT! Then enjoy building, flying this trim, fierce U. S. Army fighter—our own FLYING design! COMPLETE kit with ALL materials, FULL-SIZE plans, etc., complete in yellow-black box only 75¢ postpaid! See view of Pursuit box and kit contents at right! Then Order! We allow you to order C.O.D.! Send no money—mail the coupon!



C-L-Pursuit—Span: 15", Length: 12¼"

**SEE OTHER SIDE of THIS PAGE  
Before You Order — THEN Order Kits  
On This Yellow Coupon-Side — HURRY!**

Send no money—we trust you! Just order C.O.D., just send coupon! Or send money order and we pay postage. If you send check, add 15¢ extra for exchange. CANNIANS: Send 20¢ extra. Use international money order—ask your postman! Order quick—build these planes that FLY—like thousands are doing!

**SEND NO MONEY—JUST SIGN, Mail Coupon!**



**AMAZING  
NEW 5-Color  
Catalog Free**  
Shows ALL  
Comet  
planes in FULL  
COLORS! Hot off  
press! Supplies illus-  
trated. Unique! "In-  
formant" No other like  
it! Revolutionary!  
LIMITED SUPPLY  
PRINTED so act  
quick! Worth 25¢.  
Free With Order, other-  
wise send 3¢ in stamps.  
Don't buy any Kit out  
Comet's, till you've seen  
this amazing, color cata-  
log! It will surprise—  
amaze you! Hurry!

**Take Coupon To Any Store  
Or Send To Us—See Other  
Side of Page for  
FREE Insignia Offer!**

Comet Model Airplane & Supply Co.,  
3114 Harrison, Dept. M-112, Chicago, U.S.A.

(Check below.)  
C.O.D. ( ) Send me articles I am checking C.O.D. I'll pay postman for articles,  
postage, and slight C.O.D. fee. Comet Guarantees Satisfaction!

CASH ( ) I enclose \$\_\_\_\_\_ for kits I am checking. Comet pays postage!  
Comet guarantees satisfaction! Check Articles You Want:  
( ) Curtiss Robin ( ) Baby Bullet ( ) The Zip ( ) Dipper  
( ) C-1 Pursuit ( ) U.S. Navy Racer ( ) Red Racer ( ) Catalog (5¢)  
New Bates Jr. Celluloid Prop: Size \_\_\_\_\_ No. \_\_\_\_\_ Color \_\_\_\_\_  
(PRINT CLEARLY)

Name \_\_\_\_\_ Street \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_



**FREE!** Strange NEW Celluloid Propeller INVENTION Banishes "Prop"  
Carving—FIRE with each \$1 and \$1.50 kit! Super-pulling, realistic,  
already formed Bates Celluloid Propeller is sensational! Gives  
BETTER flight—outlasts plane! Eliminates propeller carving job! (See photo).  
Free with shaft (in addition to regular halves prop blank) on \$1 and \$1.50 kits.  
Prices ordered separate: 6", 12", 6" and 7", 15¢ each. Colors: Red, green,  
yellow, black-white! Order quick!

**ALL Planes Reproduced in  
FULL COLORS—Build, FLY 'em!**

## NEW! Curtiss Robin FLYING Scale

"Flies 5 Times As Far As My  
Dipper!" writes Harry Magni of N.Y.

Gosh! Isn't this new FLYING Scale Curtiss Robin cabin simply beautiful! FLIES 1500 feet—is dead easy to build—and costs you only \$1 postpaid! Looks SWEET and FLIES swell—like all Comet-crafted models! A COMPLETE kit of ALL materials needed with FULL-SIZE, 3-view plans sent you inside brightly colored cardboard box with new FREE and EXTRA Celluloid formed Prop! Only \$1 postpaid! Order quick! Send coupon—send no money!

**\$1** POSTPAID  
or  
at DEALERS



FLYING  
Scale


Span: 14½"  
Length: 11"

## NEW! Heath Baby Bullet!

What a ship! Here's the FIRST FLYING Scale of Heath Baby Bullet ever offered you—and sells at bargain price of \$1 postpaid! Swift as a flash in flight—sweet as a dream in sight! And EASY to build as ALL Comet-craft! A remarkable value with COMPLETE Kit containing ALL materials, FULL-SIZE, 3-view plans, etc., in big, 2-color box—\$1 postpaid! Think of it. Look at it. FLY IT! Order!—use the convenient "send no money" C.O.D. coupon! Comet trusts you!

**\$1** POST-  
PAID  
or at Dealers

Actual color photo (right) shows beautiful yellow-black box in which you will receive your new Army C-1 Pursuit! View also shows partial contents of Kit. Boys, Comet packs ALL kits neatly in beautiful color boxes—because we know you appreciate the EXTRA value. Costs us more, but gives YOU more satisfaction. Just another example of Comet's progressive leadership in giving you the most and best at lower cost! Hurry—order now on coupon!



Span: 15½"  
Length: 10¾"

**75¢**  
POST PAID  
or at Dealers

## NEW! The Z-I-P-P

**FLIES  
1,000 Feet**

The true, actual color photo tells you how beautiful, how dainty, how trim the ship looks. The LOW price of 75¢ tells you it's a BIG buy. Our reputation for FULL KIT VALUE guarantees your satisfaction! It's EASY to build, more fun to FLY! Be first to give your friends a thrill with The Zipp. COMPLETE Kit in 2-color, sturdy box with ALL materials, FULL-SIZE, 3-view plans, etc., only 75¢ postpaid! Hurry, Order! Use Coupon! We trust you—just order C. O. D.

**ALL COMET-CRAFT FLIES!**